

BOX SER/

TRANSMITTAL OF UTILITY APPLICATION UNDER 37

Attorney Docket No. 24736-2033

First named inventor Andreas Braun

Express mail label # EL406143913US =

Date of mailing October 13, 2000

C.F.R. §1.53	Date of mailing		October 13, 2000	8
Application Elements		Accompanying Application Papers		
1. [X] Fee Transmittal Form		6.[] Assignments		
Specification containing 135 pages (including claims and Abstract), a Sequence Listing (110 pages).		7. [X] Small Entity Status is claimed 8. [] Preliminary Amendment		
a. Title: METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS		9. [X] Return Receipt Postcard		
b. Number of claims: 100				
3. [X] 49 sheets of drawings with 58 Figures				
4. [] Declaration				
5. [X] Sequence Listing				
[X] Paper copy (identical to computer copy)				ł
[X] Computer readable copy				
[] Verified statement				
		SIGNATURE	OF ATTORNEY/AGENT	
		HELLER EHRMAN	WHITE & McAULIFFE LLP	
		Registration Nu		

[X] Benefit of priority under 35 U.S.C. \$119(e) claimed to U.S. provisional application Serial Nos. 60/217,658, 60/159,176 and 60/217,251. Benefit of priority under 35 U.S.C. \$120 is also claimed. This application is a continuation-in-partof U.S. application Serial No. 09/663,938, filed September 19, 2000. The application and provisional applications are incorporated by reference in their entirety

CORRESPONDENCE ADDRESS				
NAME	Stephanie Seidman Registration No. 33,779 Heller Ehrman White & McAuliffe LLF			
Address	4250 Executive Square, 7th Floor, La	Jolla, CA 92037		
	Telephone: 858.450-8400	Facsimile: 858.587-5360		

FEE TRANSMITTAL ACCOMPANYING UTILITY APPLICATION UNDER 37 C.F.R. §1.53

Attorney Docket No.	24736-2033
First named inventor	Andreas Braun
Express mail label #	EL406143913US
Date of mailing	October 13, 2000

FEE CALCULATION FOR CLAIMS AS AMENDED

a)	Basic Fee	\$ 710.00
		\$ 960.00
b)	Independent Claims $\underline{15} - 3 = \underline{12} \times \$ 80.00$	
	Total Claims 100 - 20 = 80 x \$ 18.00	\$1440.00
c)	Total Claims 100 20 - 00 11	
d)	Fee for Multiple Dependent Claims - \$270.00	\$ 0.00
a)	Fee for Marcipic Dependent Transport	\$3110.00
	TOTAL FILING FEE	

[X] Status as Small Entity is claimed reducing Fee by one-half to

\$1555.00

- [X] A check in the amount of \$1550.00 to cover the fee for filing the application.
- [] Charge \$.00 to Deposit Account No. 50-1213
- [X] The Commissioner is hereby authorized to charge any fees, including the filing fee and excess claims fee, that may be required in this application under 37 C.F.R. §§ 1.16-1.17 during its entire pendency, or credit any overpayment, to Deposit Account No. 50-1213. If proper payment is not enclosed, such as a check in the wrong amount, unsigned, post-dated, otherwise improper or informal, or absent, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 50-1213 during the entire pendency of this application. This sheet is filed in duplicate.

CORRESPONDENCE ADDRESS					
NAME	Stephanie Seidman Registration No. 33,779 Heller Ehrman White & McAuliffe LLP				
Address	4250 Executive Square, 7th Floor, La Jolla, CA 92037				
	Telephone: 858.450.8400 Facs		mile: 858.587.5360		
Submitted by:					
Typed or printed name	Stephanie Seidman			Reg. Number	33,779
Signature		Date	10/13/00	Deposit Account	50-1213

METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS

RELATED APPLICATIONS

Benefit of priority under 35 U.S.C. §119(e) to the following

5 provisional applications is claimed herein:

U.S. provisional application Serial No. 60/217,658 to Andreas Braun,
Hubert Koster; Dirk Van den Boom, filed July 10, entitled "METHODS
FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING
POLYMORPHIC GENETIC MARKERS"; U.S. provisional application Serial

10 No. 60/159,176 to Andreas Braun, Hubert Koster, Dirk Van den Boom,
filed October 13, 1999, entitled "METHODS FOR GENERATING
DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC
GENETIC MARKERS"; U.S. provisional application Serial No. 60/217,251,
filed July 10, 2000, to Andreas Braun, entitled "POLYMORPHIC KINASE

ANCHOR PROTEIN GENE SEQUENCES, POLYMORPHIC KINASE ANCHOR
PROTEINS AND METHODS OF DETECTING POLYMORPHIC KINASE

PROTEINS AND METHODS OF DETECTING POLYMORPHIC KINASE
ANCHOR PROTEINS AND NUCLEIC ACIDS ENCODING THE SAME". This
application is also a continuation-in-part of U.S. application Serial No.
09/663,968, to Ping Yip, filed September 19, 2000, entitled "METHOD
20 AND DEVICE FOR IDENTIFYING A BIOLOGICAL SAMPLE."

The above-noted applications and provisional applications are incorporated by reference in their entirety.

FIELD OF THE INVENTION

Process and methods for creating a database of genomic samples

25 from healthy human donors. Methods that use the database to identify
and correlate with polymorphic genetic markers and other markers with
diseases and conditions are provided.

BACKGROUND

Diseases in all organisms have a genetic component, whether

30 inherited or resulting from the body's response to environmental stresses, such as viruses and toxins. The ultimate goal of ongoing genomic

20

25

research is to use this information to develop new ways to identify, treat and potentially cure these diseases. The first step has been to screen disease tissue and identify genomic changes at the level of individual samples. The identification of these "disease" markers has then fueled the development and commercialization of diagnostic tests that detect these errant genes or polymorphisms. With the increasing numbers of genetic markers, including single nucleotide polymorphisms (SNPs), microsatellites, tandem repeats, newly mapped introns and exons, the challenge to the medical and pharmaceutical communities is to identify genotypes which not only identify the disease but also follow the progression of the disease and are predictive of an organism's response to treatment.

Currently the pharmaceutical and biotechnology industries find a disease and then attempt to determine the genomic basis for the disease. This approach is time consuming and expensive and in many cases involves the investigator guessing as to what pathways might be involved in the disease.

Genomics

Presently the two main strategies employed in analyzing the available genomic information are the technology driven reverse genetics brute force strategy and the knowledge-based pathway oriented forward genetics strategy. The brute force approach yields large databases of sequence information but little information about the medical or other uses of the sequence information. Hence this strategy yields intangible products of questionable value. The knowledge-based strategy yields small databases that contain a lot of information about medical uses of particular DNA sequences and other products in the pathway and yield tangible products with a high value.

15

20

25

30

Polymorphisms

Polymorphisms have been known since 1901 with the identification of blood types. In the 1950's they were identified on the level of proteins using large population genetic studies. In the 1980's and 1990's many of the known protein polymorphisms were correlated with genetic loci on genomic DNA. For example, the gene dose of the apolipoprotein E type 4 allele was correlated with the risk of Alzheimer's disease in late onset families (see, e.g., Corder et al. (1993) Science 261: 921-923: mutation in blood coagulation factor V was associated with resistance to activated 10 protein C (see, e.g., Bertina et al. (1994) Nature 369:64-67); resistance to HIV-1 infection has been shown in caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene (see, e.g., Samson et al. (1996) Nature 382:722-725); and a hypermutable tract in antigen presenting cells (APC, such as macrophages), has been identified in familial colorectal cancer in individuals of Ashkenzi jewish background (see, e.g., Laken et al. (1997) Nature Genet. 17:79-83). There may be more than three million polymorphic sites in the human genome. Many have been identified, but not yet characterized or mapped or associated with a marker.

Single nucleotide polymorphisms (SNPs)

Much of the focus of genomics has been in the identification of SNPs, which are important for a variety of reasons. They allow indirect testing (association of haplotypes) and direct testing (functional variants). They are the most abundant and stable genetic markers. Common diseases are best explained by common genetic alterations, and the natural variation in the human population aids in understanding disease. therapy and environmental interactions.

Currently, the only available method to identify SNPs in DNA is by sequencing, which is expensive, difficult and laborious. Furthermore, once a SNP is discovered it must be validated to determine if it is a real

polymorphism and not a sequencing error. Also, discovered SNPs must then be evaluated to determine if they are associated with a particular phenotype. Thus, there is a need to develop new paradigms for identifying the genomic basis for disease and markers thereof. Therefore, it is an object herein to provide methods for identifying the genomic basis of disease and markers thereof.

SUMMARY

10

Databases and methods using the databases are provided herein. The databases comprise sets of parameters associated with subjects in populations selected only on the basis of being healthy (i.e., where the subjects are mammals, such as humans, they are selected based upon apparent health and no detectable infections). The databases can be sorted based upon one or more of the selected parameters.

The databases are preferably relational databases, in which an

15 index that represents each subject serves to relate parameters, which are
the data, such as age, ethnicity, sex, medical history, etc. and ultimately
genotypic information, that was inputted into and stored in the database.
The database can then be sorted according to these parameters. Initially,
the parameter information is obtained from a questionnaire answered by

20 each subject from whom a body tissue or body fluid sample is obtained.
As additional information about each sample is obtained, this information
can be entered into the database and can serve as a sorting parameter.

The databases obtained from healthy individuals have numerous uses, such as correlating known polymorphisms with a phenotype or disease. The databases can be used to identify alleles that are deleterious, that are beneficial, and that are correlated with diseases.

For purposes herein, genotypic information can be obtained by any method known to those of skill in the art, but is preferably obtained using mass spectrometry.

Also provided herein, is a new use for existing databases of subjects and genotypic and other parameters, such as age, ethnicity, race, and gender. Any database can be sorted according to the methods herein and alleles that exhibit statistically significant correlations with any 5 of the sorting parameters can be identified. It is noted, however, is noted, that the databases provided herein and randomly selected databases will perform better in these methods, since disease-based databases suffer numerous limitations, including their relatively small size, the homogeneity of the selected disease population, and the masking 10 effect of the polymorphism associated with the markers for which the database was selected. Hence, the healthy database provided herein, provides advantages not heretofore recognized or exploited. However, the methods provided herein can be used with a selected database. including disease-based databases, with or without sorting for the discovery and correlation of polymorphisms. In addition, the databases provided herein represent a greater genetic diversity than the unselected databases typically utilized for the discovery of polymorphisms and thus allow for the enhanced discovery and correlation of polymorphisms.

The databases provided herein can be used for taking an identified 20 polymorphism, and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

One use of these methods is correlating a selected marker with a particular parameter by following the occurrence of known genetic markers and then, having made this correlation, determining or identifying 25 correlations with diseases. Examples of this use are p53 and Lipoprotein Lipase polymorphism. As exemplified herein, known markers are shown

to have particular correlation with certain groups, such as a particular ethnicity or race or one sex. Such correlations will then permit development of better diagnostic tests and treatment regimens.

These methods are valuable for identifying one or more genetic

markers whose frequency changes within the population as a function of age, ethnic group, sex or some other criteria. This can allow the identification of previously unknown polymorphisms and ultimately a gene or pathway involved in the onset and progression of disease.

The databases and methods provided herein permit, among other
things, identification of components, particularly key components, of a
disease process by understanding its genetic underpinnings and also
permit an understanding of processes, such as individual drug responses.
The databases and methods provided herein also can be used in methods
involving elucidation of pathological pathways, in developing new
diagnostic assays, identifying new potential drug targets, and in
identifying new drug candidates.

The methods and databases can be used with experimental procedures, including, but are not limited to, *in silico* SNP identification, *in vitro* SNP identification/verification, genetic profiling of large populations, and in biostatistical analyses and interpretations.

Also provided herein, are combinations that contain a database provided herein and a biological sample from a subject in the database, and preferably biological samples from all subjects or a plurality of subjects in the database. Collections of the tissue and body fluid samples are also provided.

Also, provided herein, are methods for determining a genetic marker that correlates with age, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

20

25

30

Further provided herein are methods for determining whether a genetic marker correlates with susceptibility to morbidity, early mortality, or morbidity and early mortality, comprising identifying a polymorphism and determining the frequency of the polymorphism with increasing age in a healthy population.

Any of the methods herein described can be used out in a multiplex format.

Also provided are an apparatus and process for accurately identifying genetic information. It is another object of the herein that genetic information be extracted from genetic data in a highly automated manner. Therefore, to overcome the deficiencies in the known conventional systems, a method and apparatus for identifying a biological sample is proposed.

Briefly, the method and system for identifying a biological sample generates a data set indicative of the composition of the biological sample. In a particular example, the data set is DNA spectrometry data received from a mass spectrometer. The data set is denoised, and a baseline is deleted. Since possible compositions of the biological sample may be known, expected peak areas may be determined. Using the expected peak areas, a residual baseline is generated to further correct the data set. Probable peaks are then identifiable in the corrected data set, which are used to identify the composition of the biological sample. In a disclosed example, statistical methods are employed to determine the probability that a probable peak is an actual peak, not an actual peak, or that the data too inconclusive to call.

Advantageously, the method and system for identifying a biological sample accurately makes composition calls in a highly automated manner. In such a manner, complete SNP profile information, for example, may be collected efficiently. More importantly, the collected data is analyzed with highly accurate results. For example, when a particular composition

is called, the result may be relied upon with great confidence. Such confidence is provided by the robust computational process employed.

DESCRIPTION OF THE DRAWINGS

Figure 1 depicts an exemplary sample bank. Panel 1 shows the samples as a function of sex and ethnicity. Panel 2 shows the caucasians as a function of age. Panel 3 shows the Hispanics as a function of age.

Figures 2A and 2C show an age- and sex-distribution of the 291S allele of the lipoprotein lipase gene in which a total of 436 males and 589 females were investigated. Figure 2B shows an age distribution for the 436 males.

Figure 3 is an exemplary questionnaire for population-based sample banking.

Figure 4 depicts processing and tracking of blood sample to components.

Figure 5 depicts the allelic frequency of "sick" alleles and "healthy" alleles as a function of age. It is noted that the relative frequency of healthy alleles increases in a population with increasing age.

Figure 6 depicts the age-dependent distribution of ApoE genotypes 20 (see, Schächter et al. (1994) Nature Genetics 6:29-32).

Figure 7A-D depicts age-related and genotype frequency of the p53 (tumor suppressor) codon 72 among the caucasian population in the database. *R72 and *P72 represent the frequency of the allele in the database population. R72, R72P, and P72 represent the genotypes of the individuals in the population. The frequency of the homozygous P72 allele drops from 6.7% to 3.7% with age.

Figure 8 depicts the allele and genotype frequencies of the p21 S31R allele as a function of age.

Figure 9 depicts the frequency of the FVII Allele 353Q in pooled 30 versus individual samples.

Figure 10 depicts the frequency of the CETP (cholesterol ester transfer protein) allele in pooled versus individual samples

Figure 11 depicts the frequency of the plasminogen activator inhibitor-1 (PAI-1) 5G in pooled versus individual samples

Figure 12 shows mass spectra of the samples and the ethnic diversity of the PAI-1 alleles.

Figure 13 shows mass spectra of the samples and the ethnic diversity of the CETP 405 alleles.

Figure 14 shows mass spectra of the samples and the ethnic 10 diversity of the Factor VII 353 alleles.

Figure 15 shows ethnic diversity of PAI-1, CETP and Factor VII using the pooled DNA samples.

Figure 16 shows the p53-Rb pathway and the relationships among the various factors in the pathway.

Figure 17, which is a block diagram of a computer constructed to provide and process the databases described herein, depicts a typical computer system for storing and sorting the databases provided herein and practicing the methods provided herein.

Figure 18 is a flow diagram that illustrates the processing steps
20 performed using the computer illustrated in Figure 17, to maintain and
provide access to the databases for identifying polymorphic genetic
markers.

Figure 19 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the 25 AKAP10-1 locus. Bright green bars show frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 20 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the 30 AKAP10-5 locus. Bright green bars show frequencies in individuals

younger than 40 years; dark green bars show frequencies in individuals older than 60 years.

Figure 21 is a histogram showing the allele and genotype distribution in the age and sex stratified Caucasian population for the h-5 msrA locus. Genotype difference between male age groups is significant. Bright green bars show frequencies in individuals younger than 40 years. Dark green bars show frequencies in individuals older than 60 years.

Figure 22A-D is a sample data collection questionnaire used for the healthy database.

10 Figure 23 is a flowchart showing processing performed by the computing device of Figure 24 when performing genotyping of sense strands and antisense strands from assay fragments.

Figure 24 is a block diagram showing a system in accordance with the present invention;

15 Figure 25 is a flowchart of a method of identifying a biological sample in accordance with the present invention;

Figure 26 is a graphical representation of data from a mass spectrometer;

Figure 27 is a diagram of wavelet transformation of mass 20 spectrometry data;

Figure 28 is a graphical representation of wavelet stage 0 hi data;

Figure 29 is a graphical representation of stage 0 noise profile;

Figure 30 is a graphical representation of generating stage noise standard deviations;

25 Figure 31 is a graphical representation of applying a threshold to data stages;

Figure 32 is a graphical representation of a sparse data set;

Figure 33 is a formula for signal shifting;

Figure 34 is a graphical representation of a wavelet transformation 30 of a denoised and shifted signal; Figure 35 is a graphical representation of a denoised and shifted signal;

Figure 36 is a graphical representation of removing peak sections; Figure 37 is a graphical representation of generating a peak free

5 signal;

10 removed:

15

Figure 38 is a block diagram of a method of generating a baseline correction;

Figure 39 is a graphical representation of a baseline and signal; Figure 40 is a graphical representation of a signal with baseline

Figure 41 is a table showing compressed data:

Figure 42 is a flowchart of method for compressing data;

Figure 43 is a graphical representation of mass shifting;

Figure 44 is a graphical representation of determining peak width;

Figure 45 is a graphical representation of removing peaks;

Figure 46 is a graphical representation of a signal with peaks removed;

Figure 47 is a graphical representation of a residual baseline:

Figure 48 is a graphical representation of a signal with residual

20 baseline removed;

Figure 49 is a graphical representation of determining peak height; Figure 50 is a graphical representation of determining signal-to-

noise for each peak;

Figure 51 is a graphical representation of determining a residual 25 error for each peak;

Figure 52 is a graphical representation of peak probabilities;

Figure 53 is a graphical representation of applying an allelic ratio to peak probability;

Figure 54 is a graphical representation of determining peak

30 probability

Figure 55 is a graphical representation of calling a genotype;

Figure 56 is a flowchart showing a statistical procedure for calling
a genotype:

Figure 57 is a flowchart showing processing performed by the computing device of Figure 1 when performing standardless genotyping; and

Figure 58 is graphical representation of applying an allelic ratio to peak probability for standardless genotype processing.

DETAILED DESCRIPTION

10 Definitions

20

25

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of ordinary skill in the art to which this invention belongs. All patents, applications, published applications and other publications and sequences from GenBank and other databases referred to herein throughout the disclosure are incorporated by reference in their entirety.

As used herein, a biopolymer includes, but is not limited to, nucleic acid, proteins, polysaccharides, lipids and other macromolecules. Nucleic acids include DNA, RNA, and fragments thereof. Nucleic acids may be derived from genomic DNA, RNA, mitochondrial nucleic acid, chloroplast nucleic acid and other organelles with separate genetic material.

As used herein, morbidity refers to conditions, such as diseases or disorders, that compromise the health and well-being of an organism, such as an animal. Morbidity susceptibility or morbidity-associated genes are genes that, when altered, for example, by a variation in nucleotide sequence, facilitate the expression of a specific disease clinical phenotype. Thus, morbidity susceptibility genes have the potential, upon alteration, of increasing the likelihood or general risk that an organism will develop a specific disease.

20

As used herein, mortality refers to the statistical likelihood that an organism, particularly an animal, will not survive a full predicted lifespan. Hence, a trait or a marker, such as a polymorphism, associated with increased mortality is observed at a lower frequency in older than younger segments of a population.

As used herein, a polymorphism, e.g. genetic variation, refers to a variation in the sequence of a gene in the genome amongst a population, such as allelic variations and other variations that arise or are observed. Thus, a polymorphism refers to the occurrence of two or more genetically 10 determined alternative sequences or alleles in a population. These differences can occur in coding and non-coding portions of the genome, and can be manifested or detected as differences in nucleic acid sequences, gene expression, including, for example transcription, processing, translation, transport, protein processing, trafficking, DNA synthesis, expressed proteins, other gene products or products of biochemical pathways or in post-translational modifications and any other differences manifested amongst members of a population. A single nucleotide polymorphism (SNP) refers to a polymorphism that arises as the result of a single base change, such as an insertion, deletion or change in a base.

A polymorphic marker or site is the locus at which divergence occurs. Such site may be as small as one base pair (an SNP). Polymorphic markers include, but are not limited to, restriction fragment length polymorphisms, variable number of tandem repeats (VNTR's), 25 hypervariable regions, minisatellites, dinucleotide repeats, trinucleotide repeats, tetranucleotide repeats and other repeating patterns, simple sequence repeats and insertional elements, such as Alu. Polymorphic forms also are manifested as different mendelian alleles for a gene. Polymorphisms may be observed by differences in proteins, protein modifications, RNA expression modification, DNA and RNA methylation, 30

20

25

30

regulatory factors that alter gene expression and DNA replication, and any other manifestation of alterations in genomic nucleic acid or organelle nucleic acids.

As used herein, a healthy population, refers to a population of 5 organisms, including but are not limited to, animals, bacteria, viruses, parasites, plants, eubacteria, and others, that are disease free. The concept of disease-free is a function of the selected organism. For example, for mammals it refers to a subject not manifesting any disease state. Practically a healthy subject, when human, is defined as human 10 donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are not taking any medications. For plants, for example, it is a plant population that does not manifest diseases pathology associated with plants. For bacteria it is a bacterial population replicating without environmental stress, such as selective agents, heat and other pathogens.

As used herein, a healthy database (or healthy patient database) refers to a database of profiles of subjects that have not been preselected for any particular disease. Hence, the subjects that serve as the source of data for the database are selected, according to predetermined criteria, to be healthy. In contrast to other such databases that have been pre-selected for subjects with a particular disease or other characteristic, the subjects for the database provided herein are not soselected. Also, if the subjects do manifest a disease or other condition, any polymorphism discovered or characterized should be related to an independent disease or condition. In a preferred embodiment, where the

25

30

subjects are human, a healthy subject manifests no disease symptoms and meets criteria, such as those set by blood banks for blood donors.

Thus, the subjects for the database are a population of any organism, including, but are not limited to, animals, plants, bacteria, viruses, parasites and any other organism or entity that has nucleic acid. Among preferred subjects are mammals, preferably, although not necessarily, humans. Such a database can capture the diversity of the a population, thus providing for discovery of rare polymorphisms.

As used herein, a profile refers to information relating to, but not

limited to and not necessarily including all of, age, sex, ethnicity, disease
history, family history, phenotypic characteristics, such as height and
weight and other relevant parameters. A sample collect information form
is shown in Figure 22, which illustrates profile intent.

As used herein, a disease state is a condition or abnormality or

15 disorder that may be inherited or result from environmental stresses, such
as toxins, bacterial, fungal and viral infections.

As used herein, set of non-selected subjects means that the subjects have not been pre-selected to share a common disease or other characteristic. They can be selected to be healthy as defined herein.

As used herein, a phenotype refers to a set of parameters that includes any distinguishable trait of an organism. A phenotype can be physical traits and can be, in instances in which the subject is an animal, a mental trait, such as emotional traits. Some phenotypes can be determined by observation elicited by questionnaires (see, e.g., Figures 3 and 22) or by referring to prior medical and other records. For purposes herein, a phenotype is a parameter around which the database can be sorted.

As used herein, a parameter is any input data that will serve as a basis for sorting the database. These parameters will include phenotypic traits, medical histories, family histories and any other such information

20

25

elicited from a subject or observed about the subject. A parameter may describe the subject, some historical or current environmental or social influence experienced by the subject, or a condition or environmental influence on someone related to the subject. Paramaters include, but are not limited to, any of those described herein, and known to those of skill in the art.

As used herein, haplotype refers referes to two or polymorphism located on a single DNA strand. Hence, haplotyping refers to identification of two or more polymorphisms on a single DNA strand. Haplotypes can be indicative of a phenotype. For some disorders a single polymorphism may suffice to indicate a trait; for others a plurality (i.e., a haplotype) may be needed. Haplotyping can be performed by isolating nucleic acid and separating the strands. In addition, when using enzymes such a certain nucleases, that produce, different size fragments from each strand, strand 15 separation is not needed for haplotyping.

As used herein, used herein, pattern with reference to a mass spectrum or mass spectrometric analyses, refers to a characteristic distribution and number of signals (such peaks or digital representations thereof).

As used herein, signal in the context of a mass spectrum and analysis thereof refers to the output data, which the number or relative number of moleucles having a particular mass. Signals include "peaks" and digital representations thereof.

As used herein, adaptor, when used with reference to haplotyping use Fen ligase, refers to a nucleic acid that specifically hybridizes to a polymorphism of insterest. An adaptor can be partially double-stranded. An adaptor complex is formed when an adaptor hybridizes to its target.

As used herein, a target nucleic acid refers to any nucleic acid of interest in a sample. It can contain one or more nucleotides.

15

20

As used herein, standardless analysis refers to a determination based upon an internal standard. For example, the frequency of a polymorphism can be determined herein by comparing signals within a single mass spectrum.

As used herein, amplifying refers to means for increasing the amount of a bipolymer, especially nucleic acids. Based on the 5' and 3' primers that are chosen, amplication also serves to restrict and define the region of the genome which is subject to analysis. Amplification can be by any means known to those skilled in the art, including use of the 10 polymerase chain reaction (PCR) etc. Amplification, e.g., PCR must be done quantitatively when the frequency of polymorphism is required to be determined.

As used herein, cleaving refers to non-specific and specific fragmentation of a biopolymer.

As used herein, multiplexing refers to the simultaneous detection of more than one polymorphism. Methods for performing multiplexed reactions, particularly in conjunction with mass spectrometry are known (see, e.g., U.S. Patent Nos. 6.043,031, 5.547,835 and International PCT application No. WO 97/37041).

As used herein, reference to mass spectrometry encompasss any suitable mass spectrometric format known to those of skill in the art. Such formats cinlude, but are not limited to, Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI (see, e.g., published International PCT application No.99/57318 25 and U.S. Patent No. 5.118,937), Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof. MALDI, particular UV and IR, are among the preferred formats.

15

20

25

As used herein, mass spectrum refers to the presentation of data obtained from analyzing a biopolymer or fragment thereof by mass spectrometry either graphically or encoded numerically.

As used herein, a blood component is a component that is separated from blood and includes, but is not limited to red blood cells and platelets, blood clotting factors, plasma, enzymes, plasminogen, immunoglobulins. A cellular blood component is a component of blood, such as a red blood cell, that is a cell. A blood protein is a protein that is normally found in blood. Examples of such proteins are blood factors VII 10 and VIII. Such proteins and components are well-known to those of skill in the art.

As used herein, plasma can be prepared by any method known to those of skill in the art. For example, it can be prepared by centrifuging blood at a force that pellets the red cells and forms an interface between the red cells and the buffy coat, which contains leukocytes, above which is the plasma. For example, typical platelet concentrates contain at least about 10% plasma.

Blood may be separated into its components, including, but not limited to, plasma, platelets and red blood cells by any method known to those of skill in the art. For example, blood can be centrifuged for a sufficient time and at a sufficient acceleration to form a pellet containing the red blood cells. Leukocytes collect primarily at the interface of the pellet and supernatant in the buffy coat region. The supernatant, which contains plasma, platelets, and other blood components, may then be removed and centrifuged at a higher acceleration, whereby the platelets pellet.

20

30

As used herein, p53 is a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulation gene which control cell growth, DNA repair and apoptosis. The p53 mutations have been found in a wide variety of different cancers, including all of the different types of leukemia, with varying frequency. The loss of normal p53 functions results in genomic instability and uncontrolled growth of the host cell.

As used herein, p21 is a cyclin-dependent kinase inhibitor, associated with G1 phase arrest of normal cells. Expression triggers 10 apoptosis or programmed cell death and has been associated with Wilms' tumor, a pediatric kidney cancer.

As used herein. Factor VII is a serine protease involved the extrinsic blood coagulation cascade. This factor is activated by thrombin and works with tissue factor (Factor III) in the processing of Factor X to Factor Xa. Evidence has supported an association between polymorphisms in the gene and increase Factor VII activity which can result in an elevated risk of ischemic cardiovascular disease including myocardial infarction.

As used herein, a relational database stores information in a form representative of matrices, such as two-dimensional tables, including rows and columns of data, or higher dimensional matrices. For example, in one embodiment, the relational database has separate tables each with a parameter. The tables are linked with a record number, which also acts as an index. The database can be searched or sorted by using data in the 25 tables and is stored in any suitable storage medium, such as floppy disk, CD rom disk, hard drive or other suitable medium.

As used herein, a bar codes refers any array of optically readable marks of any desired size and shape that are arranged in a reference context or frame of, preferably, although not necessarily, one or more columns and one or more rows. For purposes herein, the bar code refers to any symbology, not necessary "bar" but may include dots, characters or any symbol or symbols.

As used herein, symbology refers to an identifier code or symbol, such as a bar code, that is linked to a sample. The index will reference 5 each such symbology. The symbology is any code known or designed by the user. The symbols are associated with information stored in the database. For example, each sample can be uniquely identified with an encoded symbology. The parameters, such as the answers to the questions and subsequent genotypic and other information obtained upon 10 analysis of the samples is included in the database and associated with the symbology. The database is stored on any suitable recording medium, such as a hard drive, a floppy disk, a tape, a CD ROM, a DVD disk and any other suitable medium.

DATABASES

15

20

Human genotyping is currently dependent on collaborations with hospitals, tissues banks and research institutions that provide samples of disease tissue. This approach is based on the concept that the onset and/or progression of diseases can be correlated with the presence of a polymorphisms or other genetic markers. This approach does not consider that disease correlated with the presence of specific markers and the absence of specific markers. It is shown herein that identification and scoring of the appearance and disappearance of markers is possible only if these markers are measured in the background of healthy subjects where the onset of disease does not mask the change in polymorphism 25 occurrence. Databases of information from disease populations suffer from small sample size, selection bias and heterogeneity. The databases provided herein from healthy populations solve these problems by permitting large sample bands, simple selection methods and diluted heterogeneity.

20

25

30

Provided herein are first databases of parameters, associated with non-selected, particularly healthy, subjects. Also provided are combinations of the databases with indexed samples obtained from each of the subjects. Further provided are databases produced from the first databases. These contain in addition to the original parameters information, such as genotypic information, including, but are not limited to, genomic sequence information, derived from the samples.

The databases, which are herein designated healthy databases, are so-designated because they are not obtained from subjects pre-selected for a particular disease. Hence, although individual members may have a disease, the collection of individuals is not selected to have a particular disease.

The subjects from whom the parameters are obtained comprise either a set of subjects who are randomly selected across, preferably, all populations, or are pre-selected to be disease-free or healthy. As a result, the database is not selected to be representative of any pre-selected phenotype, genotype, disease or other characteristic. Typically the number of subjects from which the database is prepared is selected to produce statistically significant results when used in the methods provided herein. Preferably, the number of subjects will be greater than 100, more preferably greater than 200, yet more preferably greater than 1000. The precise number can be empirically determined based upon the frequency of the parameter(s) that be used to sort the database. Generally the population can have at least 50, at least 100, at least 200, at least 500, at least 1000, at least 5000 or at least 10,000 or more subjects.

Upon identification of a collection of subjects, information about each subject is recorded and associated with each subject as a database. The information associated with each of the subjects, includes, but is not limited to, information related to historical characteristics of the subjects,

15

20

phenotypic characteristics and also genotypic characteristics, medical characteristics and any other traits and characteristics about the subject that can be determined. This information will serve as the basis for sorting the database.

In an exemplary embodiment, the subjects are mammals, such as humans, and the information relates to one or more of parameters, such as age, sex, medical history, ethnicity and any other factor. Such information, when the animals are humans, for example, can be obtained by a questionnaire, and by observations about the individual, such as hair 10 color, eye color and other characteristics. Genotypic information will be obtained from tissue or other body and body fluid samples from the subject.

The healthy genomic database can include profiles and polymorphisms from healthy individuals from a library of blood samples where each sample in the library is an individual and separate blood or other tissue sample. Each sample in the database is profiled as to the sex, age, ethnic group, and disease history of the donor.

The databases are generated by first identifying healthy populations of subjects and obtaining information about each subject that will serve as the sorting parameters for the database. This information is preferably entered into a storage medium, such as the memory of a computer.

The information obtained about each subject in a population used for generating the database is stored in a computer memory or other suitable storage medium. The information is linked to an identifier 25 associated with each subject. Hence the database will identify a subject, for example by a datapoint representative of a bar code, and then all information, such as the information from a questionnaire, regarding the individual is associated with the datapoint. As the information is collected the database is generated.

20

25

Thus, for example, profile information, such as subject histories obtained from questionnaires, is collected in the database. The resulting database can be sorted as desired, using standard software, such as by age, sex and/or ethnicity. An exemplary questionnaire for subjects from whom samples are to be obtained is shown in Figures 22A-D. Each questionnaire preferably is identified by a bar code, particularly a machine readable bar code for entry into the database. After a subject provides data and is deemed to be healthy (i.e., meets standards for blood donation), the data in the questionnaire is entered into the database and is associated with the bar code. A tissue, cell or blood sample is obtained from the subject.

Figure 4 exemplifies processing and tracking of blood sample components. Each component is tracked with a bar code, dated, is entered into the database and associated with the subject and the profile of the subject. Typically, the whole blood is centrifuged to produce plasma, red blood cells (which pellet) and leukocytes found in the buffy coat which layers in between. Various samples are obtained and coded with a bar code and stored for use as needed.

Samples are collected from the subjects. The samples include, but are not limited to, tissues, cells, and fluids, such as nucleic acid, blood, plasma, amniotic fluid, synovial fluid, urine, saliva, aqueous humor, sweat, sperm samples and cerebral spinal fluid. It is understood that the particular set of samples depends upon the organisms in the population.

Once samples are obtained the collection can be stored and, in preferred embodiments, each sample is indexed with an identifier, particularly a machine readable code, such as a bar code. For analyses, the samples or components of the samples, particularly biopolymers and small molecules, such as nucleic acids and/or proteins and metabolites, are isolated.

15

After samples are analyzed, this information is entered into the database in the memory of the storage medium and associated with each subject. This information includes, but is not limited to, genotypic information. Particularly, nucleic acid sequence information and other information indicative of polymorphisms, such as masses of PCR fragments, peptide fragment sequences or masses, spectra of biopolymers and small molecules and other indicia of the structure or function of a gene, gene product or other marker from which the existence of a polymorphism within the population can be inferred.

In an exemplary embodiment, a database can be derived from a collection of blood samples. For example, Figure 1 (see, also Figure 10) shows the status of a collection of over 5000 individual samples. The samples were processed in the laboratory following SOP (standard operating procedure) guidelines. Any standard blood processing protocol may be used.

For the exemplary database described herein, the following criteria were used to select subjects:

No testing is done for infectious agents.

Age: At least 17 years old

20 Weight: Minimum of 110 pounds

Permanently Disqualified:

History of hepatitis (after age 11)

Leukemia Lymphoma

Human immunodeficiency virus (HIV), AIDS

25 Chronic kidney disease

Temporarily Disqualified:

Pregnancy - until six weeks after delivery, miscarriage or abortion

Major surgery or transfusions - for one year

Mononucleosis - until complete recovery

30 Prior whole blood donation - for eight weeks

Antibiotics by injection for one week; by mouth, for forty-eight hours, except antibiotics for skin complexion;

5 year Deferment:

5

Internal cancer and skin cancer if it has been removed, is healed and there is no recurrence

These correspond to blood bank criteria for donating blood and represent a healthy population as defined herein for a human healthy database.

Structure of the database

Any suitable database structure and format known to those of skill

in the art may be employed. For example, a relational database is a
preferred format in which data is stored as matrices or tables of the
parameters linked by an indexer that identifies each subject. Software for
preparing and manipulating, including sorting the database, can be readily
developed or adapted from commercially available software, such as

Microsoft Access.

Quality control

Quality control procedures can be implemented. For example, after collection of samples, the quality of the collection in the bank can be assessed. For example, mix-up of samples can be checked by testing for known markers, such as sex. After samples are separated by ethnicity, samples are randomly tested for a marker associated with a particular ethnicity, such as HLA DQA1 group specific component, to assess whether the samples have been properly sorted by ethnic group. An exemplary sample bank is depicted in Figure 4.

25 Obtaining genotypic data and other parameters for the database

After informational and historical parameters are entered into the database, material from samples obtained from each subject, is analyzed. Analyzed material include proteins, metabolites, nucleic acids, lipids and any other desired constituent of the material. For example, nucleic acids, such as genomic DNA, can be analyzed by sequencing.

20

25

Sequencing can be performed using any method known to those of skill in the art. For example, if a polymorphism is identified or known, and it is desired to assess its frequency or presence among the subjects in the database, the region of interest from each sample can be isolated, such as by PCR or restriction fragments, hybridization or other suitable method known to those of skill in the art and sequenced. For purposes herein, sequencing analysis is preferably effected using mass spectrometry (see, e.g., U.S. Patent Nos. 5,547,835, 5,622,824, 5,851,765, and 5,928,906). Nucleic acids can also be sequence by hybridization (see, e.g., U.S. Patent Nos. 5,503,980, 5,631,134, 5,795,714) and including analysis by mass spectrometry (see, U.S. application Serial Nos. 08/419,994 and 09/395,409).

In other detection methods, it is necessary to first amplify prior to identifying the allelic variant. Amplification can be performed, e.g., by PCR and/or LCR, according to methods known in the art. In one embodiment, genomic DNA of a cell is exposed to two PCR primers and amplification for a number of cycles sufficient to produce the required amount of amplified DNA. In preferred embodiments, the primers are located between 150 and 350 base pairs apart.

Alternative amplification methods include: self sustained sequence replication (Guatelli, J. C. et al., 1990, Proc. Natl. Acad. Sci. U.S.A. 87:1874-1878), transcriptional amplification system (Kwoh, D. Y. et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86:1173-1177), Q-Beta Replicase (Lizardi, P. M. et al., 1988, Bio/Technology 6:1197), or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are present in very low numbers.

Nucleic acids can also be analyzed by detection methods and 30 protocols, particularly those that rely on mass spectrometry (see, e.g.,

20

25

U.S. Patent No. 5,605,798, 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990,851 and International PCT application No. WO 99/31273, International PCT application No. WO 98/20019). These methods can be automated (see, e.g., copending U.S. application Serial No. 09/285.481 and published International PCT application No. PCT/US00/08111, which describes an automated process line). Preferred among the methods of analysis herein are those involving the primer oligo base extension (PROBE) reaction with mass spectrometry for detection (described herein 10 and elsewhere, see e.g., U.S. Patent No. 6.043.031; see, also U.S. application Serial Nos. 09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936, U.S. Patent No. 6,024,925, and U.S. application Serial Nos. 08/746,055 and 08/786,988, and published International PCT application No. WO 98/20020)

A preferred format for performing the analyses is a chip based format in which the biopolymer is linked to a solid support, such as a silicon or silicon-coated substrate, preferably in the form of an array. More preferably, when analyses are performed using mass spectrometry, particularly MALDI, small nanoliter volumes of sample are loaded on, such that the resulting spot is about, or smaller than, the size of the laser spot. It has been found that when this is achieved, the results from the mass spectrometric analysis are quantitative. The area under the signals in the resulting mass spectra are proportional to concentration (when normalized 30 and corrected for background). Methods for preparing and using such

20

chips are described in U.S. Patent No. 6,024,925, co-pending U.S. application Serial Nos. 08/786,988, 09/364,774, 09/371,150 and 09/297,575; see, also U.S. application Serial No. PCT/US97/20195, which published as WO 98/20020. Chips and kits for performing these analyses are commercially available from SEQUENOM under the trademark MassARRAY. MassArray relies on the fidelity of the enzymatic primer extension reactions combined with the miniaturized array and MALDI-TOF (Matrix-Assisted Laser Desorption Ionization-Time of Flight) mass spectrometry to deliver results rapidly. It accurately distinguishes single base changes in the size of DNA fragments associated with genetic variants without tags.

The methods provided herein permit quantitative determination of alleles. The areas under the signals in the mass spectra can be used for quantitative determinations. The frequency is determined from the ratio of the signal to the total area of all of the spectrum and corrected for background. This is possible because of the PROBE technology as described in the above applications incorporated by reference herein.

Additional methods of analyzing nucleic acids include amplification-based methods including polymerase chain reaction (PCR), ligase chain reaction (LCR), mini-PCR, rolling circle amplification, autocatalytic methods, such as those using $\Omega\beta$ replicase, TAS, 3SR, and any other suitable method known to those of skill in the art.

Other methods for analysis and identification and detection of polymorphisms, include but are not limited to, allele specific probes, Southern analyses, and other such analyses.

The methods described below provide ways to fragment given amplified or non-amplified nucleotide sequences thereby producing a set of mass signals when mass spectrometry is used to analyze the fragment mixtures.

20

25

30

Amplified fragments are yielded by standard polymerase chain methods (US 4,683,195 and 4,683,202). The fragmentation method involves the use of enzymes that cleave single or double strands of DNA and enzymes that ligate DNA. The cleavage enzymes can be glycosylases, nickases, and site-specific and non site-specific nucleases with the most preferred enzymes being glycosylases, nickases, and site-specific nucleases.

Glycosylase Fragmentation Method

DNA glycosylases specifically remove a certain type of nucleobase from a given DNA fragment. These enzymes can thereby produce abasic 10 sites, which can be recognized either by another cleavage enzyme. cleaving the exposed phosphate backbone specifically at the abasic site and producing a set of nucleobase specific fragments indicative of the sequence, or by chemical means, such as alkaline solutions and or heat. The use of one combination of a DNA glycosylase and its targeted nucleotide would be sufficient to generate a base specific signature pattern of any given target region.

Numerous DNA glcosylases are known, For example, a DNA alvoosvlase can be uracil-DNA alvoolsvlase (UDG), 3-methyladenine DNA alvcosylase, 3-methyladenine DNA alvcosylase II, pyrimidine hydrate-DNA glycosylase, FaPy-DNA glycosylase, thymine mismatch-DNA glycosylase, hypoxanthine-DNA glycosylase, 5-Hydroxymethyluracil DNA glycosylase (HmUDG), 5-Hydroxymethylcytosine DNA glycosylase, or 1,N6-ethenoadenine DNA glycosylase (see, e.g.,, U.S. Patent Nos. 5,536,649, 5,888, 795, 5,952,176 and 6,099,553, International PCT application Nos. WO 97/03210, WO 99/54501; see, also, Eftedal et al. (1993) Nucleic Acids Res 21:2095-2101, Bjelland and Seeberg (1987) Nucleic Acids Res. 15:2787-2801, Saparbaev et al. (1995) Nucleic Acids Res. 23:3750-3755, Bessho (1999) Nucleic Acids Res. 27:979-983) corresponding to the enzyme's modified nucleotide or nucleotide analog target. A preferred glycosylase is uracil-DNA glycolsylase (UDG).

25

Uracil, for example, can be incorporated into an amplified DNA molecule by amplifying the DNA in the presence of normal DNA precursor nucleotides (e.g. dCTP, dATP, and dGTP) and dUTP. When the amplified product is treated with UDG, uracil residues are cleaved. Subsequent chemical treatment of the products from the UDG reaction results in the cleavage of the phosphate backbone and the generation of nucleobase specific fragments. Moreover, the separation of the complementary strands of the amplified product prior to glycosylase treatment allows complementary patterns of fragmentation to be generated. Thus, the use 10 of dUTP and Uracil DNA glycosylase allows the generation of T specific fragments for the complementary strands, thus providing information on the T as well as the A positions within a given sequence. Similar to this, a C-specific reaction on both (complementary) strands (i.e. with a Cspecific glycosylase) yields information on C as well as G positions within a given sequence if the fragmentation patterns of both amplification 15 strands are analyzed separately. Thus, with the glycosylase method and mass spectrometry, a full series of A, C, G and T specific fragmentation patterns can be analyzed.

Nickase Fragmentation Method

A DNA nickase, or DNase, can be used recognize and cleave one strand of a DNA duplex. Numerous nickases are known. Among these, for example, are nickase NY2A nickase and NYS1 nickase (Megabase) with the following cleavage sites:

NY2A: 5'...R AG...3'

3'...Y TC...5' where R = A or G and Y = C or T

NYS1: 5'... CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

Fen-Ligase Fragmentation Method

 $\label{thm:controller} The \ \mbox{Fen-ligase method involves two enzymes: Fen-1 enzyme and a} \\ 30 \quad \mbox{ligase.}$

30

The Fen-1 enzyme is a site-specific nuclease known as a "flap" endonuclease (US 5.843.669, 5.874.283, and 6.090.606). This enzymes recognizes and cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. This cleavage is 5 highly specific and can recognize single base pair mutations, permitting detection of a single homologue from an individual heterozygous at one SNP of interest and then genotyping that homologue at other SNPs occurring within the fragment. Fen-1 enzymes can be Fen-1 like nucleases e.g. human, murine, and Xenopus XPG enzymes and yeast RAD2 10 nucleases or Fen-1 endonucleases from, for example, M. jannaschii, P. furiosus, and P. woesei. Among preferred enzymes are the Fen-1 enzymes.

The ligase enzyme forms a phosphodiester bond between two double stranded nucleic acid fragments. The ligase can be DNA Ligase I 15 or DNA Ligase III (see, e.g., U.S. Patent Nos. US 5,506,137, 5,700,672, 5,858,705 and 5,976,806; see, also, Waga, et al. (1994) J. Biol. Chem. 269:10923-10934, Li et al. (1994) Nucleic Acids Res. 22:632-638, Arrand et al. (1986) J. Biol. Chem. 261:9079-9082, Lehman (1974) Science 186:790-797, Higgins and Cozzarelli (1979) Methods Enzymol. 68:50-71, Lasko et al. (1990) Mutation Res. 236:277-287, and Lindahl. and Barnes (1992) Ann. Rev. Biochem. 61:251-281). Thermostable ligase (Epicenter Technologies), where "thermostable" denotes that the ligase retains activity even after exposure to temperatures necessary to separate two strands of DNA, are among preferred ligases for use herein.

25 Type IIS Enzyme Fragmentation Method

Restriction enzymes bind specifically to and cleave double-stranded DNA at specific sites within or adjacent to a particular recognition sequence. These enzymes have been classified into three groups (e.g. Types I, II, and III) as known to those of skill in the art. Because of the properties of type I and type III enzymes, they have not been widely used

20

in molecular biological applications. Thus, for this invention type II enzymes are preferred. Of the thousands of restriction enzymes known in the arts, there are 179 different type II specificities. Of the 179 unique type II restriction endonucleases, 31 have a 4-base recognition sequence, 11 have a 5-base recognition sequence, 127 have a 6-base recognition sequence, and 10 have recognition sequences of greater than six bases (US 5,604,098). Of category type II enzymes, type IIS is preferred.

Type IIS enzymes can be Alw XI, Bbv I, Bce 83, Bpm I, Bsg I, Bsm AI, Bsm FI, Bsa I, Bcc I, Bcg I, Ear I, Eco 57I, Esp 3I, Fau I, Fok I, Gsu I, 10 Hga I, Mme I, Mbo II, Sap I, and the like. The preferred type IIS enzyme is Fok I.

The Fok I enzyme endonuclease is an exemplary well characterized member of the Type IIS class (see, e.g., U.S. Patent Nos. 5,714,330, 5,604,098, 5,436,150, 6,054,276 and 5,871,911; see, also, Szybalski et al. (1991) Gene 100:13-26, Wilson and Murray (1991) Ann. Rev. Genet. 25:585-627, Sugisaki et al. (1981) Gene 16:73-78, Podhajska and Szalski (1985) Gene 40:175-182. Fok I recognizes the sequence 5'GGATG-3' and cleaves DNA accordingly. Type IIS restriction sites can be introduced into DNA targets by incorporating the site into primers used to amplify such targets. Fragments produced by digestion with Fok I are site specific and can be analyzed by mass spectrometry methods such as MALDI-TOF mass spectrometry, ESI-TOF mass spectrometry, and any other type of mass spectrometry well known to those of skill in the art.

Once a polymorphism has been found to correlatate with a

25 parameter such as age. The possibility of false results due to allelic
dropout is examined by doing comparative PCR in an adjacent region of
the genome.

20

25

30

Analyses

In using the database, allelic frequencies can be determined across the population by analyzing each sample in the population individually, determining the presence or absence of allele or marker of interest in each individual sample, and then determining the frequency of the marker in the population. The database can then be sorted (stratified) to identify any correlations between the allele and a selected parameter using standard statistical analysis. If a correlation is observed, such as a decrease in a particular marker with age or correlation with sex or other 10 parameter, then the marker is a candidate for further study, such as genetic mapping to identify a gene or pathway in which it is involved. The marker may then be correlated, for example, with a disease. Haplotving can also be carried out. Genetic mapping can be effected using standard methods and may also require use of databases of others, such as databases previously determined to be associated with a disorder.

Exemplary analyses have been performed and these are shown in the figures, and discussed herein.

Sample pooling

It has been found that using the databases provided herein, or any other database of such information, substantially the same frequencies that were obtained by examining each sample separately can be obtained by pooling samples, such as in batches of 10, 20, 50, 100, 200, 500, 1000 or any other number. A precise number may be determined empirically if necessary, and can be as low as 3.

In one embodiment, the frequency of genotypic and other markers can be obtained by pooling samples. To do this a target population and a genetic variation to be assessed is selected, a plurality of samples of biopolymers are obtained from members of the population, and the biopolymer from which the marker or genotype can be inferred is

20

25

determined or detected. A comparison of samples tested in pools and individually and the sorted results therefrom are shown in Figure 9, which shows frequency of the factor VII Allele 353Q. Figure 10 depicts the frequency of the CETP Allele CETP in pooled versus individual samples. Figure 15 shows ethnic diversity among various ethnic groups in the database using pooled DNA samples to obtain the data. Figures 12-14

show mass spectra for these samples.

Pooling of test samples has application not only to the healthy databases provided herein, but also to use in gathering data for entry into 10 any database of subjects and genotypic information, including typical databases derived from diseased populations. What is demonstrated herein, is the finding that the results achieved are statistically the same as the results that would be achieved if each sample is analyzed separately. Analysis of pooled samples by a method, such as the mass spectrometric methods provided herein, permits resolution of such data and quantitation of the results.

For factor VII the R53Q acid polymorphism was assessed. In Figure 9, the "individual" data represent allelic frequency observed in 92 individuals reactions. The pooled data represent the allelic frequency of the same 92 individuals pooled into a single probe reaction. The concentration of DNA in the samples of individual donors is 250 nanograms. The total concentration of DNA in the pooled samples is also 250 nanograms, where the concentration of any individual DNA is 2.7 nanograms.

It also was shown that it is possible to reduce the DNA concentration of individuals in a pooled samples from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount of sample detected. Hence low concentrations of sample may be used in the pooling methods.

25

30

Use of the databases and markers identified thereby

The successful use of genomics requires a scientific hypothesis (i.e., common genetic variation, such as a SNP), a study design (i.e., complex disorders), samples and technology, such as the chip-based 5 mass spectrometric analyses (see, e.g., U.S. Patent No. 5,605,798, U.S. Patent No. 5,777,324, U.S. Patent No. 6,043,031, allowed copending U.S. application Serial No. 08/744,481, U.S. application Serial No. 08/990.851, International PCT application No. WO 98/20019, copending U.S. application Serial No. 09/285,481, which describes an automated 10 process line for analyses; see, also, U.S. application Serial Nos. 08/617.256, 09/287.681, 09/287.682, 09/287,141 and 09/287,679, allowed copending U.S. application Serial No. 08/744,481, International PCT application No. PCT/US97/20444, published as International PCT application No. WO 98/20019, and based upon U.S. application Serial 15 Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 09/266,409, 08/786,988 and 08/787,639; see, also U.S. application Serial No. 09/074,936). All of these aspects can be used in conjunction with the databases provided herein and samples in the collection.

The databases and markers identified thereby can be used, for example, for identification of previously unidentified or unknown genetic markers and to identify new uses for known markers. As markers are identified, these may be entered into the database to use as sorting parameters from which additional correlations may be determined.

Previously unidentified or unknown genetic markers

The samples in the healthy databases can be used to identify new polymorphisms and genetic markers, using any mapping, sequencing, amplification and other methodologies, and in looking for polymorphisms among the population in the database. The thus-identified polymorphism can then be entered into the database for each sample, and the database

20

25

30

sorted (stratified) using that polymorphism as a sorting parameter to identify any patterns and correlations that emerge, such as age correlated changes in the frequency of the identified marker. If a correlation is identified, the locus of the marker can be mapped and its function or 5 effect assessed or deduced.

Thus, the databases here provide means for:

identification of significantly different allelic frequencies of genetic factors by comparing the occurrence or disappearance of the markers with increasing age in population and then associating the markers with a disease or a biochemical pathway;

identification of significantly different allelic frequencies of disease causing genetic factors by comparing the male with the female population or comparing other selected stratified populations and associating the markers with a disease or a biochemical pathway;

identification of significantly different allelic frequencies of disease causing genetic factors by comparing different ethnic groups and associating the markers with a disease or a biochemical pathway that is known to occur in high frequency in the ethnic group;

profiling potentially functional variants of genes through the general panmixed population stratified according to age, sex, and ethnic origin and thereby demonstrating the contribution of the variant genes to the physical condition of the investigated population;

identification of functionally relevant gene variants by gene disequilibrium analysis performed within the general panmixed population stratified according to age, sex, and ethnic origin and thereby demonstrating their contribution to the physical condition of investigated population:

identification of potentially functional variants of chromosomes or parts of chromosomes by linkage disequilibrium analysis performed within the general panmixed population stratified according to age, sex, and

ethnic origin and thereby demonstrating their contribution to the physical condition of investigated population.

Uses of the identified markers and known markers

The databases may also be used in conjunction with known markers and sorted to identify any correlations. For example, the databases can be used for:

determination and evaluation of the penetrance of medically relevant polymorphic markers:

determination and evaluation of the diagnostic specificity of 10 medically relevant genetic factors;

determination and evaluation of the positive predictive value of medically relevant genetic factors;

determination and evaluation of the onset of complex diseases, such as, but are not limited to, diabetes, hypertension, autoimmune

15 diseases, arteriosclerosis, cancer and other diseases within the general population with respect to their causative genetic factors;

delineation of the appropriate strategies for preventive disease treatment:

delineation of appropriate timelines for primary disease intervention;
validation of medically relevant genetic factors identified in isolated populations regarding their general applicability;

validation of disease pathways including all potential target structures identified in isolated populations regarding their general applicability; and

25 validation of appropriate drug targets identified in isolated populations regarding their general applicability.

Among the diseases and disorders for which polymorphisms may be linked include, those linked to inborn errors of metabolism, acquired metabolic disorders, intermediary metabolism, oncogenesis pathways, blood clotting pathways, and DNA synthetic and repair pathways DNA

15

20

30

repair/replication/transcription factors and activities, e.g., such as genes related to oncogenesis, aging and genes involved in blood clotting and the related biochemical pathways that are related to thrombosis, embolism, stroke, myocardial infarction, angiogenesis and oncogenesis.

For example, a number of diseases are caused by or involve deficient or defective enzymes in intermediary metabolism (see, e.g., Tables 1 and 2, below) that result, upon ingestion of the enzyme substrates, in accumulation of harmful metabolites that damage organs and tissues, particularly an infant's developing brain and other organs. 10 resulting in mental retardation and other developmental disorders.

Identification of markers and genes for such disorders is of great interest.

Model systems

Several gene systems, p21, p53 and Lipoprotein Lipase polymorphism (N291S), were selected. The p53 gene is a tumor suppressor gene that is mutated in diverse tumor types. One common allelic variant occurs at codon 72. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in an amino acid exchange, arginine to proline, at codon 72 of the gene.

Using diseased populations, it has been shown that there are ethnic differences in the allelic distribution of these alleles among African-Americans and Caucasians in the U.S. The results here support this finding and also demonstrate that the results obtained with a healthy database are meaningful (see, Figure 7B).

The 291S allele leads to reduced levels of high density lipoprotein 25 cholesterol (HDL-C) that is associated with an increased risk of males for arteriosclerosis and in particular myocardial infarction (see, Reymer et al. (1995) Nature Genetics 10:28-34).

Both genetic polymorphisms were profiled within a part of the Caucasian population-based sample bank. For the polymorphism located in the lipoprotein lipase gene a total of 1025 unselected individuals (436

20

25

males and 589 females) were tested. Genomic DNA was isolated from blood samples obtained from the individuals.

As shown in the Examples and figures, an exemplary database containing about 5000 subjects, answers to the questionnaire (see Figure 3), and genotypic information has been stratified. A particular known allele has been selected, and the samples tested for the marker using mass spectrometric analyses, particularly PROBE (see the EXAMPLES) to identify polymorphisms in each sample. The population in the database has been sorted according to various parameters and correlations have 10 been observed. For example, FIGURES 2A-C, show sorting of the data by age and sex for the Lipoprotein Lipase gene in the Caucasian population in the database. The results show a decrease in the frequency of the allele with age in males but no such decrease in females. Other alleles that have been tested against the database, include, alleles of p53, p21 and factor VII. Results when sorted by age are shown in the figures.

These examples demonstrate an effect of altered frequency of disease causing genetic factors within the general population. The scientific interpretation of those results allows prediction of medical relevance of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies, and the general applicability of genetic alterations identified in isolated populations to panmixed populations.

Therefore, an age- and sex-stratified population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

Exemplary computer system for creating, storing and processing the databases

25

Systems

Systems, including computers, containing the databases are provided herein. The computers and databases can be used in conjunction, for example, with the APL system (see, copending U.S. application Serial No. 09/285,481), which is an automated system for analyzing biopolymers, particularly nucleic acids. Results from the APL system can be entered into the database.

Any suitable computer system may be used. The computer system may be integrated into systems for sample analysis, such as the automated process line described herein (see, e.g., copending U.S. application Serial No. 09/285,481).

Figure 17 is a block diagram of a computer constructed in to provide and process the databases described herein. The processing that 15 maintains the database and performs the methods and procedures may be performed on multiple computers all having a similar construction, or may be performed by a single, integrated computer. For example, the computer through which data is added to the database may be separate from the computer through which the database is sorted, or may be integrated with it. In either arrangement, the computers performing the processing may have a construction as illustrated in Figure 17.

Figure 17 is a block diagram of an exemplary computer 1700 that maintains the database described above and performs the methods and procedures. Each computer 1700 operates under control of a central processor unit (CPU) 1702, such as a "Pentium" microprocessor and associated integrated circuit chips, available from Intel Corporation of Santa Clara, California, USA. A computer user can input commands and data from a keyboard and display mouse 1704 and can view inputs and computer output at a display 1706. The display is typically a video 30 monitor or flat panel display device. The computer 1700 also includes a direct access storage device (DASD) 1707, such as a fixed hard disk

20

25

drive. The memory 1708 typically comprises volatile semiconductor random access memory (RAM). Each computer preferably includes a program product reader 1710 that accepts a program product storage device 1712, from which the program product reader can read data (and to which it can optionally write data). The program product reader can comprise, for example, a disk drive, and the program product storage device can comprise removable storage media such as a magnetic floppy disk, an optical CD-ROM disc, a CD-R disc, a CD-RW disc, or a DVD data disc. If desired, the computers can be connected so they can communicate with each other, and with other connected computers, over a network 1713. Each computer 1700 can communicate with the other connected computers over the network 1713 through a network interface 1714 that enables communication over a connection 1716 between the network and the computer.

The computer 1700 operates under control of programming steps that are temporarily stored in the memory 1708 in accordance with conventional computer construction. When the programming steps are executed by the CPU 1702, the pertinent system components perform their respective functions. Thus, the programming steps implement the functionality of the system as described above. The programming steps can be received from the DASD 1707, through the program product reader 1712, or through the network connection 1716. The storage drive 1710 can receive a program product, read programming steps recorded thereon and transfer the programming steps into the memory 1708 for execution by the CPU 1702. As noted above, the program product storage device 1710 can comprise any one of multiple removable media having recorded computer-readable instructions, including magnetic floppy disks and CD-ROM storage discs. Other suitable program product storage devices can include magnetic tape and semiconductor memory

20

30

chips. In this way, the processing steps necessary for operation can be embodied on a program product.

Alternatively, the program steps can be received into the operating memory 1708 over the network 1713. In the network method, the computer receives data including program steps into the memory 1708 through the network interface 1714 after network communication has been established over the network connection 1716 by well-known methods that will be understood by those skilled in the art without further explanation. The program steps are then executed by the CPU 1702 to 10 implement the processing of the Garment Database system.

It should be understood that all of the computers of the system preferably have a construction similar to that shown in Figure 17, so that details described with respect to the Figure 17 computer 1700 will be understood to apply to all computers of the system 1700. This is indicated by multiple computers 1700 shown connected to the network 1713. Any one of the computers 1700 can have an alternative construction, so long as they can communicate with the other computers and support the functionality described herein.

Figure 18 is a flow diagram that illustrates the processing steps performed using the computer illustrated in Figure 17, to maintain and provide access to the databases, such as for identifying polymorphic genetic markers. In particular, the information contained in the database is stored in computers having a construction similar to that illustrated in Figure 17. The first step for maintaining the database, as indicated in 25 Figure 18, is to identify healthy members of a population. As noted above, the population members are subjects that are selected only on the basis of being healthy, and where the subjects are mammals, such as humans, they are preferably selected based upon apparent health and the absence of detectable infections. The step of identifying is represented by the flow diagram box numbered 1802.

15

20

25

30

The next step, represented by the flow diagram box numbered 1804, is to obtain identifying and historical information and data relating to the identified members of the population. The information and data comprise parameters for each of the population members, such as member age, ethnicity, sex, medical history, and ultimately genotypic information. Initially, the parameter information is obtained from a questionnaire answered by each member, from whom a body tissue or body fluid sample also is obtained. The step of entering and storing these parameters into the database of the computer is represented by the flow diagram box numbered 1806. As additional information about each population member and corresponding sample is obtained, this information can be inputted into the database and can serve as a sorting parameter.

In the next step, represented by the flow diagram box numbered 1808, the parameters of the members are associated with an indexer. This step may be executed as part of the database storage operation, such as when a new data record is stored according to the relational database structure and is automatically linked with other records according to that structure. The step 1806 also may be executed as part of a conventional data sorting or retrieval process, in which the database entries are searched according to an input search or indexing key value to determine attributes of the data. For example, such search and sort techniques may be used to follow the occurrence of known genetic markers and then determine if there is a correlation with diseases for which they have been implicated. Examples of this use are for assessing the frequencies of the p53 and Lipoprotein Lipase polymorphisms.

Such searching of the database also may be valuable for identifying one or more genetic markers whose frequency changes within the population as a function of age, ethnic group, sex, or some other criteria. This can allow the identification of previously unknown polymorphisms

20

25

30

and, ultimately, identification of a gene or pathway involved in the onset and progression of disease.

In addition, the database can be used for taking an identified polymorphism and ascertaining whether it changes in frequency when the data is sorted according to a selected parameter.

In this way, the databases and methods provided herein permit, among other things, identification of components, particularly key components, of a disease process by understanding its genetic underpinnings, and also an understanding of processes, such as individual drug responses. The databases and methods provided herein also can be used in methods involving elucidation of pathological pathways, in developing new diagnostic assays, identifying new potential drug targets, and in identifying new drug candidates.

Morbidity and/or early mortality associated polymorphisms

A database containing information provided by a population of healthy blood donors who were not selected for any particular disease to can be used to identify polymorphisms and the alleles in which they are present, whose frequency decreases with age. These may represent morbidity susceptibility markers and genes.

Polymorphisms of the genome can lead to altered gene function, protein function or genome instability. To identify those polymorphisms which have a clinical relevance/utility is the goal of a world-wide scientific effort. It can be expected that the discovery of such polymorphisms will have a fundamental impact on the identification and development of novel drug compounds to cure diseases. However, the strategy to identify valuable polymorphisms is cumbersome and dependent upon the availability of many large patient and control cohorts to show disease association. In particular, genes that cause a general risk of the population to suffer from any disease (morbidity susceptibility genes) will escape these case/control studies entirely.

15

20

25

30

Here described is a screening strategy to identify morbidity susceptibility genes underlying a variety of different diseases. The definition of a morbidity susceptibility gene is a gene that is expressed in many different cell types or tissues (housekeeping gene) and its altered function can facilitate the expression of a clinical phenotype caused by disease-specific susceptibility genes that are involved in a pathway specific for this disorder. In other words, these morbidity susceptibility genes predispose people to develop a distinct disease according to their genetic make-up for this disease.

Candidates for morbidity susceptibility genes can be found at the bottom level of pathways involving transcription, translation, heat-shock proteins, protein trafficking, DNA repair, assembly systems for subcellular structures (e.g. mitochondria, peroxysomes and other cellular microbodies), receptor signaling cascades, immunology, etc. Those pathways control the quality of life at the cellular level as well as for the entire organism. Mutations/polymorphisms located in genes encoding proteins for those pathways can reduce the fitness of cells and make the organism more susceptible to express the clinical phenotype caused by the action of a disease-specific susceptibility gene. Therefore, these morbidity susceptibility genes can be potentially involved in a whole variety of different complex diseases if not in all. Disease-specific susceptibility genes are involved in pathways that can be considered as disease-specific pathways like glucose-, lipid, hormone metabolism, etc.

The exemplified method permit, among other things, identification of genes and/or gene products involved in a man's general susceptibility to morbidity and/or mortality; use of these genes and/or gene products in studies to elucidate the genetic underpinnings of human diseases; use of these genes and/or gene products in combinatorial statistical analyses without or together with disease-specific susceptibility genes; use of these genes and/or gene products to predict penetrance of disease

susceptibility genes; use of these genes and/or gene products in predisposition and/or acute medical diagnostics and use of these genes and/or gene products to develop drugs to cure diseases and/or to extend the life span of humans.

5 SCREENING PROCESS

The healthy population stratified by age, gender and ethnicity, etc. is a very efficient and a universal screening tool for morbidity associated genes. Changes of allelic frequencies in the young compared to the old population are expected to indicate putative morbidity susceptibility 10 genes. Individual samples of this healthy population base can be pooled to further increase the throughput. In a proof of principle experiment pools of young and old Caucasian females and males were applied to screen more than 400 randomly chosen single nucleotide polymorphisms located in many different genes. Candidate polymorphisms were identified if the allelic difference was greater than 8% between young and 15 old for both or only one of the genders. The initial results were assayed again in at least one independent subsequent experiments. Repeated experiments are necessary to recognize unstable biochemical reactions. which occur with a frequency of about 2-3% and can mimic age-related 20 allelic frequency differences. Average frequency differences and standard deviations are calculated after successful reproducibility of initial results. The final allelic frequency is then compared to a reference population of Caucasian CEPH sample pool. The result should show similar allelic frequencies in the young Caucasian population. Subsequently, the exact 25 allele frequencies of candidates including genotype information were obtained by analyzing all individual samples. This procedure is straight forward with regard to time and cost. It enables the screening of an enormous number of SNPs. So far, several markers with a highly significant association to age were identified and described below.

In general at least 5 individual in a stratified population need to be screened to produce statistically significant results. The frequency of the allele is determined for an age stratified population. Chi square analysis is then performed on the allelic frequencies to determine if the difference between age groups is statistically significant. A p value less than of 0.1 is considered to represent a statistically significant difference. More preferably the p value should be less than 0.05.

Clinical Trials

The identification of markers whose frequency in a population 10 decreases with age also allows for better designed and balanced clinical trials. Currently, if a clinical trial utilizes a marker as a significant endpoint in a study and the marker disappears with age, then the results of the study may be inaccurate. By using methods provided herein, it can be ascertained that if a marker decreases in frequency with age. This information considered and controlled when designing the study. For, 15 example, an age independent marker could be substituted in its place.

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

EXAMPLE 1

This example describes the use of a database containing information provided by a population of healthy blood donors who were not selected for any particular disease to determine the distribution of allelic frequencies of known genetic markers with age and by sex in a Caucasian subpopulation of the database. The results described in this 25 example demonstrate that a disease-related genetic marker or polymorphism can be identified by sorting a healthy database by a parameter or parameters, such as age, sex and ethnicity.

15

20

25

30

Generating a database

Blood was obtained by venous puncture from human subjects who met blood bank criteria for donating blood. The blood samples were preserved with EDTA at pH 8.0 and labeled. Each donor provided information such as age, sex, ethnicity, medical history and family medical history. Each sample was labeled with a barcode representing identifying information. A database was generated by entering, for each donor, the subject identifier and information corresponding to that subject into the memory of a computer storage medium using commercially 10 available software, e.g., Microsoft Access.

Model genetic markers

The frequencies of polymorphisms known to be associated at some level with disease were determined in a subpopulation of the subjects represented in the database. These known polymporphisms occur in the p21, p53 and Lipoprotein Lipase genes. Specifically, the N291S polymorphism (N291S) of the Lipoprotein Lipase gene, which results in a substitution of a serine for an asparagine at amino acid codon 291, leads to reduced levels of high density lipoprotein cholesterol (HDL-C) that is associated with an increased risk of males for arteriosclerosis and in particular myocardial infarction (see, Reymer et al. (1995) Nature Genetics 10:28-34).

The p53 gene encodes a cell cycle control protein that assesses DNA damage and acts as a transcription factor regulating genes that control cell growth, DNA repair and apoptosis (programmed cell death). Mutations in the p53 gene have been found in a wide variety of different cancers, including different types of leukemia, with varying frequency. The loss of normal p53 function results in genomic instability an uncontrolled cell growth. A polymorphism that has been identified in the p53 gene, i.e., the R72P allele, results in the substitution of a proline for an arginine at amino acid codon 72 of the gene.

25

30

The p21 gene encodes a cyclin-dependent kinase inhibitor associated with G1 phase arrest of normal cells. Expression of the p21 gene triggers apoptosis. Polymorphisms of the p21 gene have been associated with Wilms' tumor, a pediatric kidney cancer. One polymorphism of the p21 gene, the S31R polymorphism, results in a substitution of an arginine for a serine at amino acid codon 31.

Database analysis

Sorting of subjects according to specific parameters

The genetic polymorphisms were profiled within segments of the
Caucasian subpopulation of the sample bank. For p53 profiling, the
genomic DNA isolated from blood from a total of 1277 Caucasian
subjects age 18-59 years and 457 Caucasian subjects age 60-79 years
was analyzed. For p21 profiling, the genomic DNA isolated from blood
from a total of 910 Caucasian subjects age 18-49 years and 824

Caucasian subjects age 50-79 years was analyzed. For lipoprotein lipase
gene profiling, the genomic DNA from a total of 1464 Caucasian females
and 1470 Caucasian males under 60 years of age and a total of 478
Caucasian females and 560 Caucasian males over 60 years of age was
analyzed.

Isolation and analysis of genomic DNA

Genomic DNA was isolated from blood samples obtained from the individuals. Ten milliliters of whole blood from each individual was centrifuged at 2000 x g. One milliliter of the buffy coat was added to 9 ml of 155 mM NH₄Cl, 10 mM KHCO₃, and 0.1 mM Na₂EDTA, incubated 10 min at room temperature and centrifuged for 10 min at 2000 x g. The supernatant was removed, and the white cell pellet was washed in 155 mM NH₄Cl, 10 mM KHCO₃ and 0.1 mM Na₂EDTA and resuspended in 4.5 ml of 50 mM Tris, 5 mM EDTA and 1% SDS. Proteins were precipitated from the cell lysate by 6 mM ammonium acetate, pH 7.3, and then separated from the nucleic acids by centrifugation at 3000 x g. The

15

20

nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000 x g. The dried nucleic acid pellet was hydrated in 10 mM Tris, pH 7.6, and 1 mM Na₂EDTA and stored at 4° C.

Assays of the genomic DNA to determine the presence or absence of the known genetic markers were developed using the BiomassPROBE™ detection method (primer oligo base extension) reaction. This method uses a single detection primer followed by an oligonucleotide extension step to give products, which can be readily resolved by mass 10 spectrometry, and, in particular, MALDI-TOF mass spectrometry. The products differ in length depending on the presence or absence of a polymorphism. In this method, a detection primer anneals adjacent to the site of a variable nucleotide or sequence of nucleotides and the primer is extended using a DNA polymerase in the presence of one or more dideoxyNTPs and, optionally, one or more deoxyNTPs. The resulting products are resolved by MALDI-TOF mass spectrometry. The mass of the products as measured by MALDI-TOF mass spectrometry makes possible the determination of the nucleotide(s) present at the variable site.

First, each of the Caucasian genomic DNA samples was subjected to nucleic acid amplification using primers corresponding to sites 5' and 3' of the polymorphic sites of the p21 (S31R allele), p53 (R72P allele) and Lipoprotein Lipase (N291S allele) genes. One primer in each primer pair was biotinylated to permit immobilization of the amplification product to a solid support. Specifically, the polymerase chain reaction primers used 25 for amplification of the relevant segments of the p21, p53 and lipoprotein lipase genes are shown below: US4p21c31-2F (SEQ ID NO: 9) and US5p21-2R (SEQ ID NO: 10) for p21 gene amplification; US4-p53-ex4-F (also shown as p53-ex4US4 (SEQ ID NO; 2)) and US5-p53/2-4R (also shown as US5P53/4R (SEQ ID NO: 3)) for p53 gene amplification; and

30

US4-LPL-F2 (SEQ ID NO: 16) and US5-LPL-R2 (SEQ ID NO: 17) for lipoprotein lipase gene amplification.

Amplification of the respective DNA sequences was conducted according to standard protocols. For example, primers may be used in a 5 concentration of 8 pmol. The reaction mixture (e.g., total volume 50 µl) may contain Tag-polymerase including 10x buffer and dTNPs. Cycling conditions for polymerase chain reaction amplification may typically be initially 5 min. at 95°C, followed by 1 min. at 94°C, 45 sec at 53°C, and 30 sec at 72°C for 40 cycles with a final extension time of 5 min at 72°C. Amplification products may be purified by using Qiagen's PCR purification kit (No. 28106) according to manufacturer's instructions. The elution of the purified products from the column can be done in 50 ul TE-buffer (10mM Tris, 1 mM EDTA, pH 7.5).

The purified amplification products were immobilized via a biotinavidin linkage to streptavidin-coated beads and the double-stranded DNA 15 was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, the following: 50 µl annealing buffer (20 mM Tris, 10 mM KCI, 10 mM (NH₄)₂SO₄, 2 mM MgSO₂, 1% Triton X-100, pH 8) at 50°C for 10 min, followed by washing of the 20 beads three times with 200 µl washing buffer (40 mM Tris, 1 mM EDTA, 50 mM NaCl, 0.1% Tween 20, pH 8.8) and once in 200 μ l TE buffer.

The PROBE extension reaction was performed, for example, by using some components of the DNA sequencing kit from USB (No. 70770) and dNTPs or ddNTPs from Pharmacia. An exemplary protocol 25 could include a total reaction volume of 45 µl, containing of 21 µl water, 6 \(\mu \) Sequenase-buffer, 3 \(\mu \) 10 mM DTT solution, 4.5 \(\mu \), 0.5 mM of three dNTPs, 4.5 μ l, 2 mM the missing one ddNTP, 5.5 μ l glycerol enzyme dilution buffer, 0.25 ul Sequenase 2.0, and 0.25 pyrophosphatase. The reaction can then by pipetted on ice and incubated for 15 min at room temperature and for 5 min at 37°C. The beads may be washed three

20

times with 200 ul washing buffer and once with 60 ul of a 70 mM NH₄-Citrate solution.

The DNA was denatured to release the extended primers from the immobilized template. Each of the resulting extension products was separately analyzed by MALDI-TOF mass spectrometry using 3hydroxypicolinic acid (3-HPA) as matrix and a UV laser.

Specifically, the primers used in the PROBE reactions are as shown below; P21/31-3 (SEQ ID NO: 12) for PROBE analysis of the p21 polymorphic site: P53/72 (SEQ ID NO: 4) for PROBE analysis of the p53 10 polymorphic site; and LPL-2 for PROBE analysis of the lipoprotein lipase gene polymorphic site. In the PROBE analysis of the p21 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 31 encodes a serine) and from the reaction conducted on a polymorphic S31R allele template (wherein codon 31 encodes an arginine) are shown below and designated as P21/31-3 Ser (wt) (SEQ ID NO: 13) and P21/31-3 Arg (SEQ ID NO: 14), respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 4900.2 Da for the wild-type product and 5213.4 Da for the polymorphic product).

In the PROBE analysis of the p53 polymorphic site, the extension reaction was performed using dideoxy-C. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 72 encodes an arginine) and from the reaction conducted on a polymorphic 25 R72P allele template (wherein codon 72 encodes a proline) are shown below and designated as Cod72 G Arg (wt) and Cod72 C Pro, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5734.8 Da for the wild-type product and 5405.6 Da for the polymorphic product).

In the PROBE analysis of the lipoprotein lipase gene polymorphic site, the extension reaction was performed using a mixture of ddA and ddT. The products resulting from the reaction conducted on a "wild-type" allele template (wherein codon 291 encodes an asparagine) and from the reaction conducted on a polymorphic N291S allele template (wherein codon 291 encodes a serine) are shown below and designated as 291Asn and 291Ser, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 6438.2 Da for the wild-type product and 6758.4 Da for the

P53-1 (R72P)

PCR Product length: 407 bp (SEQ ID NO: 1)

US4-p53-ex4-F

 $\begin{array}{cccc} t\underline{\text{gecaqaqqc tqctcccg}}\text{c gtggcccctg caccagcagc tcctacaccg gcggcccctg} \\ \text{c } 72\text{P} \end{array}$

20 caccagocco ctoctggcco ctgtcatett etgtcectte ecagaaaace taccagggca gctacggttt ecgtctgggg ttettggactet etgggacage caagtetgtg acttgcacgg teagttgcc tgaggggtg gettecatga gacttacage caagtetgtg acttgcacgg USS-p53/2-4R

Primers (SEQ ID NOs: 2-4)

25 p53-ex4FUS4 ccc agt cac gac gtt gta aaa cgc tga gga cct ggt cct ctg ac US5P53/4R agc gga taa caa ttt cac aca ggt tga agt ctc atg gaa gcc

P53/72 gcc aga ggc tgc tcc cc

Masses

	Allele	Product Termination: ddC	SEQ.#	Length	Mass
30	P53/72	gccagaggctgctcccc	5	17	5132.4
	Cod72 G Arg (wt)	gccagaggctgctccccgc	6	19	5734.8
	Cod72 C Pro	gccagaggctgctccccc	7	18	5405.6

Biotinylated US5 primer is used in the PCR amplification.

35 LPL-1 (N291S)

Amino acid exchange asparagine to serine at codon 291 of the lipoprotein lipase gene.

PCR Product length: 251 bp (SEQ ID NO: 15)

US4-LPL-F2 (SEQ ID NO: 16)

gegetecatt catetettea tegactetet gttgaatgaa gaaaateeaa gtaaggeeta caggtggaagt tecaaggaag cetttgagaa agggetetge ttgagttgta gaaagaaceg LPL-2 291N ctgcaacaat etgagetatg agateaataa agteagagee aaaagaagaa gcaaaatgta

g 291S

cctgaagact cgttctcaga tgccc US4-LPL-R2

10 Primers (SEQ ID NOs: 16-18):

US4-LPL-F2 <u>occ agt cac gac gtt gta aaa cg</u>g ege tee att cat ete tte US5-LPL-R2 <u>age gga taa caa ttt cac aca gg</u>g ggc atc tga gaa ega gte

LPL-2 caa tot ggg cta tga gat ca

Masses

15

25

30

Allele	Product Termination: ddA, ddT	SEQ #	Length	Mass
LPL-2	caatctgggctatgagatca	19	20	6141
291 Asn	caatctgggctatgagatcaa	20	21	6438.2
291 Ser	caatctgggctatgagatcagt	21	22	6758.4

20 Biotinylated US5 primer is used in the PCR amplification.

P21-1 (S31R)

Amino acid exchange serine to arginine at codon 31 of the tumor suppressor gene p21. Product length: 207 bp (SEQ ID NO: 8)

US4p21c31-2F

gtcc gtcagaaccc atgcggcagc p21/31-3 31S

aaggoctgoc gocgoctett oggocoagtg ga<u>cacogaqc aqctgaq</u>cog ogactgtgat a 31R gogotcaatgg ogggotocat coaggaggoc ogtgagogat ggaacttoga cttt**gtcaco** qaqacacocac tqqaqqq

US5p21-2R
Primers (SEQ ID NOs: 9-11)

US4p21c31-2F ccc agt cac gac gtt gta aaa cgg tcc gtc aga acc cat gcg g

US5p21-2R agc gga taa caa ttt cac aca ggc tcc agt ggt gtc tcg gtg ac

35 P21/31-3 cag cga gca gct gag

Masses

5

20

25

Allele	Product Termination: ddC	SEQ #	Length	Mass
p21/31-3	cagcgagcagctgag	12	15	4627
P21/31-3 Ser (wt)	cagcgagcagctgagc	13	16	4900.2
P21/31-3 Arg	cagcgagcagctgagac	14	17	5213.4

Biotinvlated US5 primer is used in the PCR amplification.

Each of the Caucasian subject DNA samples was individually analyzed by MALDI-TOF mass spectrometry to determine the identity of 10 the nucleotide at the polymorphic sites. The genotypic results of each assay can be entered into the database. The results were then sorted according to age and/or sex to determine the distribution of allelic frequencies by age and/or sex. As depicted in the Figures showing histograms of the results, in each case, there was a differential 15 distribution of the allelic frequencies of the genetic markers for the p21, p53 and lipoprotein lipase gene polymorphisms.

Figure 8 shows the results of the p21 genetic marker assays reveals a statistically significant decrease (from 13.3% to 9.2%) in the frequency of the heterozygous genotype (S31R) in Caucasians with age (18-49 years of age compared to 50-79 years of age). The frequencies of the homozygous (S31 and R31) genotypes for the two age groups are also shown, as are the overall frequencies of the S31 and R31 alleles in the two age groups (designated as *S31 and *R31, respectively in the Figure).

Figures 7A-C shows the results of the p53 genetic marker assays and reveals a statistically significant decrease (from 6.7% to 3.7%) in the frequency of the homozygous polymorphic genotype (P72) in Caucasians with age (18-59 years of age compared to 60-79 years of age). The frequencies of the homozygous "wild-type" genotype (R72) and the 30 heterozygous genotype (R72P) for the two age groups are also shown, as are the overall frequencies of the R72 and P72 alleles in the two age

groups (designated as 'R72 and 'P72, respectively in the Figure). These results are consistent with the observation that allele is not benign, as p53 regulates expression of a second protein, p21, which inhibits cyclin-dependent kinases (CDKs) needed to drive cells through the cell-cycle (a mutation in either gene can disrupt the cell cycle leading to increased cell division).

Figure 2C shows the results of the lipoprotein lipase gene genetic marker assays reveals a statistically significant decrease (from 1.97% to 0.54%) in the frequency of the polymorphic allele (S291) in Caucasian males with age (see also Reymer et al. (1995) Nature Genetics 10:28-34). The frequencies of this allele in Caucasian females of different age groups are also shown.

EXAMPLE 2

This example describes the use of MALDI-TOF mass spectrometry

15 to analyze DNA samples of a number of subjects as individual samples
and as pooled samples of multiple subjects to assess the presence or
absence of a polymorphic allele (the 353Q allele) of the Factor VII gene
and determine the frequency of the allele in the group of subjects. The
results of this study show that essentially the same allelic frequency can

20 be obtained by analyzing pooled DNA samples as by analyzing each
sample separately and thereby demonstrate the quantitative nature of
MALDI-TOF mass spectrometry in the analysis of nucleic acids.

Factor VII

Factor VII is a serine protease involved in the extrinsic blood

25 coagulation cascade. This factor is activated by thrombin and works with tissue factor (Factor III) in the processing of Factor X to Factor Xa. There is evidence that supports an association between polymorphisms in the Factor VII gene and increased Factor VII activity which can result in an elevated risk of ischemic cardiovascular disease, including myocardial

30 infarction. The polymorphism investigated in this study is R353Q (i.e., a

10

20

substitution of a glutamic acid residue for an arginine residue at codon 353 of the Factor VII gene) (see Table 5).

Analysis of DNA samples for the presence or absence of the 353Q allele of the Factor VII gene

Genomic DNA was isolated from separate blood samples obtained from a large number of subjects divided into multiple groups of 92 subjects per group. Each sample of genomic DNA was analyzed using the BiomassPROBE™ assay as described in Example 1 to determine the presence or absence of the 353Q polymorphism of the Factor VII gene.

First, DNA from each sample was amplified in a polymerase chain reaction using primers F7-353FUS4 (SEQ ID NO: 24) and F7-353RUS5 (SEQ ID NO: 26) as shown below and using standard conditions, for example, as described in Example 1. One of the primers was biotinylated to permit immobilization of the amplification product to a solid support. The purified amplification products were immobilized via a biotin-avidin linkage to streptavidin-coated beads and the double-stranded DNA was denatured. A detection primer was then annealed to the immobilized DNA using conditions such as, for example, described in Example 1. The detection primer is shown as F7-353-P (SEQ ID NO: 27) below. The PROBE extension reaction was carried out using conditions, for example, such as those described in Example 1. The reaction was performed using ddG.

The DNA was denatured to release the extended primers from the

25 immobilized template. Each of the resulting extension products was
separately analyzed by MALDI-TOF mass spectrometry. A matrix such as
3-hydroxypicolinic acid (3-HPA) and a UV laser could be used in the
MALDI-TOF mass spectrometric analysis. The products resulting from the
reaction conducted on a "wild-type" allele template (wherein codon 353

30 encodes an arginine) and from the reaction conducted on a polymorphic
353Q allele template (wherein codon 353 encodes a glutamic acid) are

10

15

20

25

30

shown below and designated as 353 CGG and 353 CAG, respectively. The masses for each product as can be measured by MALDI-TOF mass spectrometry are also provided (i.e., 5646.8 Da for the wild-type product and 5960 Da for the polymorphic product).

The MALDI-TOF mass spectrometric analyses of the PROBE reactions of each DNA sample were first conducted separately on each sample (250 nanograms total concentration of DNA per analysis). The allelic frequency of the 353Q polymorphism in the group of 92 subjects was calculated based on the number of individual subjects in which it was detected.

Next, the samples from 92 subjects were pooled (250 nanograms total concentration of DNA in which the concentration of any individual DNA is 2.7 nanograms) and the pool of DNA was subjected to MALDITOF mass spectrometric analysis. The area under the signal corresponding to the mass of the 353Q polymorphism PROBE extension product in the resulting spectrum was integrated in order to quantitate the amount of DNA present. The ratio of this amount to total DNA was used to determine the allelic frequency of the 353Q polymorphism in the group of subjects. This type of individual sample vs. pooled sample analysis was repeated for numerous different groups of 92 different samples.

The frequencies calculated based on individual MALDI-TOF mass spectrometric analysis of the 92 separate samples of each group of 92 are compared to those calculated based on MALDI-TOF mass spectrometric analysis of pools of DNA from 92 samples in Figure 9. These comparisons are shown as "pairs" of bar graphs in the Figure, each pair being labeled as a separate "pool" number, e.g., P1, P16, P2, etc. Thus, for example, for P1, the allelic frequency of the polymorphism calculated by separate analysis of each of the 92 samples was 11.41% and the frequency calculated by analysis of a pool of all of the 92 DNA samples was 12.09%.

The similarity in frequencies calculated by analyzing separate DNA samples individually and by pooling the DNA samples demonstrates that it is possible, through the quantitative nature of MALDI-TOF mass spectrometry, to analyze pooled samples and obtain accurate frequency determinations. The ability to analyze pooled DNA samples significantly reduces the time and costs involved in the use of the non-selected, healthy databases as described herein. It has also been shown that it is possible to decrease the DNA concentration of the individual samples in a pooled mixture from 2.7 nanograms to 0.27 nanograms without any change in the quality of the spectrum or the ability to quantitate the amount of sample detected.

Factor VII R353Q PROBE Assav

PROBE Assay for cod353 CGG>CAG (Arg>Gln), Exon 9 G>A.

PCR fragment: 134 bp (incl. US tags; SEQ ID Nos. 22 and 23)

15 Frequency of A allele: Europeans about 0.1, Japanese/Chinese about 0.03-0.05 (Thromb. Haemost. 1995, 73:617-22; Diabetologia 1998, 41:760-6):

F7-353FUS4>

1201 GTGCCGGCTA CTCGG<u>ATGGC AGCAAGGACT CCTG</u>CAAGGG GGACAGTGGA
GGCC<u>CACATG</u>
F7-353-P> A <F7-353RUS5

1261 CCACCCACTA CCGGGCACG TGGTACCTGA CGGGCATCGT CAGCTGGGGC CAGGGCTGCG

F7-353RUS5 AGC GGA TAA CAA TTT CAC ACA GGT GAC GAT GCC CGT CAG GTA C 64°C

Masses

30

Allele	Product Termination: ddG	SEQ #	Length	Mass
F7-353-P	atgccacccactacc	27	18	5333.6
353 CGG	cacatgccacccactaccg	28	19	5646.8
353 CAG	cacatgccacccactaccag	29	20	5960
US5-bio bio-	agcggataacaatttcacacagg	30	23	7648.6

25

Conclusion

The above examples demonstrate an effect of altered frequency of disease causing genetic factors within the general population. Interpretation of those results allows prediction of the medical relevance 5 of polymorphic genetic alterations. In addition, conclusions can be drawn with regard to their penetrance, diagnostic specificity, positive predictive value, onset of disease, most appropriate onset of preventive strategies, and the general applicability of genetic alterations identified in isolated populations to panmixed populations. Therefore, an age- and sex-stratified 10 population-based sample bank that is ethnically homogenous is a suitable tool for rapid identification and validation of genetic factors regarding their potential medical utility.

EXAMPLE 3

MORBIDITY AND MORTALITY MARKERS

15 Sample Band and Initial Screening

Healthy samples were obtained through the blood bank of San Bernardino, CA. Donors signed prior to the blood collection a consent form and agreed that their blood will be used in genetic studies with regard to human aging. All samples were anomymized. Tracking back of samples is not possible.

Isolation of DNA from blood samples of a healthy donor population

Blood is obtained from a donor by venous puncture and preserved with 1mM EDTA pH 8.0. Ten milliliters of whole blood from each donor was centrifuged at 2000x g. One milliliter of the buffy coat was added to 9 milliters of 155mM NH₄Cl, 10mM KHCO₂, and 0.1mM Na₂EDTA, incubated 10 minutes at room temperature and centrifuged for 10 minutes at 2000x g. The supernatant was removed, and the white cell pellet was washed in 155mM NH₄Cl, 10mM KHCO₂, and 0.1mM Na₂EDTA and resuspended in 4.5 milliliters of 50mM Tris, 5mM EDTA, 30 and 1% SDS. Proteins were precipitated from the cell lysate by 6M

Ammonium Acetate, pH 7.3, and separated from the nucleic acid by centrifugation 3000x g. The nucleic acid was recovered from the supernatant by the addition of an equal volume of 100% isopropanol and centrifugation at 2000x g. The dried nucleic acid pellet was hydrated in 5 IOmM Tris pH 7.6 and 1mM Na2EDTA and stored at 4C.

In this study, samples were pooled as shown in Table 1. Both parents of the blood donors were of Caucasian origin.

Table 1

10

Pool ID	Sex	Age-range	# individuals
SP1	Female	18-39 years	276
SP2	Males	18-39 years	276
SP3	Females	60-69 years	184
SP4	Males	60-79 years	368

More than 400 SNPs were tested using all four pools. After one test run 34 assays were selected to be re-assayed at least once. Finally, 10 assays showed repeatedly differences in allele frequencies of several percent and, therefore, fulfilled the criteria to be tested using the individual samples. Average allele frequency and standard deviation is 20 tabulated in Table 2.

Table 2

Assay ID	SP1	SP1-STD	SP2	SP2-STD	SP3	SP3-STD	SP4	SP4-STD
47861	0.457	0.028	0.433	0.042	0.384	0.034	0.●96	0.015
47751	0.276	0.007	0.483	0.006	0.428	0.052	0.400	0.097
48319	0.676	0.013	0.627	0.018	0.755	0.006	0.006	0.034
48070	0.581	0.034	0.617	0.045	0.581	n.a.	0.539	0.032
49807	0.504	0.034	0.422	0.020	0.477	0.030	0.556	0.005

49534	0.537	0.017	0.503	n.a.	0.623	0.023	0.535	0.009
49733	0.560	0.006	0.527	0.059	0.546	0.032	0.436	0.016
49947	0.754	0.008	0.763	0.047	0.736	0.052	0.689	0.025
50128	0.401	0.022	0.363	0.001	0.294	0.059	0.345	0.013
63306	0.697	0.012	0.674	0.013	0.712	0.017	0.719	0.005

So far, 7 out of the 10 potential morbidity markers were fully analyzed. Additional information about genes in which these SNPs are located was gathered through publicly databases like Genbank.

10 AKAPS

5

15

20

25

Candidate morbidity and mortality markers include housekeeping genes, such as genes involved in signal transduction. Among such genes are the A-kinase anchoring proteins (AKAPs) genes, which participate in signal transduction pathways involving protein phosphorylation. Protein phosphorylation is an important mechanism for enzyme regulation and the transduction of extracellular signals across the cell membrane in eukaryotic cells. A wide variety of cellular substrates, including enzymes, membrane receptors, ion channels and transcription factors, can be phosphorylated in response to extracellular signals that interact with cells. A key enzyme in the phosphorylation of cellular proteins in response to hormones and neurotransmitters is cyclic AMP (cAMP)-dependent protein kinase (PKA). Upon activation by cAMP, PKA thus mediates a variety of cellular responses to such extracellular signals. An array of PKA isozymes are expressed in mammalian cells. The PKAs usually exist as inactive tetramers containing a regulatory (R) subunit dimer and two catalytic (C) subunits. Genes encoding three C subunits (C α , C β and C γ) and four R subunits (RIa, RIB, RIIa and RIIB) have been identified [see Takio et al. (1982) Proc. Natl. Acad. Sci. U.S. A. 79:2544-2548; Lee et al. (1983)

Proc. Natl. Acad. Sci. U.S. A. 80:3608-3612; Jahnsen et al. (1996) J. Biol. Chem. 261:12352-12361: Clegg et al. (1988) Proc. Natl. Acad. Sci. U.S. A. 85:3703-3707; and Scott (1991) Pharmacol. Ther. 50:123-145]. The type I (RI) α and type II (RII) α subunits are distributed ubiquitously, whereas RIB and RIIB are present mainly in brain [see. e.g., Miki and Eddy (1999) J. Biol. Chem. 274:29057-29062]. The type I PKA holoenzyme (RIa and RIB) is predominantly cytoplasmic, whereas the majority of type II PKA (RIIa and RIIB) associates with cellular structures and organelles [Scott (1991) Pharmacol. Ther. 50:123-145]. Many hormones and other 10 signals act through receptors to generate cAMP which binds to the R subunits of PKA and releases and activates the C subunits to phosphorylate proteins. Because protein kinases and their substrates are widely distributed throughout cells, there are mechanisms in place in cells to localize protein kinase-mediated responses to different signals. One such mechanism involves subcellular targeting of PKAs through 15 association with anchoring proteins, referred to as A-kinase anchoring proteins (AKAPs), that place PKAs in close proximity to specific organelles or cytoskeletal components and particular substrates thereby providing for more specific PKA interactions and localized responses [see, e.g., Scott et al. (1990) J. Biol. Chem. 265:21561-21566; Bregman et al. 20 (1991) J. Biol. Chem. 266:7207-7213: and Miki and Eddy (1999) J. Biol. Chem. 274:29057-29062]. Anchoring not only places the kinase close to preferred substrates, but also positions the PKA holoenzyme at sites where it can optimally respond to fluctuations in the second messenger 25 cAMP (Mochly-Rosen (1995) Science 268:247-251; Faux and Scott (1996) Trends Biochem. Sci. 21:312-315: Hubbard and Cohen (1993) Trends Biochem. Sci. 18:172-177].

Up to 75% of type II PKA is localized to various intracellular sites through association of the regulatory subunit (RII) with AKAPs [see, e.g., Hausken et al. (1996) J. Biol. Chem. 271:29016-290221. RII subunits of

20

25

30

PKA bind to AKAPs with nanomolar affinity [Carr et al. (1992) J. Biol. Chem. 267:13376-13382], and many AKAP-RII complexes have been isolated from cell extracts. RI subunits of PKA bind to AKAPs with only micromolar affinity [Burton et al. (1997) Proc. Natl. Acad. Sci. U.S.A. 94:11067-11072]. Evidence of binding of a PKA RI subunit to an AKAP has been reported [Miki and Eddy (1998) J. Biol. Chem 273:34384-34390] in which RIa-specific and RIa/RIIa dual specificity PKA anchoring domains were identified on FSC1/AKAP82. Additional dual specific AKAPs, referred to as D-AKAP1 and D-AKAP2, which interact with the type I and type II regulatory subunits of PKA have also been reported [Huang et al. (1997) J. Biol. Chem. 272:8057-8064; Huang et al. (1997) Proc. Natl. Acad. Sci. U.S.A. 94:11184-11189I.

More than 20 AKAPs have been reported in different tissues and species. Complementary DNAs (cDNAs) encoding AKAPs have been isolated from diverse species, ranging from Caenorhabditis elegans and Drosophilia to human [see, e.g., Colledge and Scott (1999) Trends Cell Biol. 9:216-221]. Regions within AKAPs that mediate association with RII subunits of PKA have been identified. These regions of approximately 10-18 amino acid residues vary substantially in primary sequence, but secondary structure predictions indicate that they are likely to form an amphipathic helix with hydrophobic residues aligned along one face of the helix and charged residues along the other [Carr et al. (1991) J. Biol. Chem. 266:14188-14192; Carr et al. (1992) J. Biol. Chem. 267:13376-13382]. Hydrophobic amino acids with a long aliphatic side chain, e.g., valine, leucine or isoleucine, may participate in binding to RII subunits [Glantz et al. (1993) J. Biol. Chem. 268:12796-12804].

Many AKAPs also have the ability to bind to multiple proteins, including other signaling enzymes. For example, AKAP79 binds to PKA, protein kinase C (PKC) and the protein phosphatase calcineurin (PP2B) [Coghlan et al. (1995) Science 267:108-112 and Klauck et al. (1996)

Science 271:1589-1592]. Therefore, the targeting of AKAP79 to neuronal postsynaptic membranes brings together enzymes with opposite catalytic activities in a single complex.

AKAPs thus serve as potential regulatory mechanisms that increase the selectivity and intensity of a cAMP-mediated response. There is a need, therefore, to identify and elucidate the structural and functional properties of AKAPs in order to gain a complete understanding of the important role these proteins play in the basic functioning of cells.

ΔΚΑΡ10

10

The sequence of a human AKAP10 cDNA (also referred to as D-AKAP2) is available in the GenBank database, at accession numbers AF037439 (SEQ ID NO: 31) and NM 007202. The AKAP10 gene is located on chromosome 17.

The sequence of a mouse D-AKAP2 cDNA is also available in the

GenBank database (see accession number AF021833). The mouse DAKAP2 protein contains an RGS domain near the amino terminus that is
characteristic of proteins that interact with Ga subunits and possess
GTPase activating protein-like activity [Huang et al. (1997) Proc. Natl.
Acad. Sci. U.S.A. 94:11184-11189]. The human AKAP10 protein also
has sequences homologous to RGS domains. The carboxy-terminal 40
residues of the mouse D-AKAP2 protein are responsible for the interaction
with the regulatory subunits of PKA. This sequence is fairly well
conserved between the mouse D-AKAP2 and human AKAP10 proteins.
Polymorphisms of the human AKAP10 gene and polymorphic AKAP10
proteins

Proteins

Polymorphisms of AKAP genes that alter gene expression,
regulation, protein structure and/or protein function are more likely to
have a significant effect on the regulation of enzyme (particularly PKA)
activity, cellular transduction of signals and responses thereto and on the
basic functioning of cells than polymorphisms that do not alter gene

and/or protein function. Included in the polymorphic AKAPs provided herein are human AKAP10 proteins containing differing amino acid residues at position number 646.

Amino acid 646 of the human AKAP10 protein is located in the carboxy-terminal region of the protein within a segment that participates in the binding of R-subunits of PKAs. This segment includes the carboxy-terminal 40 amino acids.

The amino acid residue reported for position 646 of the human AKAP10 protein is an isoleucine. Polymorphic human AKAP10 proteins provided herein have the amino acid sequence but contain residues other than isoleucine at amino acid position 646 of the protein. In particular embodiments of the polymorphic human AKAP10 proteins provided herein, the amino acid at position 646 is a valine, leucine or phenylalanine residue.

15 An A to G transition at nucleotide 2073 of the human AKAP10 coding sequence

As described herein, an allele of the human AKAP10 gene that contains a specific polymorphism at position 2073 of the coding sequence and thereby encodes a valine at position 646 has been detected in varying frequencies in DNA samples from younger and older segments of the human population. In this allele, the A at position 2073 of the AKAP10 gene coding sequence is changed from an A to a G, giving rise to an altered sequence in which the codon for amino acid 646 changes from ATT, coding for isoleucine, to GTT, coding for valine.

25 Morbidity marker 1: human protein kinase A anchoring protein (AKAP10-1)

PCR Amplification and BiomassPROBE assay detection of AKAP10-1 in a healthy donor population

PCR Amplification of donor population for AKAP 10

30 PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50µl PCR reaction with 100ng-1ug of pooled human genomic DNAs in a 50µl PCR reaction. Individual DNA concentrations within the pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction containing IX PCR buffer (Qiagen, Valencia, CA), 200uM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the forward primer containing the universal primer sequence and the target specific sequence 5′-TCTCAATCATGTGCATTGAGG-3′(SEQ ID NO: 45), 2pmol of the reverse primer

5'-AGCGGATAACAATTTCACACAGGGATCACACAGCCATCAGCAG-3'
(SEQ ID NO: 46), and lOpmol of a biotinylated universal primer
complementary to the 5' end of the PCR amplicon
5'-AGCGGATAACAATTTCACACAGG-3'(SEQ ID NO: 47). After an initial
round of amplification with the target with the specific forward and
15 reverse primer, the 5' biotinylated universal primer then hybridized and
acted as a reverse primer thereby introducing a 3' biotin capture moiety
into the molecule. The amplification protocol results in a 5'-biotinylated
double stranded DNA amplicon and dramatically reduces the cost of high
throughput genotyping by eliminating the need to 5' biotin label each
forward primer used in a genotyping. Thermal cycling was performed in

0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

25 Immobilization of DNA

30

The 50μ I PCR reaction was added to 25ul of streptavidin coated magnetic bead (Dynal) prewashed three times and resuspended in 1M NH₄CI, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The

unbound strand was release from the double stranded amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for AKAP10-1 (clone 5 48319)

Genotyping using the BiomassPROBE assay methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂ and 50mM each of dTTP and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase 10 (Ambersham) and 20pmol of a template specific oligonucleotide PROBE primer 5'-CTGGCGCCCACGTGGTCAA-3' (SEQ ID NO: 48) (Operon). Primer extension occurs with three cycles of oligonucleotide primer hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nL each sample to a silicon chip preloaded with 150nL of H3PA matrix 15 material. The sample material was allowed to crystallize and was analyzed by MALDI-TOF (Bruker, PerSeptive). The SNP that is present in AKAP10-1 is a T to C transversion at nucleotide number 156277 of the sequence of a genomic clone of the AKAP10 gene (GenBank Accession No. AC005730) (SEQ ID NO: 36). SEQ ID NO: 35; represents the 20 nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10 gene, and SEQ ID NO: represents the nucleotide sequence of human chromosome 17, which contains the genomic nucleotide sequence of the human AKAP10-1 25 allele. The mass of the primer used in the BioMass probe reaction was 5500.6 daltons. In the presence of the SNP, the primer is extended by the addition of ddC, which has a mass of 5773.8. The wildtype gene results in the addition of dT and ddG to the primer to produce an extension product having a mass of 6101 daltons.

25

30

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males) and 552 individuals between the ages of 60-79 (184 females between the ages of 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the non-translated 3'region of AKAP 10. Differences in the frequency of this polymorphism with increasing age groups were observed among healthy individuals. Statistical analysis showed that the significance level for differences in 10 the allelic frequency for alleles between the "younger" and the "older" populations was p = 0.0009 and for genotypes was p = 0.003. Differences between age groups are significant. For the total population allele significance is p = 0.0009, and genotype significance is p = 0.003.

This marker led to the best significant result with regard to allele and genotype frequencies in the age-stratified population. Figure 19 15 shows the allele and genotype frequency in both genders as well as in the entire population. For latter the significance for alleles was p = 0.0009and for genotypes was p = 0.003. The young and old populations were in Hardy-Weinberg equilibrium. A preferential change of one particular genotype was not seen.

The polymorphism is localized in the non-translated 3'-region of the gene encoding the human protein kinase A anchoring protein (AKAP10). The gene is located on chromosome 17. Its structure includes 15 exons and 14 intervening sequences (introns). The encoded protein is responsible for the sub-cellular localization of the cAMP-dependent protein kinase and, therefore, plays a key role in the G-protein mediated receptorsignaling pathway (Huang et al. PNAS (1007) 94:11184-11189). Since its localization is outside the coding region, this polymorphism is most likely in linkage disequilibrium (LD) with other non-synonymous polymorphisms that could cause amino acid substitutions and

subsequently alter the function of the protein. Sequence comparison of different Genbank database entries concerning this gene revealed further six potential polymorphisms of which two are supposed to change the respective amino acid (see Table 3).

5 Table 3

10

15

20

25

30

Exon	Codon	Nucleotides	Amino acid
3	100	GCT>GCC	Ala>Ala
4	177	AGT>GTG	Met>Val
3	424	GGG>GGC	Gly>Gly
10	524	CCG>CTG	Pro>Leu
12	591	GTG>GTC	Val > Val
12	599	CGC > CGA	Arg > Arg

Morbitity marker 2: human protein kinase A anchoring protein (AKAP10-5)

Discovery of AKAP10-5 Allele (SEQ ID NO: 33)

Genomic DNA was isolated from blood (as described above) of seventeen (17) individuals with a genotype CC at the AKAP10-1 gene locus and a single heterozygous individual (CT) (as described). A target sequence in the AKAP10-1 gene which encodes the C-terminal PKA binding domain was amplified using the polymerase chain reaction. PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10-1 target sequence was carried out in individual 50µl PCR reaction with 25ng of human genomic DNA templates. Each reaction containing I X PCR buffer (Qiagen, Valencia, CA), 200µM dNTPs, IU Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer (Ex13F) containing the universal primer sequence and the target specific sequence 5'-TCC CAA AGT GCT GGA ATT AC-3' (SEQ ID NO: 53), and 2pmol of the reverse primer (Ex14R) 5'-GTC CAA TAT ATG CAA ACA GTT G-3' (SEQ ID NO:

54). Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (MJ Research, Waltham, MA) (calculated temperature) with the following cycling parameters: 94° C for 5 min: 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min. After amplification the amplicons were purified using a chromatography (Mo Bio Laboratories (Solana Beach, CA)).

The sequence of the 18 amplicons, representing the target region, was determined using a standard Sanger cycle sequencing method with 25nmol of the PCR amplicon, 3,2uM DNA sequencing primer 5'-CCC ACA GCA GTT AAT CCT TC-3'(SEQ ID NO: 55), and chain terminating 10 dRhodamine labeled 2', 3' dideoxynucleotides (PE Biosystems, Foster City, CA) using the following cycling parameters: 96° C for 15 seconds; 25 cycles: 55° C for 15 seconds, 60° C for 4 minutes. The sequencing products precipitated by 0.3M NaOAc and ethanol. The precipitate was centrifuged and dried. The pellets were resuspended in deionized formamide and separated on a 5% polyacrylimide gel. The sequence was determined using the "Sequencher" software (Gene Codes, Ann Arbor, MI).

The sequence of all 17 of the amplicons, which are homozygous 20 for the AKAP10-1 SNP of the amplicons, revealed a polymorphism at nucleotide position 152171 (numbering for GenBank Accession No. AC005730 for AKAP10 genomic clone (SEQ ID NO: 35)) with A replaced by G. This SNP can also be designated as located at nucleotide 2073 of a cDNA clone of the wildtype AKAP10 (GenBank Accession No. 25 AF037439) (SEQ ID NO: 31). The amino acid sequence of the human AKAP10 protein is provided as SEQ ID NO: 32. This single nucleotide polymorphism was designated as AKAP10-5 (SEQ ID NO: 33) and resulted in a substitution of a valine for an isoleucine residue at amino acid position 646 of the amino acid sequence of human AKAP10 (SEQ ID 30 NO: 32).

PCR Amplification and BiomassPROBE assay detection of AKAP10-5 in a healthy donor population

The healthy population stratified by age is a very efficient and a universal screening tool for morbidity associated genes by allowing for the detection of changes of allelic frequencies in the young compared to the old population. Individual samples of this healthy population base can be pooled to further increase the throughput.

Healthy samples were obtained through the blood bank of San Bernardino, CA. Both parents of the blood donors were of Caucasian origin. Practically a healthy subject, when human, is defined as human donor who passes blood bank criteria to donate blood for eventual use in the general population. These criteria are as follows: free of detectable viral, bacterial, mycoplasma, and parasitic infections; not anemic; and then further selected based upon a questionnaire regarding history (see Figure 3). Thus, a healthy population represents an unbiased population of sufficient health to donate blood according to blood bank criteria, and not further selected for any disease state. Typically such individuals are not taking any medications.

PCR primers were synthesized by OPERON using phosphoramidite

20 chemistry. Amplification of the AKAP10 target sequence was carried out in a single 50μl PCR reaction with 100ng- 1μg of pooled human genomic DNAs in a 50μl PCR reaction. Individual DNA concentrations within the pooled samples were present in equal concentration with the final concentration ranging from 1-25ng. Each reaction contained 1X PCR

25 buffer (Qiagen, Valencia, CA), 200μM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, and 25pmol of the forward primer containing the universal primer sequence and the target specific sequence 5'-AGCGGATAACAATTTCACACAGGGAGCTAGCTTGGAAGAT TGC-3' (SEQ ID NO: 41), 2pmol of the reverse primer

30 5'-GTCCAATATATGCAAACAGTTG-3' (SEQ ID NO: 54), and 10pmol of a

30

biotinylated universal primer complementary to the 5' end of the PCR amplicon BIO:5'-AGCGGATAACAATTTCACACAGG-3' (SEQ ID NO: 43). After an initial round of amplification with the target with the specific forward and reverse primer, the 5' biotinylated universal primer can then be hybridized and acted as a forward primer thereby introducing a 5' biotin capture moiety into the molecule. The amplification protocol resulted in a 5'-biotinylated double stranded DNA amplicon and dramatically reduced the cost of high throughput genotyping by eliminating the need to 5' biotin label every forward primer used in a 10 genotyping.

Themal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec; 72° C for 60 sec; 72° C 3min.

15 Immobilization of DNA

The 50 μ I PCR reaction was added to 25μ L of streptavidin coated magnetic beads (Dynal, Oslo, Norway), which were prewashed three times and resuspended in 1M NH₄Cl, 0.06M NH₄OH. The 5' end of one strand of the double stranded PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The hybridized but unbound strand was released from the double stranded amplicons by incubation in 100mM NaOH and washing of the beads three times with 10mM Tris pH 8.0.

25 Detection of AKAP10-5 using BiomassPROBE™ Assay

BiomassPROBE™ assay of primer extension analysis (see, U.S. Patent No. 6,043,031) of donor population for AKAP 10-5 (SEQ ID NO: 33) was performed. Genotyping using these methods was carried out by resuspending the DNA coated magnetic beads in 26mM Tris-HCL pH 9.5, 6.5 mM MgCl₂, 50mM dTTP, 50mM each of ddCTP, ddATP, ddGTP, 2.5U

of a thermostable DNA polymerase (Ambersham), and 20pmol of a template specific oligonucleotide PROBE primer

- 5'-ACTGAGCCTGCATAA-3' (SEQ ID NO: 44) (Operon). Primer extension occurs with three cycles of oligonucleotide primer with
- 5 hybridization and extension. The extension products were analyzed after denaturation from the template with 50 mM NH₄Cl and transfer of 150 nL of each sample to a silicon chip preloaded with 150 nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker, PerSeptive). The primer has a mass of 5483.6
- 10 daltons. The SNP results in the additional of a ddC to the primer, giving a mass of 5756.8 daltons for the extended product. The wild type results in the addition a T and ddG to the primer giving a mass of 6101 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Seven hundred thirteen (713) individuals 15 under 40 years of age (360 females, 353 males) and 703 individuals over 60 years of age (322 females, 381 males) were tested for the presence of the SNP, AKAP10-5 (SEQ ID NO: 33). Results are presented below in Table 1

		TA	BLE 1					
AKAP10-5 (2073V) frequency comparison in 2 age groups								
			<40	>60	delta G allele			
Female	Alleies	*G	38.6	34.6	4.0			
		*A	61.4	65.4				
	Genotypes	G	13.9	11.8	2.1			
		GA	49.4	45.7				
		А	36.7	42.5				
Male	Alleles	*G	41.4	37.0	4.4			
		*A	58.6	63.0				
	Genotypes	G	18.4	10.8	7.7			

10

20

25

30

		GA	45.9	52.5	
		Α	35.7	36.7	
Total	Alleles	*G	40.0	35.9	4.1
		*A	60.0	64.1	
	Genotypes	G	16.1	11.2	4.9
		GA	47.7	49.4	
		А	36.2	39.4	

Figure 20 graphically shows these results of allele and genotype distribution in the age and sex stratified Caucasian population.

Morbidity marker 3: human methionine sulfoxide reductase A (msrA)

The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

Methionine sulfoxide reductase A (#63306)

PCR Amplification and BiomassPROBE assay detection of the human methioine sulfoxid reductase A (h-msr-A) in a healthy donor population PCR Amplification of donor population for h-msr-A

PCR primers were synthesized by OPERON using phosphoramidite chemistry. Amplification of the AKAP10 target sequence was carried out in single 50µl PCR reaction with 100ng-1ug of pooled human genomic DNA templates in a 50µl PCR reaction. Individual DNA concentrations within the pooled samples were present in an equal concentration with the final concentration ranging from 1-25ng. Each reaction containing I X PCR buffer (Qiagen, Valencia, CA), 200µM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, CA), 4mM MgCl₂, 25pmol of the forward primer containing the universal primer sequence and the target specific sequence 5'-TTTCCTGCACAGAGAGGC-3' (SEQ ID NO: 49), 2pmol of

30

the reverse primer

5'-AGCGGATAACAATTTCACACAGGGCTGAAATCCTTCGCTTTACC-3' (SEQ ID NO: 50), and 10pmol of a biotinylated universal primer complementary to the 5' end of the PCR amplicon

5'-AGCGGATAACAATTTCACACAGG-3' (SEQ ID NO: 51). After an initial round of amplification of the target with the specific forward and reverse primers, the 5' biotinylated universal primer was then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture mojety into the molecule. The amplification protocol results in a 5'-biotinylated 10 double stranded DNA amplicon and and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2mL tubes or 96 well plate using an MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94° C for 5 min; 45 cycles: 94° C for 20 sec, 56° C for 30 sec, 72° C for 60 sec; 72° C 3min.

Immobilization of DNA

The 50µl PCR reaction was added to 25ul of streptavidin coated magnetic bead (Dynal) prewashed three times and resuspended in 1M 20 NH₄CI, 0.06M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was release from the double stranded amplicons by incubation in 100mM NaOH and washing of the beads three 25 times with 10mM Tris pH 8.0.

BiomassPROBE assay analysis of donor population for h-msr A

Genotyping using the BiomassPROBE assay methods was carried out by resuspending the he DNA coated magnetic beads in 26mM Tris-HCl pH 9.5, 6.5 mM MgCl₂, 50mM of dTTPs and 50mM each of ddCTP, ddATP, ddGTP, 2.5U of a thermostable DNA polymerase

25

(Ambersham), and 20pmol of a template specific oligonucleotide PROBE primer 5'-CTGAAAAGGGAGAGAAAG-3' (Operon) (SEQ ID NO: 52). Primer extension occurs with three cycles of oligonucleotide primer with hybridization and extension. The extension products were analyzed after denaturation from the template with 50mM NH₄Cl and transfer of 150nl each sample to a silicon chip preloaded with 150nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker, PerSeptive). The SNP is represented as a T to C tranversion in the sequence of two ESTs. The wild type is represented by having a T at position 128 of GenBank Accession No. AW 195104, 10 which represents the nucleotide sequence of an EST which is a portion of the wild type human msrA gene (SEQ ID NO: 39). The SNP is presented as a C at position 129 of GenBank Accession No. AW 874187, which represents the nucleotide sequence of an EST which is a portion of an allele of the human msrA gene (SEQ ID NO: 40). 15

In a genomic sequence the SNP is represented as an A to G transversion. The primer utilized in the BioMass probe reaction had a mass of 5654.8 daltons. In the presence of the SNP the primer is extended by the incorporation of a ddC and has a mass of 5928. In the presence of the wildtype the primer is extended by adding a dT and a DDC to produce a mass of 6232.1 daltons.

The frequency of the SNP was measured in a population of age selected healthy individuals. Five hundred fifty-two (552) individuals between the ages of 18-39 years (276 females, 276 males and 552 individuals between the age of 60-79 (184 females between the ages of 60-69, 368 males between the age of 60-79) were tested for the presence of the polymorphism localized in the nontranslated 3'region of h-msr-A.

Genotype difference between male age group among healthy
30 individuals is significant. For the male population allele significance is

20

25

p = 0.0009 and genotype significance is p = 0.003. The age-related allele and genotype frequency of this marker in both genders and the entire population is shown in Figure 21. The decrease of the homozygous CC genotype in the older male population is highly significant.

The polymorphism is localized in the non-translated 3'-region of the gene encoding the human methionine sulfoxide reductase (h-msrA). The exact localization is 451 base pairs downstream the stop codon (TAA). It is very likely that this SNP is in linkage disequilibrium (LD) with another polymorphism more upstream in the coding or promoter region; thus, it is 10 not directly cause morbidity. The enzyme methionine sulfoxide reductase has been proposed to exhibit multiple biological functions. It may serve to repair oxidative protein damage but also play an important role in the regulation of proteins by activation or inactivation of their biological functions (Moskovitz et al. (1990) PNAS 95:14071-14075). It has also 15 been shown that its activity is significantly reduced in brain tissues of Alzheimer patients (Gabbita et al., (1999) J. Neurochem 73:1660-1666). It is scientifically conceivable that proteins involved in the metabolism of reactive oxygen species are associated to disease.

CONCLUSION

The use of the healthy population provides for the identification of morbidity markers. The identification of proteins involved in the G-protein coupled signaling transduction pathway or in the detoxification of oxidative stress can be considered as convincing results. Further confirmation and validation of other potential polymorphisms already identified in silico in the gene encoding the human protein kinase A anchoring protein could even provide stronger association to morbidity and demonstrate that this gene product is a suitable pharmaceutical or diagnostic target.

25

EXAMPLE 4

MALDI-TOF Mass Spectrometry Analysis

All of the products of the enzyme assays listed below were analyzed by MALDI-TOF mass spectrometry. A diluted matrix solution (0.15µL) containing of 10:1 3-hydroxypicolinic acid:ammonium citrate in 1:1 water:acetonitrile diluted 2.5-fold with water was pipetted onto a SpectroChip (Sequenom, Inc.) and was allowed to crystallize. Then, 0.15µL of sample was added. A linear PerSeptive Voyager DE mass spectrometer or Bruker Biflex MALDI-TOF mass spectrometer, operating in positive ion mode, was used for the measurements. The sample plates were kept at 18.2 kV for 400 nm after each UV laser shot (approximate 250 laser shots total), and then the target voltage was raised to 20 kV. The original spectra were digitized at 500 MHz.

EXAMPLE 5

15 Sample Conditioning

Where indicated in the examples below, the products of the enzymatic digestions were purified with ZipTips (Millipore, Bedford, MA). The ZipTips were pre-wetted with 10 μ L 50% acetonitrile and equilibrated 4 times with 10 μ I 0.1 M TEAAc. The oligonucleotide fragments were bound to the C18 in the ZipTip material by continuous aspiration and dispension of each sample into the ZipTip. Each digested oligonucleotide was conditioned by washing with 10 μ L 0.1 M TEAAc, followed by 4 washing steps with 10 μ L H₂0. DNA fragments were eluted from the Ziptip with 7 μ L 50% acetonitrile.

Any method for condition the samples may be employed. Methods for conditioning, which generally is used to increase peak resolution, are well known (see, e.g., International PCT application No. WO 98/20019).

EXAMPLE 6

DNA Glycosylase-Mediated Sequence Analysis

DNA Glycosylases modifies DNA at each position that a specific nucleobase resides in the DNA, thereby producing abasic sites. In a 5 subsequent reaction with another enzyme, a chemical, or heat, the phosphate backbone at each abasic site can be cleaved.

The alvoosylase utilized in the following procedures was uracil-DNA alvoosylase (UDG). Uracil bases were incorporated into DNA fragments in each position that a thymine base would normally occupy by amplifying a 10 DNA target sequence in the presence of uracil. Each uracil substituted DNA amplicon was incubated with UDG, which cleaved each uracil base in the amplicon, and was then subjected to conditions that effected backbone cleavage at each abasic site, which produced DNA fragments. DNA fragments were subjected to MALDI-TOF mass spectrometry analysis. Genetic variability in the target DNA was then assessed by analyzing mass spectra.

Glycosylases specific for nucleotide analogs or modified nucleotides, as described herein, can be substituted for UDG in the following procedures. The glycosylase methods described hereafter, in 20 conjunction with phosphate backbone cleavage and MALDI, can be used to analyze DNA fragments for the purposes of SNP scanning, bacteria typing, methylation analysis, microsatellite analysis, genotyping, and nucleotide sequencing and re-sequencing.

Α. Genotyping

25 A glycosylase procedure was used to genotype the DNA sequence encoding UCP-2 (Uncoupling Protein 2). The sequence for UCP-2 is deposited in GenBank under accession number AF096289. The sequence variation genotyped in the following procedure was a cytosine (C-allele) to thymine (T-allele) variation at nucleotide position 4790, which results in a 30 alanine to valine mutation at position 55 in the UCP-2 polypeptide.

20

25

30

DNA was amplified using a PCR procedure with a 50 μ L reaction volume containing of 5 pmol biotinylated primer having the sequence 5'-TGCTTATCCCTGTAGCTACCCTGTCTTGGCCTTGCAGATCCAA-3' (SEQ ID NO: 91), 15 pmol non-biotinylated primer having the sequence 5'-AGCGGATAACAATTTCACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 92), 200 μ M dATP, 200 μ M dCTP, 200 μ M dGTP, 600 μ M dUTP (to fully replace dTTP), 1.5 mM to 3 mM MgCl₂, 1 U of HotStarTaq polymerase, and 25 ng of CEPH DNA. Amplification was effected with 45 cycles at an annealing temperature of 56°C.

The amplification product was then immobilized onto a solid support by incubating 50 μ L of the amplification reaction with 5 μ L of prewashed Dynabeads for 20 minutes at room temperature. The supernatant was removed, and the beads were incubated with 50 μ L of 0.1 M NaOH for 5 minutes at room temperature to denature the double-15 stranded PCR product in such a fashion that single-stranded DNA was linked to the beads. The beads were then neutralized by three washes with 50 μ L 10 mM TrisHCl (pH 8). The beads were resuspended in 10 μ L of a 60mM TrisHCI/1mM EDTA (pH 7.9) solution, and 1 U uracil DNA glycosylase was added to the solution for 45 minutes at 37°C to remove uracil nucleotides present in the single-stranded DNA linked to the beads. The beads were then washed two times with 25 μL of 10 mM TrisHCl (pH 8) and once with 10 μ L of water. The biotinylated strands were then eluted from the beads with 12 µL of 2 M NH₄OH at 60°C for 10 minutes. The backbone of the DNA was cleaved by incubating the samples for 10 min at 95°C (with a closed lid), and ammonia was evaporated from the samples by incubating the samples for 11 min at 80°C.

The cleavage fragments were then analyzed by MALDI-TOF mass spectrometry as described in Example 4. The T-allele generated a unique fragment of 3254 Daltons. The C-allele generated a unique fragment of 4788 Daltons. These fragements were distinguishable in mass spectra.

Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in UCP-2.

B. Glycosylase Analysis Utilizing Pooled DNA Samples

The glycosylase assay was conducted using pooled samples to detect genetic variability at the UCP-2 locus. DNA of known genotype was pooled from eleven individuals and was diluted to a fixed concentration of 5 $ng/\mu L$. The procedure provided in Example 3A was followed using 2 pmol of forward primer having a sequence of 5'-CCCAGTCACGACGTTGTAAAACGTCTTGGCCTTGCAGATCCAAG- 3' 10 (SEQ ID NO: 93) and 15 pmol of reverse primer having the sequence 5'-AGCGGATAACAATTTCACACAGGCCATCACACCGCGGTACTG-3' (SEQ ID NO: 94). In addition, 5 pmol of biotinylated primer having the sequence 5'bioCCCAGTCACGACGTTGTAAAACG 3' (SEQ ID NO: 97) may be introduced to the PCR reaction after about two cycles. The fragments were analyzed via MALDI-TOF mass spectroscopy (Example 4). 15 As determined in Example 3A, the T-allele, which generated a unique fragment of 3254 Daltons, could be distinguished in mass spectra from the C-allele, which generated a unique fragment of 4788 Daltons. Allelic frequency in the pooled samples was quantified by integrating the area under each signal corresponding to an allelic fragment. Integration was 20 accomplished by hand calculations using equations well known to those skilled in the art. In the pool of eleven samples, this procedure suggested that 40.9% of the individuals harbored the T allele and 59.09% of the

25 C. Glycosylase-Mediated Microsatellite Analysis

individuals harbored the C allele.

A glycosylase procedure was utilized to identify microsatellites of the Bradykinin Receptor 2 (BKR-2) sequence. The sequence for BKR-2 is deposited in GenBank under accession number X86173. BKR-2 includes a SNP in the promoter region, which is a C to T variation, as well as a SNP in a repeated unit, which is a G to T variation. The procedure

20

25

30

provided in Example 3A was utilized to identify the SNP in the promotor region, the SNP in the microsattelite repeat region, and the number of repeated units in the microsattelite region of BKR-2. Specifically, a forward PCR primer having the sequence 5'-

5 CTCCAGCTGGGCAGGAGTGC-3' (SEQ ID NO: 95) and a reverse primer having the sequence 5'-CACTTCAGTCGCTCCCT-3' (SEQ ID NO: 96) were utilized to amplify BKR-2 DNA in the presence of uracil. The amplicon was fragmented by UDG followed by backbone cleavage. The cleavage fragments were analyzed by MALDI-TOF mass spectrometry as described in Example 4.

With regard to the SNP in the BKR-2 promotor region having a C to T variation, the C-allele generated a unique fragment having a mass of 7342.4 Daltons and the T-allele generated a unique fragment having a mass of 7053.2 Daltons. These fragments were distinguishable in mass spectra. Thus, the above-identified procedure was successfully utilized to genotype individuals heterozygous for the C-allele and T-allele in the promotor region of BKR-2.

With regard to the SNP in the BKR-2 repeat region having a G to T variation, the T-allele generated a unique fragment having a mass of 1784 Daltons, which was readily detected in a mass spectrum. Hence, the presence of the T-allele was indicative of the G to T sequence variation in the repeat region of BKR-2.

In addition, the number of repeat regions was distinguished between individuals having two repeat sequences and individuals having three repeat sequences in BKR-2. The DNA of these individuals did not harbor the G to T sequence variation in the repeat sequence as each repeat sequence contained a G at the SNP locus. The number of repeat regions was determined in individual samples by calculating the area under a signal corresponding to a unique DNA fragment having a mass of 2771.6 Daltons. This signal in spectra generated from individuals having

15

20

30

two repeat regions had an area that was thirty-three percent less than the area under the same signal in spectra generated from individuals having three repeat regions. Thus, the procedures discussed above can be utilized to genotype individuals for the number of repeat sequences present in BKR-2.

D. Bisulfite Treatment Coupled with Glycosylase Digestion

Bisulfite treatment of genomic DNA can be utilized to analyze positions of methylated cytosine residues within the DNA. Treating nucleic acids with bisulfite deaminates cytosine residues to uracil 10 residues, while methylated cytosine remains unmodified. Thus, by comparing the sequence of a PCR product generated from genomic DNA that is not treated with bisulfite with the sequence of a PCR product generated from genomic DNA that is treated with bisulfite, the degree of methylation in a nucleic acid as well as the positions where cytosine is methylated can be deduced.

Genomic DNA (2 µg) was digested by incubation with 1 µL of a restriction enzyme at 37°C for 2 hours. An aliquot of 3 M NaOH was added to yield a final concentration of 0.3M NaOH in the digestion solution. The reaction was incubated at 37°C for 15 minutes followed by treatment with 5.35M urea, 4.44M bisulfite, and 10mM hydroguinone, where the final concentration of hydroguinone is 0.5 mM.

The sample that was treated with bisulfite (sample A) was compared to the same digestion sample that had not undergone bisulfite treatment (sample B). After sample A was treated with bisulfite as 25 described above, sample A and sample B were amplified by a standard PCR procedure. The PCR procedure included the step of overlaying each sample with mineral oil and then subjecting the sample to thermocycling (20 cycles of 15 minutes at 55°C followed by 30 seconds at 95°C). The PCR reaction contained four nucleotide bases, C, A, G, and U. The mineral oil was removed from each sample, and the PCR products were

25

purified with glassmilk. Sodium iodide (3 volumes) and glassmilk (5 μ L) were added to samples A and B. The samples were then placed on ice for 8 minutes, washed with 420 µL cold buffer, centrifuged for 10 seconds, and the supernatant fractions were removed. This process was 5 repeated twice and then 25 µL of water was added. Samples were incubated for 5 minutes at 37 °C, were centrifuged for 20 seconds, and the supernatant fraction was collected, and then this incubation/centrifugation/supernatant fraction collection procedure was repeated. 50 µL 0.1 M NaOH was then added to the samples to denature 10 the DNA. The samples were incubated at room temperature for 5 minutes, washed three times with 50 µL of 10 mM TrisHCl (pH 8), and resuspended in 10 µL 60mM TrisHCI/1mM EDTA, pH 7.9.

The sequence of PCR products from sample A and sample B were then treated with 2U of UDG (MBI Fermentas) and then subjected to backbone cleavage, as described herein. The resulting fragments from each of sample A and sample B were analyzed by MALDI-TOF mass spectroscopy as described in Example 4. Sample A gave rise to a greater number of fragments than the number of fragments arising from sample B, indicative that the nucleic acid harbored at least one methylated 20 cytosine moiety.

EXAMPLE 7

Fen-Ligase-Mediated Haplotyping

Haplotyping procedures permit the selection of a fragment from one of an individual's two homologous chromosomes and to genotype linked SNPs on that fragment. The direct resolution of haplotypes can yield increased information content, improving the diagnosis of any linked disease genes or identifying linkages associated with those diseases. In previous studies, haplotypes were typically reconstructed indirectly through pedigree analysis (in cases where pedigrees were available) through

15

20

25

laborious and unreliable allele-specific PCR or through single-molecule dilution methods well known in the art

A haplotyping procedure was used to determine the presence of two SNPs, referred to as SNP1 and SNP2, located on one strand in a DNA sample. The haplotyping procedure used in this assay utilized Fen-1, a site-specific "flap" endonuclease that cleaves DNA "flaps" created by the overlap of two oligonucleotides hybridized to a target DNA strand. The two overlapping oligonucleotides in this example were short arm and long arm allele-specific adaptors. The target DNA was an amplified nucleic acid that had been denatured and contained SNP1 and SNP2.

The short arm adaptor included a unique sequence not found in the target DNA. The 3' distal nucleotide of the short arm adaptor was identical to one of the SNP1 alleles. Moreover, the long arm adaptor included two regions: a 3' region complementary to the short arm and a 5' gene-specific region complementary to the fragment of interest adjacent to the SNP. If there was a match between the adaptor and one of the homologues, the Fen enzyme recognized and cleaved the overlapping flap. The short arm of the adaptor was then ligated to the remainder of the target fragment (minus the SNP site). This ligated fragment was used as the forward primer for a second PCR reaction in which only the ligated homologue was amplified. The second PCR product (PCR2) was then analyzed by mass spectrometry. If there was no match between the adaptors and the target DNA, there was no overlap, no cleavage by Fen-1, and thus no PCR2 product of interest.

If there was more than one SNP in the sequence of interest, the second SNP (SNP2) was found by using an adaptor that was specific for SNP2 and hybridizing the adaptor to the PCR2 product containing the first SNP. The Fen-ligase and amplification procedures were repeated for the PCR2 product containing the first SNP. If the amplified product yielded a 30 second SNP, then SNP1 and SNP2 were on the same fragment.

25

30

If the SNP is unknown, then four allele-specific adaptors (e.g. C. G. A, and T) can be used to hybridize with the target DNA. The substrates are then treated with the Fen-ligase protocol, including amplification. The PCR2 products may be analyzed by PROBE, as described herein, to 5 determine which adaptors were hybridized to the DNA target and thus identify the SNPs in the sequence.

A Fen-ligase assay was used to detect two SNPs present in Factor VII. These SNPs are located 814 base pairs apart from each other. SNP1 was located at position 8401 (C to T), and SNP2 was located at 9215 (G 10 to A) (SEQ ID #).

First Amplification Step Α.

A PCR product (PCR1) was generated for a known heterozygous individual at SNP1, a short distance from the 5' end of the SNP, Specifically, a 10 µL PCR reaction was performed by mixing 1.5 mM MgCl₂, 200 μ M of each dNTP, 0.5 U HotStar polymerase, 0.1 μ M of a 15 forward primer having the sequence 5'-GCG CTC CTG TCG GTG CCA (SEQ ID NO: 56), 0.1 µM of a reverse primer having the sequence 5'-GCC TGA CTG GTG GGG CCC (SEQ ID NO: 57), and 1 ng of genomic DNA. The annealing temperature was 58°C, and the amplification process vielded fragments that were 861 bp in length.

The PCR1 reaction mixture was divided in half and was treated with an exonuclease 1/SAP mixture (0.22 µL mixture/5 µL PCR1 reaction) which contained 1.0µL SAP and 0.1 µL exon1. The exonuclease treatment was done for 30 minutes at 37°C and then 20 minutes at 85°C to denature the DNA.

В. Adaptor Oligonucleotides

A solution of allele-specific adaptors (C and T), containing of one long and one short oligonucleotide per adaptor, was prepared. The long arm and short arm oligonucleotides of each adaptor (10µM) were mixed in a 1:1 ratio and heated for 30 seconds at 95°C. The temperature was

20

25

30

reduced in 2°C increments to 37°C for annealing. The C-adaptor had a short arm sequence of 5′-CAT GCA TGC ACG GTC (SEQ ID NO: 58) and a long arm sequence of 5′-CAG AGA GTA CCC CTC GAC CGT GCA TGC ATG (SEQ ID NO: 59). Hence, the long arm of the adaptor was 30 bp (15 bp gene-specific), and the short arm was 15bp. The T-adaptor had a short arm sequence of 5′-CAT GCA TGC ACG GTT (SEQ ID NO: 60) and a long arm sequence of 5′-CAT ACG TGC CAA CTC CCC ATG AGA GAC (SEQ ID NO: 61). The adaptor could also have a hairpin structure in which the short and long arm are separated by a loop containing of 3 to 10 nucleotides (SEQ ID NO: 118).

C. FEN-ligase reaction

In two tubes (one tube for each allele-specific adaptor per sample) was placed a solution (Solution A) containing of 3.5 μ l 10 mM 16%PEG/50 mM MOPS, 1.2 μ l 25 mM MgCl₂, 1.5 μ l 10X Ampligase Buffer, and 2.5 μ l PCR1. Each tube containing Solution A was incubated at 95°C for 5 minutes to denature the PCR1 product. A second solution (Solution B) containing of 1.65 μ l Ampligase (Thermostable ligase, Epicentre Technologies), 1.65 μ l 200ng/ μ l MFEN (from *Methanocuccus jannaschii*), and 3.0 μ l of an allele specific adaptor (C or T) was prepared. Thus, different variations of Solution B, each variation containing of different allele-specific adaptors, were made. Solution B was added to Solution A at 95°C and incubated at 55°C for 3 hours. The total reaction volume was 15.0 μ l per adaptor-specific reaction. For a bi-allelic system, 2 x 15.0 μ l reactions were required.

The Fen-ligase reaction in each tube was then deactivated by adding 8.0 μ l 10 mM EDTA. Then, 1.0 μ l exolll/Buffer (70%/30%) solution was added to each sample and incubated 30 minutes at 37°C, 20 minutes at 70°C (to deactivate exoll!), and 5 minutes at 95°C (to denature the sample and dissociate unused adaptor from template). The samples were cooled in an ice slurry and purified on UltraClean PCR

25

Clean-up (MoBio) spin columns which removed all fragments less than 100 base pairs in length. The fragments were eluted with 50 μ l H₂0.

D. Second Amplification Step

A second amplification reaction (PCR2) was conducted in each sample tube using the short arm adaptor (C or T) sequence as the forward primer (minus the SNP1 site). Only the ligated homologue was amplified. A standard PCR reaction was conducted with a total volume of 10.0 μl containing of 1X Buffer (final concentration), 1.5 mM final concentration MgCl₂, 200 μM final concentration dNTPs, 0.5 U HotStar polymerase, 0.1 μM final concentration forward primer 5'-CAT GCA TGC ACG GT (SEQ ID NO: 62), 0.1μM final concentration reverse primer 5'-GCC TGA CTG GTG GGG CCC (SEQ ID NO: 63), and 1.0 μl of the purified FEN-ligase reaction solution. The annealing temperature was 58°C. The PCR2 product was analyzed by MALDI TOF mass spectroscopy as described in Example 4.

The mass spectrum of Fen SNP1 showed a mass of 6084.08 Daltons, representing the C allele.

E. Genotyping Additional SNPs

The second SNP (SNP2) can be found by using an adaptor that is specific for SNP2 and hybridizing that adaptor to the PCR2 product containing the first SNP. The Fen-ligase and amplification procedures are repeated for the PCR2 product containing the first SNP. If the amplified product yields a second SNP, then SN1 and SN2 are on the same fragment. The mass spectrum of SNP2, representing the T allele, showed a mass of 6359.88 Daltons.

This assay can also be performed upon pooled DNA to yield haplotype frequencies as described herein. The Fen-ligase assay can be used to analyze multiplexes as described herein.

EXAMPLE 8

Nickase-Mediated Sequence Analysis

A DNA nickase, or DNase, was used to recognize and cleave one strand of a DNA duplex. Two nickases usd were NY2A nickase and NYS1

5 nickase (Megabase) which cleave DNA at the following sites:

NY2A: 5'...R AG...3'

3'...Y↓TC...5' where R = A or G and Y = C or T

NYS1: 5'...↓CC[A/G/T]...3'

3'... GG[T/C/A]...5'.

10 A. Nickase Digestion

7450.14 Daltons.

Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25 mM), BSA (1 mg/mL), and 6 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase Research) were added to 25 pmol of double-stranded oligonucleotide template having a sequence of 5'-CGC AGG GTT TCC TCG TCG CAC TGG GCA TGT G-3' (SEQ ID NO: 90, Operon, Alameda, CA) synthesized using standard phosphoramidite chemistry. With a total volume of 20µL, the reaction mixture was incubated at 37°C for 5 hours, and the digestion products were purified using ZipTips (Millipore, Bedford, MA) as described in Example 5. The samples were analyzed by MALTY-TOM mass spectroscopy as described in Example 1. The nickase Cvi NY2A yielded three fragments with masses 4049.76 Daltons, 5473.14 Daltons, and 9540.71 Daltons. The Cvi NYS1 nickase yielded fragments

25 B. Nickase Digestion of Pooled Samples

DQA (HLA ClassII-DQ Alpha, expected fragment size = 225bp) was amplified from the genomic DNA of 100 healthy individuals. DQA was amplified using standard PCR chemistry in a reaction having a total volume of 50 μ L containing of 10 mM Tris-HCl, 10 mM KCl (pH 8.3), 2.5 mM MgCl₂, 200 μ M of each dNTP, 10 pmol of a forward primer having

with masses 2063.18 Daltons, 3056.48 Daltons, 6492.81 Daltons, and

15

20

25

30

the sequence 5'-GTG CTG CAG GTG TAA ACT TGT ACC AG-3'(SEQ ID NO: 64), 10 pmol of a reverse primer having the sequence 5'-CAC GGA TCC GGT AGC AGC GGT AGA GTT G-3'(SEQ ID NO: 65), 1 U DNA polymerase (Stoffel fragment, Perkin Elme r), and 200ng human genomic DNA (2ng DNA/individual). The template was denatured at 94°C for 5 minutes. Thermal cycling was continued with a touch-down program that included 45 cycles of 20 seconds at 94°C, 30 seconds at 56°C, 1 minute at 72°C, and a final extension of 3 minutes at 72°C. The crude PCR product was used in the subsequent nickase reaction.

The unpurified PCR product was subjected to nickase digestion.

Tris-HCl (10 mM), KCl (10 mM, pH 8.3), magnesium acetate (25mM),
BSA (1 mg/mL), and 5 U of Cvi NY2A or Cvi NYS1 Nickase (Megabase
Research) were added to 25 pmol of the amplified template with a total
reaction volume of 20µL. The mixture was then incubated at 37°C for 5
hours. The digestion products were purified with either ZipTips (Millipore,
Bedford, MA) as described in Example 5. The samples were analyzed by
MALDI-TOF mass spectroscopy as described in Example 4. This assay
can also be used to do multiplexing and standardless genotyping as
described herein.

To simplify the nickase mass spectrum, the two complementary strands can be separated after digestion by using a single-stranded undigested PCR product as a capture probe. This probe (preparation shown below in Example 8C) can be hybridized to the nickase fragments in hybridization buffer containing 200 mM sodium citrate and 1% blocking reagent (Boehringer Mannheim). The reaction is heated to 95°C for 5 minutes and cooled to room temperature over 30 minutes by using a thermal cycler (PTC-200 DNA engine, MJ Research, Waltham, MA). The capture probe-nickase fragment is immobilized on 140 μ g of streptavidincoated magnetic beads. The beads are subsequently washed three times with 70 mM ammonium citrate. The captured single-stranded nickase

15

20

30

fragments are eluted by heating to 80°C for 5 minutes in 5 µL of 50 mM ammonium hydroxide.

C. Preparation of Capture Probe

The capture probe is prepared by amplifying the human β -globin gene (3' end of intron 1 to 5' end of exon 2) via PCR methods in a total volume of 50 µL containing of GeneAmp 1XPCR Buffer II, 10 mM Tris-HCI, pH 8.3, 50 mM KCI, 2 mM MgCI₂, 0.2 mM dNTP mix, 10pmol of each primer (forward primer 5'-ACTGGGCATGTGGAGACAG-3'(SEQ ID NO: 66) and biotinylated reverse primer bio5'-GCACTTTCTTGCCATGAG-3'(SEQ ID: 67), 2 U of AmpliTag Gold, and 200 ng of human genomic 10 DNA. The template is denatured at 94°C for 8 minutes. Thermal cycling is continued with a touch-down program that included 11 cycles of 20 seconds at 94°C, 30 seconds at 64°C, 1 minute at 72°C; and a final extension of 5 minutes at 72°C. The amplicon is purified using UltraClean PCR clean-up kit (MO Bio Laboratories, Solano Beach, CA).

EXAMPLE 9

Multiplex Type IIS SNP Assay

A Type IIS assay was used to identify human gene sequences with known SNPs. The Type IIS enzyme used in this assay was Fok I which effected double-stranded cleavage of the target DNA. The assay involved the steps of amplification and Fok I treatment of the amplicon. In the amplification step, the primers were designed so that each PCR product of a designated gene target was less than 100 bases such that a Fok I 25 recognition sequence was incorporated at the 5' and 3' end of the amplicon. Therefore, the fragments that were cleaved by Fok I included a center fragment containing the SNP of interest.

Ten human gene targets with known SNPs were analyzed by this assay. Sequences of the ten gene targets, as well as the primers used to amplify the target regions, are found in Table 5. The ten targets were

lipoprotein lipase, prothrombin, factor V, cholesterol ester transfer protein (CETP), factor VII, factor XIII, HLA-H exon 2, HLA-H exon 4, methylenetetrahydrofolate reductase (MTHR), and P53 exon 4 codon 72.

Amplification of the ten human gene sequences were carried out in a single 50 µL volume PCR reaction with 20 ng of human genomic DNA template in 5 PCR reaction tubes. Each reaction vial contained 1X PCR buffer (Qiagen), 200µM dNTPs, 1U Hotstar Tag polymerase (Qiagen), 4 mM MgCl₂, and 10pmol of each primer. US8, having sequence of 5'TCAGTCACGACGTT3'(SEQ ID NO: 68), and US9, having sequence of 10 5'CGGATAACAATTTC3'(SEQ ID NO: 69), were used for the forward and reverse primers respectively. Moreover, the primers were designed such that a Fok I recognition site was incorporated at the 5' and 3' ends of the amplicon. Thermal cycling was performed in 0.2 mL tubes or a 96 well plate using a MJ Research Thermal Cycler (calculated temperature) with the following cycling parameters: 94°C for 5 minutes: 45 cycles: 94°C for 20 seconds, 56°C for 20 seconds, 72°C for 60 seconds; and 72°C for 3 minutes.

Following PCR, the sample was treated with 0.2 U Exonuclease I (Amersham Pharmacia) and S Alkaline Phosphotase (Amersham Pharmacia) to remove the unincorporated primers and dNTPs. Typically. 20 0.2 U of exonuclease I and SAP were added to 5 μ L of the PCR sample. The sample was then incubated at 37°C for 15 minutes. Exonuclease I and SAP were then inactivated by heating the sample up to 85°C for 15 minutes. Fok I digestion was performed by adding 2 U of Fok I (New 25 England Biolab) to the 5 uL PCR sample and incubating at 37°C for 30 minutes. Since the Fok I restriction sites are located on both sides of the amplicon, the 5' and 3' cutoff fragments have higher masses than the center fragment containing the SNP. The sample was then purified by anion exchange and analyzed by MALDI-TOF mass spectrometry as 30 described in Example 4. The masses of the gene fragments from this

multiplexing experiment are listed in Table 6. These gene fragments were resolved in mass spectra thereby allowing multiplex analysis of sequence variability in these genes.

Table 5
Genes for Multiplex Type IIS Assay

Gene	Sequence	Seq. ID No.	Primers	Seq ID N
Lipoprotein Lipase (Asn291Ser)	cctttpagaa agggetetge ttgagttigta gaaagaaceg ctgcaacaat ctgggetetg agatecla-giltaa agtcagagec aaaagaagea gcaaaatgta	98-99	5' caatttcatcgctggatgcaatct gggctatgagatc 3' 5' caatttcacacagggatgcttct tttggctctgact3'	70 71
Prothrombin	26731 geattatttttgtgtttcta aaactatggt to <u>ccaataaa agtgactotc</u> 26781 agtgt <u>a alagcotc aatgotocca</u> gtgctatica tgggcagcic totgggctca	100-	5' tcagtcacgacgttggatgccaa taaaagtgactctcagc 3' 5' cggataacaatttcggatgcact ggagcattgaggc 3'	72 73
Factor V (Arg506Gln)	taataggact acttetaate igiaa <u>gagea</u> gateeetgga cagge[g≯a]agga	108- 109	5' teagteaegaegttggatgagea gatecetggaeagge 3'	74
	atacaggtat tttgtccttg aagtaacctt tcag		cggataacaatttcggatggaca aaatacctgtattcc3'	75
Cholesterol ester transfer protein (CETP) (I405V)	1261 ctcaccatgg gcatttgattgcagagcage tccgagtcc[g+a] tccagagctt 1311 cctgcagtca atgatcaccg ctgtgggcat	104- 105	5' tcagtcacgacgttggatgcaga gcagctccgagtc 3'	76
	ccctgaggtc atgtctcgta		5' cageggtgatcattggatgcagg aagetetgg 3'	77
Factor VII (R353Q)	1221 agcaaggact cctgcaaggg ggacagtgga ggccacatg ccaccacta	106- 107	5' tcagtcacgacgttggatgccca catgccacccactac 3'	78
	1271 ccla+glgggcacq tqqtacctqa cqqqcatcqt cagctggggc cagggctgcg		5' cggataacaatttcggatgcccg tcaggtaccacg 3'	79
Factor XIII (V34L)	111 caataactot aatgoagogg aagatgacot geceaagtg gagetteagg	108- 109	5' tcagtcacgacgttggatgecea cagtggagetteag 3'	80
	161 gc[g+tltggtgcc ccggggggtg acctgcaag gtatgagcat accccctte		5' gctcataccttgcaggatgacg 3'	81
HLA-H exon 2 (His63Asp)	361 ttgaagctttgggctacgtg gatgaccagc tgttcgtgtt_ctatgat[c+g]at 411 gagagtcgcc gtgtggagcc ccgaactcca	110- 111	5' tcagtcacgacgttggatgacca gctgttcgtgttc3'	82
	tgggtttcca gtagaatttc		5' ta <u>catggagttcgggg</u> at <u>gcaca</u> cggcgactctc 3'	83

Primers Gene Sequence Seq. ID No. ID No. HLA-H exon 4 1021 ggataacctt ggctgtaccc cctggggaag 112-84 (Cys282Tyr) agcagagata tacgt[g+a]ccag 113 tcagtcacgacgttggatgggga agagcagagatatacgt 3 1071 gtggagcace caggcetgga teageceete attgtgatct gggagccctc 85 gaggggctgatccaggatgggt gctccac 3' Methylentetrahy 761 tgaagcactt gaagga gaag gtgtctgcgg 114-86 drofolateredctas gagle + tlcgattt catcatcacg 115 tcagtcacgacgttggatggga e (MTHR) agagcagagatatacgt 3' (Ala222Val) 811 cagettttct ttgaggetga cacattette 87 gaggggctgatccaggatgggt gctccac 3' P53 Exon4 12101 tccagatgaa gctcccagaa 116-88 Codon 72 tgccagaggc tgctcccc[g+c]c gtggcccctg 117 gatgaagctcccaggatgccag (Arg72Pro) agge 3' 12151 caccagcagc tectacaccg 89 geggeceetg gccgccggtgtaggatgctgctg gtgc 3'

Table 6
The mass of Center Fragments for Ten Different SNP Typing by
IIS Assay

Gene	LPL(Asn291Ser)		Prothrombin		FV(Arg506Gln)		CETP('405')		FVII(^R 353 ^a)		FXIII(^v 34)	
Genotype	Α	G	G	Α	G	Α	G	Α	G	Α	G	Т
+ strand mass (Da)	6213	6229	5845	5829	5677	5661	3388	3372	6128	6112	5058	5033
- strand mass (Da)	6129	6114	5949	5964	5472	5487	3437	3452	6174	6189	4916	4940

Gene	Hlah2		Hlah4		MTHR(^{Ala} 222 ^{Val})	P53exon4(Arg72Pro)		
Genotype	С	G	G	А	С	Т	G	С	
+ strand mass (Da)	5889	5929	4392	4376	4400	4415	4586	4546	
- strand mass - (Da)	5836	5796	4319	4334	4368	4352	4724	4764	

EXAMPLE 10

Exemplary use of parental medical history parameter for stratification of healthy datebase

A healthy database can be used to associate a disease state with a specific allele (SNP) that has been found to show a strong association between age and the allele, in particular the homozygous genotype. The method involves using the same healthy database used to identify the age dependent association, however stratification is by information given by the donors about common disorders from which their parents suffered (the donor's familial history of disease). There are three possible answers a donor could give about the health status of their parents: neither were affected, one was affected or both were affected. Only donors above a certain minimum age, depending on the disease, are utilized, as the donors parents must be old enough to to have exhibited clinical disease phenotypes. The genotype frequency in each of these groups is determined and compared with each other. If there is an association of the marker in the donor to a disease the frequency of the heterozyous genotype will be increased. The frequency of the homozygous genotype should not increase, as it should be significantly underrepresented in the healthy population.

EXAMPLE 11

Method and Device for Identifying a Biological Sample Description

In accordance with the present invention, a method and device for identifying a biological sample is provided. Referring now to FIG. 24, an apparatus 10 for identifying a biological sample is disclosed. The apparatus 10 for identifying a biological sample generally comprises a mass spectrometer 15 communicating with a computing device 20. In a preferred embodiment, the mass spectrometer may be a MALDI-TOF mass spectrometer manufactured by 10 Bruker-Franzen Analytik GmbH; however, it will be appreciated that other mass spectrometers can be substituted. The computing device 20 is preferably a general purpose computing device. However, it will be appreciated that the computing device could be alternatively configured, for example, it may be

15

20

25

30

integrated with the mass spectrometer or could be part of a computer in a larger network system.

The apparatus 10 for identifying a biological sample may operate as an automated identification system having a robot 25 with a robotic arm 27 configured to deliver a sample plate 29 into a receiving area 31 of the mass spectrometer 15. In such a manner, the sample to be identified may be placed on the plate 29 and automatically received into the mass spectrometer 15. The biological sample is then processed in the mass spectrometer to generate data indicative of the mass of DNA fragments in the biological sample. This data may be sent directly to computing device 20, or may have some preprocessing or filtering performed within the mass spectrometer. In a preferred embodiment, the mass spectrometer 15 transmits unprocessed and unfiltered mass spectrometry data to the computing device 20. However, it will be appreciated that the analysis in the computing device may be adjusted to accommodate preprocessing or filtering performed within the mass spectrometer.

Referring now to FIG. 25, a general method 35 for identifying a biological sample is shown. In method 35, data is received into a computing device from a test instrument in block 40. Preferably the data is received in a raw, unprocessed and unfiltered form, but alternatively may have some form of filtering or processing applied. The test instrument of a preferred embodiment is a mass spectrometer as described above. However, it will be appreciated that other test instruments could be substituted for the mass spectrometer.

The data generated by the test instrument, and in particular the mass spectrometer, includes information indicative of the identification of the biological sample. More specifically, the data is indicative of the DNA composition of the biological sample. Typically, mass spectrometry data gathered from DNA samples obtained from DNA amplification techniques are noisier than, for example, those from typical protein samples. This is due in part because protein samples are more readily prepared in more abundance, and protein samples are more easily ionizable as compared to DNA samples.

Accordingly, conventional mass spectrometer data analysis techniques are generally ineffective for DNA analysis of a biological sample. To improve the

25

30

analysis capability so that DNA composition data can be more readily discerned, a preferred embodiment uses wavelet technology for analyzing the DNA mass spectrometry data. Wavelets are an analytical tool for signal processing, numerical analysis, and mathematical modeling. Wavelet technology provides a basic expansion function which is applied to a data set. Using wavelet decomposition, the data set can be simultaneously analyzed in the time and frequency domains. Wavelet transformation is the technique of choice in the analysis of data that exhibit complicated time (mass) and frequency domain information, such as MALDI-TOF DNA data. Wavelet transforms as described 10 herein have superior denoising properties as compared to conventional Fourier analysis techniques. Wavelet transformation has proven to be particularly effective in interpreting the inherently noisy MALDI-TOF spectra of DNA samples. In using wavelets, a "small wave" or "scaling function" is used to transform a data set into stages, with each stage representing a frequency component in the data set. Using wavelet transformation, mass spectrometry 15 data can be processed, filtered, and analyzed with sufficient discrimination to be useful for identification of the DNA composition for a biological sample.

Referring again to FIG. 25, the data received in block 40 is denoised in block 45. The denoised data then has a baseline correction applied in block 50. A baseline correction is generally necessary as data coming from the test instrument, in particular a mass spectrometer instrument, has data arranged in a generally exponentially decaying manner. This generally exponential decaying arrangement is not due to the composition of the biological sample, but is a result of the physical properties and characteristics of the test instrument, and other chemicals involved in DNA sample preparation. Accordingly, baseline correction substantially corrects the data to remove a component of the data attributable to the test system, and sample preparation characteristics.

After denoising in block 45 and the baseline correction in block 50, a signal remains which is generally indicative of the composition of the biological sample. However, due to the extraordinary discrimination required for analyzing the DNA composition of the biological sample, the composition is not readily apparent from the denoised and corrected signal. For example, although the

15

20

25

30

signal may include peak areas, it is not yet clear whether these "putative" peaks actually represent a DNA composition, or whether the putative peaks are result of a systemic or chemical aberration. Further, any call of the composition of the biological sample would have a probability of error which would be unacceptable for clinical or therapeutic purposes. In such critical situations, there needs to be a high degree of certainty that any call or identification of the sample is accurate. Therefore, additional data processing and interpretation is necessary before the sample can be accurately and confidently identified.

Since the quantity of data resulting from each mass spectrometry test is typically thousands of data points, and an automated system may be set to perform hundreds or even thousands of tests per hour, the quantity of mass spectrometry data generated is enormous. To facilitate efficient transmission and storage of the mass spectrometry data, block 55 shows that the denoised and baseline corrected data is compressed.

In a preferred embodiment, the biological sample is selected and processed to have only a limited range of possible compositions. Accordingly, it is therefore known where peaks indicating composition should be located, if present. Taking advantage of knowing the location of these expected peaks, in block 60 the method 35 matches putative peaks in the processed signal to the location of the expected peaks. In such a manner, the probability of each putative peak in the data being an actual peak indicative of the composition of the biological sample can be determined. Once the probability of each peak is determined in block 60, then in block 65 the method 35 statistically determines the composition of the biological sample, and determines if confidence is high enough to calling a genotype.

Referring again to block 40, data is received from the test instrument, which is preferably a mass spectrometer. In a specific illustration, FIG. 26 shows an example of data from a mass spectrometer. The mass spectrometer data 70 generally comprises data points distributed along an x-axis 71 and a y-axis 72. The x-axis 71 represents the mass of particles detected, while the y-axis 72 represents a numerical concentration of the particles. As can be seen in FIG. 26, the mass spectrometry data 70 is generally exponentially decaying with

15

20

25

30

data at the left end of the x-axis 73 generally decaying in an exponential manner toward data at the heavier end 74 of the x-axis 71. However, the general exponential presentation of the data is not indicative of the composition of the biological sample, but is more reflective of systematic error and characteristics. Further, as described above and illustrated in FIG. 26, considerable noise exists in the mass spectrometry DNA data 70.

Referring again to block 45, where the raw data received in block 40 is denoised, the denoising process will be described in more detail. As illustrated in FIG. 25, the denoising process generally entails 1) performing a wavelet transformation on the raw data to decompose the raw data into wavelet stage coefficients; 2) generating a noise profile from the highest stage of wavelet coefficients; and 3) applying a scaled noise profile to other stages in the wavelet transformation. Each step of the denoising process is further described below.

Referring now to FIG. 27, the wavelet transformation of the raw mass spectrometry data is generally diagramed. Using wavelet transformation techniques, the mass spectrometry data 70 is sequentially transformed into stages. In each stage the data is represented in a high stage and a low stage, with the low stage acting as the input to the next sequential stage. For example, the mass spectrometry data 70 is transformed into stage 0 high data 82 and stage 0 low data 83. The stage 0 low data 83 is then used as an input to the next level transformation to generate stage 1 high data 84 and stage 1 low data 85. In a similar manner, the stage 1 low data 85 is used as an input to be transformed into stage 2 high data 86 and stage 2 low data 87. The transformation is continued until no more useful information can be derived by further wavelet transformation. For example, in the preferred embodiment a 24point wavelet is used. More particularly a wavelet commonly referred to as the Daubechies 24 is used to decompose the raw data. However, it will be appreciated that other wavelets can be used for the wavelet transformation. Since each stage in a wavelet transformation has one-half the data points of the previous stage, the wavelet transformation can be continued until the stage n low data 89 has around 50 points. Accordingly, the stage n high 88 would contain about 100 data points. Since the preferred wavelet is 24 points long,

25

30

little data or information can be derived by continuing the wavelet transformation on a data set of around 50 points.

FIG. 28 shows an example of stage 0 high data 95. Since stage 0 high data 95 is generally indicative of the highest frequencies in the mass spectrometry data, stage 0 high data 95 will closely relate to the quantity of high frequency noise in the mass spectrometry data. In FIG. 29, an exponential fitting formula has been applied to the stage 0 high data 95 to generate a stage 0 noise profile 97. In particular, the exponential fitting formula is in the format $A_0 + A_1 \text{EXP} \left(-A_2 \text{ m}\right)$. It will be appreciated that other expediential fitting formulas or other types of curve fits may be used.

Referring now to FIG. 30, noise profiles for the other high stages are determined. Since the later data points in each stage will likely be representative of the level of noise in each stage, only the later data points in each stage are used to generate a standard deviation figure that is representative of the noise content in that particular stage. More particularly, in generating the noise profile for each remaining stage, only the last five percent of the data points in each stage are analyzed to determined a standard deviation number. It will be appreciated that other numbers of points, or alternative methods could be used to generate such a standard deviation figure.

The standard deviation number for each stage is used with the stage 0 noise profile (the exponential curve) 97 to generate a scaled noise profile for each stage. For example, FIG. 30 shows that stage 1 high data 98 has stage 1 high data 103 with the last five percent of the data points represented by area 99. The points in area 99 are evaluated to determine a standard deviation number indicative of the noise content in stage 1 high data 103. The standard deviation number is then used with the stage 0 noise profile 97 to generate a stage 1 noise profile.

In a similar manner, stage 2 high 100 has stage 2 high data 104 with the last five percent of points represented by area 101. The data points in area 101 are then used to calculate a standard deviation number which is then used to scale the stage 0 noise profile 97 to generate a noise profile for stage 2 data. This same process is continued for each of the stage high data as shown by the

20

25

30

stage n high 105. For stage n high 105, stage n high data 108 has the last five percent of data points indicated in area 106. The data points in area 106 are used to determine a standard deviation number for stage n. The stage n standard deviation number is then used with the stage 0 noise profile 97 to generate a noise profile for stage n. Accordingly, each of the high data stages has a noise profile.

FIG. 31 shows how the noise profile is applied to the data in each stage. Generally, the noise profile is used to generate a threshold which is applied to the data in each stage. Since the noise profile is already scaled to adjust for the noise content of each stage, calculating a threshold permits further adjustment to tune the quantity of noise removed. Wavelet coefficients below the threshold are ignored while those above the threshold are retained. Accordingly, the remaining data has a substantial portion of the noise content removed.

Due to the characteristics of wavelet transformation, the lower stages, such as stage 0 and 1, will have more noise content than the later stages such as stage 2 or stage n. Indeed, stage n low data is likely to have little noise at all. Therefore, in a preferred embodiment the noise profiles are applied more aggressively in the lower stages and less aggressively in the later stages. For example, FIG. 31 shows that stage 0 high threshold is determined by multiplying the stage 0 noise profile by a factor of four. In such a manner, significant numbers of data points in stage 0 high data 95 will be below the threshold and therefore eliminated. Stage 1 high threshold 112 is set at two times the noise profile for the stage 1 high data, and stage 2 high threshold 114 is set equal to the noise profile for stage 2 high. Following this geometric progression, stage n high threshold 116 is therefore determined by scaling the noise profile for each respective stage n high by a factor equal to (1/2ⁿ⁻²). It will be appreciated that other factors may be applied to scale the noise profile for each stage. For example, the noise profile may be scaled more or less aggressively to accommodate specific systemic characteristics or sample compositions. As indicated above, stage n low data does not have a noise profile applied as stage n low data 118 is assumed to have little or no noise content. After the scaled noise profiles have been applied to each high data stage, the mass spectrometry

10

20

25

30

data 70 has been denoised and is ready for further processing. A wavelet transformation of the denoised signal results in the sparse data set 120 as shown in FIG. 31.

Referring again to FIG. 25, the mass spectrometry data received in block 40 has been denoised in block 45 and is now passed to block 50 for baseline correction. Before performing baseline correction, the artifacts introduced by the wavelet transformation procedure are preferably removed. Wavelet transformation results vary slightly depending upon which point of the wavelet is used as a starting point. For example, the preferred embodiment uses the 24-point Daubechies-24 wavelet. By starting the transformation at the 0 point of the wavelet, a slightly different result will be obtained than if starting at points 1 or 2 of the wavelet. Therefore, the denoised data is transformed using every available possible starting point, with the results averaged to determine a final denoised and shifted signal. For example, FIG. 33 shows that the wavelet coefficient is applied 24 different times and then the results averaged to generate the final data set. It will be appreciated that other techniques may be used to accommodate the slight error introduced due to wavelet shifting.

The formula 125 is generally indicated in FIG. 33. Once the signal has been denoised and shifted, a denoised and shifted signal 130 is generated as shown in FIG. 58. FIG. 34 shows an example of the wavelet coefficient 135 data set from the denoised and shifted signal 130.

FIG. 36 shows that putative peak areas 145, 147, and 149 are located in the denoised and shifted signal 150. The putative peak areas are systematically identified by taking a moving average along the signal 150 and identifying sections of the signal 150 which exceed a threshold related to the moving average. It will be appreciated that other methods can be used to identify putative peak areas in the signal 150.

Putative peak areas 145, 147 and 149 are removed from the signal 150 to create a peak-free signal 155 as shown in FIG. 37. The peak-free signal 155 is further analyzed to identify remaining minimum values 157, and the remaining minimum values 157 are connected to generate the peak-free signal 155.

20

25

30

FIG. 38 shows a process of using the peak-free signal 155 to generate a baseline 170 as shown in FIG. 39. As shown in block 162, a wavelet transformation is performed on the peak-free signal 155. All the stages from the wavelet transformation are eliminated in block 164 except for the n low stage.

The n low stage will generally indicate the lowest frequency component of the peak-free signal 155 and therefore will generally indicate the system exponential characteristics. Block 166 shows that a signal is reconstructed from the n low coefficients and the baseline signal 170 is generated in block 168.

FIG. 39 shows a denoised and shifted data signal 172 positioned adjacent a correction baseline 170. The baseline correction 170 is subtracted from the denoised and shifted signal 172 to generate a signal 175 having a baseline correction applied as shown in FIG. 40. Although such a denoised, shifted, and corrected signal is sufficient for most identification purposes, the putative peaks in signal 175 are not identifiable with sufficient accuracy or confidence to call the DNA composition of a biological sample.

Referring again to FIG. 25, the data from the baseline correction 50 is now compressed in block 55, the compression technique used in a preferred embodiment is detailed in FIG. 41. In FIG. 41 the data in the baseline corrected data is presented in an array format 182 with x-axis points 183 having an associated data value 184. The x-axis is indexed by the non-zero wavelet coefficients, and the associated value is the value of the wavelet coefficient. In the illustrated data example in table 182, the maximum value 184 is indicated to be 1000. Although a particularly advantageous compression technique for mass spectrometry data is shown, it will be appreciated that other compression techniques can be used. Although not preferred, the data may also be stored without compression.

In compressing the data according to a preferred embodiment, an intermediate format 186 is generated. The intermediate format 186 generally comprises a real number having a whole number portion 188 and a decimal portion 190. The whole number portion is the x-axis point 183 while the decimal portion is the value data 184 divided by the maximum data value. For

10

15

20

25

30

example, in the data 182 a data value "25" is indicated at x-axis point "100". The intermediate value for this data point would be "100.025".

From the intermediate compressed data 186 the final compressed data 195 is generated. The first point of the intermediate data file becomes the starting point for the compressed data. Thereafter each data point in the compressed data 195 is calculated as follows: the whole number portion (left of the decimal) is replaced by the difference between the current and the last whole number. The remainder (right of the decimal) remains intact. For example, the starting point of the compressed data 195 is shown to be the same as the intermediate data point which is "100.025". The comparison between the first intermediate data point "150.220" is "50.220". Therefore, "50.220" becomes the second point of the compressed data 195. In a similar manner, the second intermediate point is "150.220" and the third intermediate data point is "500.0001". Therefore, the third compressed data becomes "350.000". The calculation for determining compressed data points is continued until the entire array of data points is converted to a single array of real numbers.

FIG. 42 generally describes the method of compressing mass spectrometry data, showing that the data file in block 201 is presented as an array of coefficients in block 202. The data starting point and maximum is determined as shown in block 203, and the intermediate real numbers are calculated in block 204 as described above. With the intermediate data points generated, the compressed data is generated in block 205. The described compression method is highly advantageous and efficient for compressing data sets such as a processed data set from a mass spectrometry instrument. The method is particularly useful for data, such as mass spectrometry data, that uses large numbers and has been processed to have occasional lengthy gaps in x-axis data. Accordingly, an x-y data array for processed mass spectrometry data may be stored with an effective compression rate of 10x or more. Although the compression technique is applied to mass spectrometry data, it will be appreciated that the method may also advantageously be applied to other data sets.

25

30

Referring again to FIG. 25, peak heights are now determined in block 60. The first step in determining peak height is illustrated in FIG. 43 where the signal 210 is shifted left or right to correspond with the position of expected peaks. As the set of possible compositions in the biological sample is known before the mass spectrometry data is generated, the possible positioning of expected peaks is already known. These possible peaks are referred to as expected peaks, such as expected peaks 212, 214, and 216. Due to calibration or other errors in the test instrument data, the entire signal may be shifted left or right from its actual position, therefore, putative peaks located in the signal, such as putative peaks 218, 222, and 224 may be compared to the expected peaks 212, 214, and 216, respectively. The entire signal is then shifted such that the putative peaks align more closely with the expected peaks.

Once the putative peaks have been shifted to match expected peaks, the strongest putative peak is identified in FIG. 44. In a preferred embodiment, the 15 strongest peak is calculated as a combination of analyzing the overall peak height and area beneath the peak. For example, a moderately high but wide peak would be stronger than a very high peak that is extremely narrow. With the strongest putative peak identified, such as putative peak 225, a Gaussian 228 curve is fit to the peak 225. Once the Gaussian is fit, the width (W) of the Gaussian is determined and will be used as the peak width for future calculations.

As generally addressed above, the denoised, shifted, and baselinecorrected signal is not sufficiently processed for confidently calling the DNA composition of the biological sample. For example, although the baseline has generally been removed, there are still residual baseline effects present. These residual baseline effects are therefore removed to increase the accuracy and confidence in making identifications.

To remove the residual baseline effects, FIG. 45 shows that the putative peaks 218, 222, and 224 are removed from the baseline corrected signal. The peaks are removed by identifying a center line 230, 232, and 234 of the putative peaks 218, 222, and 224, respectively and removing an area to the left and to the right of the identified center line. For each putative peak, an area

15

20

25

30

equal to twice the width (W) of the Gaussian is removed from the left of the center line, while an area equivalent to 50 daltons is removed from the right of the center line. It has been found that the area representing 50 daltons is adequate to sufficiently remove the effect of salt adducts which may be associated with an actual peak. Such adducts appear to the right of an actual peak and are a natural effect from the chemistry involved in acquiring a mass spectrum. Although a 50 Dalton buffer has been selected, it will be appreciated that other ranges or methods can be used to reduce or eliminate adduct effects.

The peaks are removed and remaining minima 247 located as shown in FIG. 46 with the minima 247 connected to create signal 245. A quartic polynomial is applied to signal 245 to generate a residual baseline 250 as shown in FIG. 47. The residual baseline 250 is subtracted from the signal 225 to generate the final signal 255 as indicated in FIG. 48. Although the residual baseline is the result of a quartic fit to signal 245, it will be appreciated that other techniques can be used to smooth or fit the residual baseline.

To determine peak height, as shown in FIG. 49, a Gaussian such as Gaussian 266, 268, and 270 is fit to each of the peaks, such as peaks 260, 262, and 264, respectively. Accordingly, the height of the Gaussian is determined as height 272, 274, and 276. Once the height of each Gaussian peak is determined, then the method of identifying a biological compound 35 can move into the genotyping phase 65 as shown in FIG. 25.

An indication of the confidence that each putative peak is an actual peak can be discerned by calculating a signal-to-noise ratio for each putative peak. Accordingly, putative peaks with a strong signal-to-noise ratio are generally more likely to be an actual peak than a putative peak with a lower signal-to-noise ratio. As described above and shown in FIG. 50, the height of each peak, such as height 272, 274, and 276, is determined for each peak, with the height being an indicator of signal strength for each peak. The noise profile, such as noise profile 97, is extrapolated into noise profile 280 across the identified peaks. At the center line of each of the peaks, a noise value is determined, such as noise value 282, 283, and 284. With a signal values and a noise values generated, signal-to-noise ratios can be calculated for each peak. For example, the signal-

15

20

25

30

to-noise ratio for the first peak in FIG. 50 would be calculated as signal value 272 divided by noise value 282, and in a similar manner the signal-to-noise ratio of the middle peak in FIG. 50 would be determined as signal 274 divided by noise value 283.

Although the signal-to-noise ratio is generally a useful indicator of the presence of an actual peak, further processing has been found to increase the confidence by which a sample can be identified. For example, the signal-to-noise ratio for each peak in the preferred embodiment is preferably adjusted by the goodness of fit between a Gaussian and each putative peak. It is a characteristic of a mass spectrometer that sample material is detected in a manner that generally complies with a normal distribution. Accordingly, greater confidence will be associated with a putative signal having a Gaussian shape than a signal that has a less normal distribution. The error resulting from having a non-Gaussian shape can be referred to as a "residual error".

Referring to FIG. 51, a residual error is calculated by taking a root mean square calculation between the Gaussian 293 and the putative peak 290 in the data signal. The calculation is performed on data within one width on either side of a center line of the Gaussian. The residual error is calculated as:

where G is the Gaussian signal value, R is the putative peak value, and N is the number of points from -W to +W. The calculated residual error is used to generate an adjusted signal-to-noise ratio, as described below.

An adjusted signal noise ratio is calculated for each putative peak using the formula (S/N) * EXP^(-,1+R), where S/N is the signal-to-noise ratio, and R is the residual error determined above. Although the preferred embodiment calculates an adjusted signal-to-noise ratio using a residual error for each peak, it will be appreciated that other techniques can be used to account for the goodness of fit between the Gaussian and the actual signal.

Referring now to FIG. 52, a probability is determined that a putative peak is an actual peak. In making the determination of peak probability, a probability profile 300 is generated where the adjusted signal-to-noise ratio is the x-axis and the probability is the y-axis. Probability is necessarily in the range between a 0% probability and a 100% probability, which is indicated as 1. Generally, the

15

20

25

30

higher the adjusted signal-to-noise ratio, the greater the confidence that a putative peak is an actual peak.

At some target value for the adjusted signal-to-noise, it has been found that the probability is 100% that the putative peak is an actual peak and can confidently be used to identify the DNA composition of a biological sample. However, the target value of adjusted signal-to-noise ratio where the probability is assumed to be 100% is a variable parameter which is to be set according to application specific criteria. For example, the target signal-to-noise ratio will be adjusted depending upon trial experience, sample characteristics, and the acceptable error tolerance in the overall system. More specifically, for situations requiring a conservative approach where error cannot be tolerated, the target adjusted signal-to-noise ratio can be set to, for example, 10 and higher. Accordingly, 100% probability will not be assigned to a peak unless the adjusted signal-to-noise ratio is 10 or over.

In other situations, a more aggressive approach may be taken as sample data is more pronounced or the risk of error may be reduced. In such a situation, the system may be set to assume a 100% probability with a 5 or greater target signal-to-noise ratio. Of course, an intermediate signal-to-noise ratio target figure can be selected, such as 7, when a moderate risk of error can be assumed. Once the target adjusted signal-to-noise ratio is set for the method, then for any adjusted signal-to-noise ratio a probability can be determined that a putative peak is an actual peak.

Due to the chemistry involved in performing an identification test, especially a mass spectrometry test of a sample prepared by DNA amplifications, the allelic ratio between the signal strength of the highest peak and the signal strength of the second (or third and so on) highest peak should fall within an expected ratio. If the allelic ratio falls outside of normal guidelines, the preferred embodiment imposes an allelic ratio penalty to the probability. For example, FIG. 53 shows an allelic penalty 315 which has an x-axis 317 that is the ratio between the signal strength of the second highest peak divided by signal strength of the highest peak. The y-axis 319 assigns a penalty between 0 and 1 depending on the determined allelic ratio. In the preferred embodiment, it is

20

25

30

assumed that allelic ratios over 30% are within the expected range and therefore no penalty is applied. Between a ratio of 10% and 30%, the penalty is linearly increased until at allelic ratios below 10% it is assumed the second-highest peak is not real. For allelic ratios between 10% and 30%, the allelic penalty chart 315 is used to determine a penalty 319, which is multiplied by the peak probability determined in FIG. 52 to determine a final peak probability. Although the preferred embodiment incorporates an allelic ratio penalty to account for a possible chemistry error, it will be appreciated that other techniques may be used. Similar treatment will be applied to the other peaks.

With the peak probability of each peak determined, the statistical probability for various composition components may be determined. As an example, in order to determine the probability of each of three possible combinations of two peaks, — peak G, peak C and combinations GG, CC and GC. FIG. 54 shows an example where a most probable peak 325 is determined to have a final peak probability of 90%. Peak 325 is positioned such that it represents a G component in the biological sample. Accordingly, it can be maintained that there is a 90% probability that G exists in the biological sample. Also in the example shown in FIG. 54, the second highest probability is peak 330 which has a peak probability of 20%. Peak 330 is at a position associated with a C composition. Accordingly, it can be maintained that there is a 20% probability that C exists in the biological sample.

With the probability of G existing (90%) and the probability of C existing (20%) as a starting point, the probability of combinations of G and C existing can be calculated. For example, FIG. 54 indicates that the probability of GG existing 329 is calculated as 72%. This is calculated as the probability of GG is equal to the probability of G existing (90%) multiplied by the probability of C not existing (100% -20%). So if the probability of G existing is 90% and the probability of C not existing is 80%, the probability of GG is 72%.

In a similar manner, the probability of CC existing is equivalent to the probability of C existing (20%) multiplied by the probability of G not existing (100% - 90%). As shown in FIG. 54, the probability of C existing is 20% while the probability of G not existing is 10%, so therefore the probability of CC is

only 2%. Finally, the probability of GC existing is equal to the probability of G existing (90%) multiplied by the probability of C existing (20%). So if the probability of G existing is 90% and the probability of C existing is 20%, the probability of GC existing is 18%. In summary form, then, the probability of the composition of the biological sample is:

probability of GG: 72%; probability of GC: 18%; and probability of CC: 2%.

Once the probabilities of each of the possible combinations has been determined, FIG. 55 is used to decide whether or not sufficient confidence exists to call the genotype. FIG. 55 shows a call chart 335 which has an x-axis 337 which is the ratio of the highest combination probability to the second highest combination probability. The y-axis 339 simply indicates whether the ratio is sufficiently high to justify calling the genotype. The value of the ratio may be indicated by M 340. The value of M is set depending upon trial data, sample composition, and the ability to accept error. For example, the value M may be set relatively high, such as to a value 4 so that the highest probability must be at least four times greater than the second highest probability before confidence is established to call a genotype. However, if a certain level of error may be 20 acceptable, the value of M may be set to a more aggressive value, such as to 3, so that the ratio between the highest and second highest probabilities needs to be only a ratio of 3 or higher. Of course, moderate value may be selected for M when a moderate risk can be accepted. Using the example of FIG. 54, where the probability of GG was 72% and the probability of GC was 18%, the ratio 25 between 72% and 18% is 4.0, therefore, whether M is set to 3, 3.5, or 4, the system would call the genotype as GG. Although the preferred embodiment uses a ratio between the two highest peak probabilities to determine if a genotype confidently can be called, it will be appreciated that other methods may be substituted. It will also be appreciated that the above techniques may be used for calculating probabilities and choosing genotypes (or more general 30 DNA patterns) containing of combinations of more than two peaks.

20

25

30

Referring now to FIG. 56, a flow chart is shown generally defining the process of statistically calling genotype described above. In FIG. 56 block 402 shows that the height of each peak is determined and that in block 404 a noise profile is extrapolated for each peak. The signal is determined from the height of each peak in block 406 and the noise for each peak is determined using the noise profile in block 408. In block 410, the signal-to-noise ratio is calculated for each peak. To account for a non-Gaussian peak shape, a residual error is determined in block 412 and an adjusted signal-to-noise ratio is calculated in block 414. Block 416 shows that a probability profile is developed, with the probability of each peak existing found in block 418. An allelic penalty may be applied in block 420, with the allelic penalty applied to the adjusted peak probability in block 422. The probability of each combination of components is calculated in block 424 with the ratio between the two highest probabilities being determined in block 426. If the ratio of probabilities exceeds a threshold value then the genotype is called in block 428.

In another embodiment of the invention, the computing device 20 (Fig. 24) supports "standardless" genotyping by identifying data peaks that contain putative SNPs. Standardless genotyping is used, for example, where insufficient information is known about the samples to determine a distribution of expected peak locations, against which an allelic penalty as described above can be reliably calculated. This permits the computing device to be used for identification of peaks that contain putative SNPs from data generated by any assay that fragments a targeted DNA molecule. For such standardless genotyping, peaks that are associated with an area under the data curve that deviates significantly from the typical area of other peaks in the data spectrum are identified and their corresponding mass (location along the x-axis) is determined.

More particularly, peaks that deviate significantly from the average area of other peaks in the data are identified, and the expected allelic ratio between data peaks is defined in terms of the ratio of the area under the data peaks.

Theoretically, where each genetic loci has the same molar concentration of

15

20

30

analyte, the area under each corresponding peak should be the same, thus producing a 1.0 ratio of the peak area between any two peaks. In accordance with the invention, peaks having a smaller ratio relative to the other peaks in the data will not be recognized as peaks. More particularly, peaks having an area ratio smaller than 30% relative to a nominal value for peak area will be assigned an allelic penalty. The mass of the remaining peaks (their location along the x-axis of the data) will be determined based on oligonucleotide standards.

Fig. 57 shows a flow diagram representation of the processing by the computing device 20 (Fig. 24) when performing standardless genotyping. In the first operation, represented by the flow diagram box numbered 502, the computing device receives data from the mass spectrometer. Next, the height of each putative peak in the data sample is determined, as indicated by the block 504. After the height of each peak in the mass spectrometer data is determined, a de-noise process 505 is performed, beginning with an extrapolation of the noise profile (block 506), followed by finding the noise of each peak (block 508) and calculating the signal to noise ratio for each data sample (block 510). Each of these operations may be performed in accordance with the description above for denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art.

The next operation is to find the residual error associated with each data point. This is represented by the block 512 in Figure 57. The next step, block 514, involves calculating an adjusted signal to noise ratio for each identified peak. A probability profile is developed next (block 516), followed by a determination of the peak probabilities at block 518. In the preferred embodiment, the denoise operations of Fig. 57, comprising block 502 to block 518, comprise the corresponding operations described above in conjunction with Fig. 56 for block 402 through block 418, respectively.

The next action for the standardless genotype processing is to determine an allelic penalty for each peak, indicated by the block 524. As noted above, the standardless genotype processing of Fig. 57 determines an allelic penalty by comparing area under the peaks. Therefore, rather than compare signal strength ratios to determine an allelic penalty, such as described above for Fig. 53, the

25

30

standardless processing determines the area under each of the identified peaks and compares the ratio of those areas. Determining the area under each peak may be computed using conventional numerical analysis techniques for calculating the area under a curve for experimental data.

Thus, the allelic penalty is assigned in accordance with Fig. 58, which shows that no penalty is assigned to peaks having a peak area relative to an expected average area value that is greater than 0.30 (30%). The allelic penalty is applied to the peak probability value, which may be determined according to the process such as described in Fig. 52. It should be apparent from Fig. 58 that the allelic penalty imposed for peaks below a ratio of 30% is that such peaks will be removed from further measurement and processing. Other penalty schemes, however, may be imposed in accordance with knowledge about the data being processed, as determined by those skilled in the art.

After the allelic penalty has been determined and applied, the

standardless genotype processing compares the location of the remaining
putative peaks to oligonucleotide standards to determine corresponding masses
in the processing for block 524. For standardless genotype data, the processing
of the block 524 is performed to determine mass and genotype, rather than
performing the operations corresponding to block 424, 426, and 428 of Fig. 33.

Techniques for performing such comparisons and determining mass will be
known to those skilled in the art.

In another embodiment, the computing device 20 (Fig. 24) permits the detection and determination of the mass (location along the x-axis of the data) of the sense and antisense strand of fragments generated in the assay. If desired, the computing device may also detect and determine the quantity (area under each peak) of the respective sense and antisense strands, using a similar technique to that described above for standardless genotype processing. The data generated for each type of strand may then be combined to achieve a data redundancy and to thereby increase the confidence level of the determined genotype. This technique obviates primer peaks that are often observed in data from other diagnostic methods, thereby permitting a higher level of multiplexing. In addition, when quantitation is used in pooling experiments, the ratio of the

20

25

30

measured peak areas is more reliably calculated than the peak identifying technique, due to data redundancy.

Fig. 23 is a flow diagram that illustrates the processing implemented by the computing device 20 to perform sense and antisense processing. In the first operation, represented by the flow diagram box numbered 602, the computing device receives data from the mass spectrometer. This data will include data for the sense strand and antisense strand of assay fragments. Next, the height of each putative peak in the data sample is determined, as indicated by the block 604. After the height of each peak in the mass spectrometer data is determined, a de-noise process 605 is performed, beginning with an operation that extrapolates the noise profile (block 606), followed by finding the noise of each peak (block 608) and calculating the signal to noise ratio for each data sample (block 610). Each of these operations may be performed in accordance with the description above for the denoise operations 45 of Fig. 25. Other suitable denoise operations will occur to those skilled in the art. The next operation is to find the residual error associated with each data point. This is represented by the block 612 in Figure 36.

After the residual error for the data of the sense strand and antisense strand has been performed, processing to identify the genotypes will be performed for the sense strand and also for the antisense strand. Therefore, Fig. 23 shows that processing includes sense strand processing (block 630) and antisense strand processing (block 640). Each block 630, 640 includes processing that corresponds to adjusting the signal to noise ratio, developing a probability profile, determining an allelic penalty, adjusting the peak probability by the allelic penalty, calculating genotype probabilities, and testing genotype probability ratios, such as described above in conjunction with blocks 414 through 426 of Fig. 56. The processing of each block 630, 640 may, if desired, include standardless processing operations such as described above in conjunction with Fig. 57. The standardless processing may be included in place of or in addition to the processing operations of Fig. 56.

After the genotype probability processing is completed, the data from the sense strand and antisense strand processing is combined and compared to expected database values to obtain the benefits of data redundancy as between the sense strand and antisense strand. Those skilled in the art will understand techniques to take advantage of known data redundancies between a sense strand and antisense strand of assay fragments. This processing is represented by the block 650. After the data from the two strands is combined for processing, the genotype processing is performed (block 660) and the genotype is identified.

Since modifications will be apparent to those of skill in this art, it is

10 intended that this invention be limited only by the scope of the appended claims.

WHAT IS CLAIMED IS:

5

 A subcollection of samples from a target population, comprising: a plurality of samples, wherein the samples are selected from the group consisting of blood, tissue, body fluid, cell, seed, microbe, pathogen and

reproductive tissue samples; and

a symbology on the containers containing the samples, wherein the symbology is representative of the source and/or history of each sample, wherein:

the target population is a healthy population that has not been selected 10 for any disease state;

the collection comprises samples from the healthy population; and the subcollection is obtained by sorting the collection according to specified parameters.

- 2. The subcollection of claim 1, wherein the parameters are selected
 from the group consisting of ethnicity, age, gender, height, weight, alcohol
 intake, number of pregnancies, number of live births, vegetarians, type of
 physical activity, state of residence and/or length of residence in a particular
 state, educational level, age of parent at death, cause of parent death, former or
 current smoker, length of time as a smoker, frequency of smoking, occurrence
 of a disease in immediate family (parent, siblings, children), use of prescription
 drugs and/or reason therefor, length and/or number of hospital stays and
 exposure to environmental factors.
 - The subcollection of claim 1, wherein the symbology is a bar code.
 - 4. A method of producing a database, comprising:
- 25 identifying healthy members of a population;

obtaining data comprising identifying information and obtaining historical information and data relating to the identified members of the population and their immediate family:

entering the data into a database for each member of the population and 30 associating the member and the data with an indexer.

The method of claim 4, further comprising:
 obtaining a body tissue or body fluid sample;

20

analyzing the body tissue or body fluid in the sample; and entering the results of the analysis for each member into the database and associating each result with the indexer representative of each member.

- 6. A database produced by the method of claim 4.
- 7. A database produced by the method of claim 5.
 - 8. A database, comprising:

datapoints representative of a plurality of healthy organisms from whom biological samples are obtained,

wherein each datapoint is associated with data representative of 10 the organism type and other identifying information.

- The database of claim 8, wherein the datapoints are answers to questions regarding one or more of a parameters selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of physical activity, state of 15 residence and/or length of residence in a particular state, educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of a disease in immediate family (parent, siblings, children), use of prescription drugs and/or reason therefor, length and/or number of hospital stays and exposure to environmental factors.
 - 10 The database of claim 9, wherein the organisms are mammals and the samples are body fluids or tissues.
 - The database of claim 9, wherein the samples are selected from blood, blood fractions, cells and subcellular organelles.
- 25 The database of claim 8, further comprising, phenotypic data from an organism.
 - 13. The database of claim 12, wherein the data includes one of physical characteristics, background data, medical data, and historical data.
 - The database of claim 8, further comprising,
- 30 genotypic data from nucleic acid obtained from an organism.

- 15. The database of claim 14, wherein genotypic data includes, genetic markers, non-coding regions, microsatellites, RFLPs, VNTRs, historical data of the organism, medical history, and phenotypic information.
 - The database of claim 8 that is a relational database.
- 5 17. The database of claim 16, wherein the data are related to an indexer datapoint representative of each organism from whom data is obtained.
 - 18. A method of identifying polymorphisms that are candidate genetic markers, comprising:

identifying a polymorphism; and

10 identifying any pathway or gene linked to the locus of the polymorphism, wherein

the polymorphisms are identified in samples associated with a target population that comprises healthy subjects.

- 19. The method of claim 18, wherein the polymorphism is identified by detecting the presence of target nucleic acids in a sample by a method, comprising the steps of:
 - a) hybridizing a first oligonucleotide to the target nucleic acid;
 - b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;
- 20 c) ligating the hybridized oligonucleotides; and
 - detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.
 - 20. The method of claim 18, wherein the polymorphism is identified by detecting target nucleic acids in a sample by a method, comprising the steps of:
- 25 a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid:
 - b) contacting the hybridized first and second oligonucleotides with a cleavage enzyme to form a cleavage product; and
- 30 c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.

- 21. The method of claim 20 wherein the samples are from subjects in a healthy database.
- 22. The method of claim 18, wherein the polymorphism is identified by identifying target nucleic acids in a sample by primer oligo base extension (probe).
- 23. The method of 22, wherein primer oligo base extension, comprises:
 - a) obtaining a nucleic acid molecule that contains a target nucleotide;
- b) optionally immobilizing the nucleic acid molecule onto a solid support,
 to produce an immobilized nucleic acid molecule;
 - c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide:
- d) contacting the product of step c) with a composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the target nucleotide is extended onto the primer; and e) detecting the extended primer, thereby identifying the target
 - e) detecting the extended primer, thereby identifying the target nucleotide.
- 20 24. The method of claim 23, wherein detection of the extended primer is effected by mass spectrometry, comprising:

ionizing and volatizing the product of step d); and detecting the extended primer by mass spectrometry, thereby identifying

25 25. The method of claim 24, wherein;

the target nucleotide.

samples are presented to the mass spectrometer as arrays on chips; and each sample occupies a volume that is about the size of the laser spot projected by the laser in a mass spectrometer used in matrix-assisted laser desorption/ionization (MALDI) spectrometry.

10

15

20

25

30

26. A combination, comprising:

a database containing parameters associated with a datapoint representative of a subject from whom samples are obtained, wherein the subjects are healthy; and

- an indexed collection of the samples, wherein the index identifies the subject from whom the sample was obtained.
- 27 The combination of claim 26, wherein the parameter is selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of physical activity, state of residence and/or length of residence in a particular state, educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of disease in immediate family (parent, siblings, children), use of prescription drugs and/or reason therefor, length and/or number of hospital stays and ecoposure to environmental factors.
- The combination of claim 26, wherein the database further contains genotypic data for each subject.
 - 29. The combination of claim 26, wherein the samples are blood.
 - 30 A data storage medium, comprising the database of claim 8.
- A computer system, comprising the database of claim 8.
- 32. A system for high throughput processing of biological samples, comprising:
 - a process line comprising a plurality of processing stations, each of which performs a procedure on a biological sample contained in a reaction vessel:
 - a robotic system that transports the reaction vessel from processing station to processing station;
 - a data analysis system that receives test results of the process line and automatically processes the test results to make a determination regarding the biological sample in the reaction vessel;
 - a control system that determines when the test at each processing station is complete and, in response, moves the reaction vessel to

10

15

20

25

30

the next test station, and continuously processes reaction vessels one after another until the control system receives a stop instruction; and

a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database.

- 33. The system of claim 32, wherein one of the processing stations comprises a mass spectrometer.
- 34. The system of claim 32, wherein the data analysis system processes the test results by receiving test data from the mass spectrometer such that the test data for a biological sample contains one or more signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.
- 35. A method for high throughput processing of biological samples, the method comprising:

transporting a reaction vessel along a system of claim 32, comprising a process line having a plurality of processing stations, each of which performs a procedure on one or more biological samples contained in the reaction vessel;

determining when the test procedure at each processing station is complete and, in response, moving the reaction vessel to the next processing station;

receiving test results of the process line and automatically processing the test results to make a data analysis determination regarding the biological samples in the reaction vessel; and

- processing reaction vessels continuously one after another until receiving a stop instruction, wherein the samples tested by the automated process line comprise samples from subjects in the database.
- The method of 35, wherein one of the processing stations comprises a mass spectrometer.

25

- The method of claim 36, wherein the samples are analyzed by a method comprising primer oligo base extension (probe).
 - 38. The method of claim 37, further comprising:

processing the test results by receiving test data from the mass spectrometer such that the test data for a biological sample contains one or more signals or numerical values representative of signals, whereupon the data analysis system determines the area under the curve of each signal and normalizes the results thereof and obtains a substantially quantitative result representative of the relative amounts of components in the tested sample.

- 39. The method of claim 37, wherein primer oligo base extension, comprises:
 - a) obtaining a nucleic acid molecule that contains a target nucleotide;
 - b) optionally immobilizing the nucleic acid molecule onto a solid support, to produce an immobilized nucleic acid molecule;
- 15 c) hybridizing the nucleic acid molecule with a primer oligonucleotide that is complementary to the nucleic acid molecule at a site adjacent to the target nucleotide:
- d) contacting the product of step c) with composition comprising a
 dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a
 polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate
 that is complementary to the target nucleotide is extended onto the primer; and
 - e) detecting the primer, thereby identifying the target nucleotide.
 - 40. The method of 39, wherein detection of the extended primer is effected by mass spectrometry, comprising:

ionizing and volatizing the product of step d); and detecting the extended primer by mass spectrometry, thereby identifying the target nucleotide.

- 41. The method of claim 36, wherein the target nucleic acids in the sample are detected and/or identified by a method, comprising the steps of:
- 30 a) hybridizing a first oligonucleotide to the target nucleic acid;
 - b) hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid;

20

- c) ligating then hybridized oligonucleotides; and
- detecting hybridized first oligonucleotide by mass spectrometry as an indication of the presence of the target nucleic acid.
- 42. The method of claim 36, wherein the target nucleic acids in the 5 sample are detected and/or identified by a method, comprising the steps of:
 - a) hybridizing a first oligonucleotide to the target nucleic acid and hybridizing a second oligonucleotide to an adjacent region of the target nucleic acid:
- b) contacting the hybridized first and second oligonucleotides with a
 10 cleavage enzyme to form a cleavage product; and
 - c) detecting the cleavage product by mass spectrometry as an indication of the presence of the target nucleic acid.
 - 43. A method of producing a database stored in a computer memory, comprising:
 - identifying healthy members of a population;

obtaining identifying and historical information and data relating to the identified members of the population;

entering the member-related data into the computer memory database for each identified member of the population and associating the member and the data with an indexer.

- 44. The method of claim 43, further comprising:
 - obtaining a body tissue or body fluid sample of an identified member; analyzing the body tissue or body fluid in the sample; and

entering the results of the analysis for each member into the computer

25 memory database and associating each result with the indexer representative of each member.

- 45. A database produced by the method of claim 43.
- 46. A database produced by the method of claim 44.
- 47. The database of claim 8. wherein:
- 30 the organims are selected from among animals, bacteria, fungi, protozoans and parasites and

each datapoint is associated with parameters representative of the organism type and identifying information.

- The database of claim 43, further comprising, phenotypic data regarding each subject.
- 5 49. The database of claim 47 that is a relational database and the
 - 50. The database of claim 8, further comprising,

genotypic data of nucleic acid of the subject, wherein genotypic data includes, but is not limited to, genetic markers, non-coding regions,

- 10 microsatellites, restriction fragment length polymorphisms (RFLPs), variable number tandem repeats (VNTRs), historical day of the organism, the medical history of the subject, phenotypic information, and other information.
 - 51. A database, comprising data records stored in computer memory, wherein the data records contain information that identifies healthy members of a population, and also contain identifying and historical information and data relating to the identified members.
 - 52. The database of claim 51, further comprising an index value for each identified member that associates each member of the population with the identifying and historical information and data.
- 53. A computer system, comprising the database of claim 51.
 - 54. An automated process line, comprising the database of claim 51.
 - 55. A method for determining a polymorphism that correlates with age, ethnicity or gender, comprising:

identifying a polymorphism; and

- determining the frequency of the polymorphism with increasing age, with ethnicity or with gender in a healthy population.
 - 56. A method for determining whether a polymorphism correlates with suceptibility to morbidity, early mortality, or morbidity and early mortality, comprising;
- 30 identifying a polymorphism; and

determining the frequency of the polymorphism with increasing age in a healthy population.

15

25

57. A high throughput method of determining frequencies of genetic variations, comprising:

selecting a healthy target population and a genetic variation to be assessed;

5 pooling a plurality of samples of biopolymers obtained from members of the population,

determining or detecting the biopolymer that comprises the variation by mass spectrometry:

obtaining a mass spectrum or a digital representation thereof; and determining the frequency of the variation in the population.

58. The method of claim 57, wherein:

the variation is selected from the group consisting of an allelic variation, a post-translational modification, a nucleic modification, a label, a mass modification of a nucleic acid and methylation; and/or

the biopolymer is a nucleic acid, a protein, a polysaccharide, a lipid, a small organic metabolite or intermediate, wherein the concentration of biopolymer of interest is the same in each of the samples; and/or

the frequency is determined by assessing the method comprising
determining the area under the peak in the mass spectrum or digital

20 repesentation thereof corresponding to the mass of the biopolymer comprising
the genomic variation.

- 59. The method of claim 58, wherein the method for determining the frequency is effected by determining the ratio of the signal or the digital representation thereof to the total area of the entire mass spectrum, which is corrected for background.
- 60. A method for discovery of a polymorphism in a population, comprising:

sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

30 isolating a biopolymer from each identified sample; optionally pooling each isolated biopolymer; optionally amplifying the amount of biopolymer;

25

cleaving the pooled biopolymers to produce fragments thereof:

obtaining a mass spectrum of the resulting fragments and comparing the mass spectrum with a control mass spectrum to identify differences between the spectra and thereby identifing any polymorphisms; wherein:

the control mass spectrum is obtained from unsorted samples in the collection or samples sorted according to a different parameter.

- 61. The method of claim 60, wherein cleaving is effected by contacting the biopolymer with an enzyme.
- 62. The method of claim 61, wherein the enzyme is selected from the 10 group consisting of nucleotide glycosylase, a nickase and a type IIS restriction enzyme.
 - 63. The method of claim 60, wherein the biopolymer is a nucleic acid or a protein.
- 64. The method of claim 60, wherein the the mass spectrometric format is selected from among Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof.
 - 65. A method for discovery of a polymorphism in a population, comprising:
- 20 obtaining samples of body tissue or fluid from a plurality of organisms; isolating a biopolymer from each sample;

pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer:

cleaving the pooled biopolymers to produce fragments thereof;

obtaining a mass spectrum of the resulting fragments;

comparing the frequency of each fragment to identify fragments present in amounts lower than the average frequency, thereby identifying any polymorphisms.

66. The method of claim 65, wherein cleaving is effected by contacting 30 the biopolymer with an enzyme.

25

30

- 67. The method of claim 66, wherein the enzyme is selected from the group consisting of nucleotide glycosylase, a nickase and a type IIS restriction enzyme.
- 68. The method of claim 65, wherein the biopolymer is a nucleic acidor a protein.
 - 69. The method of claim 65, wherein the the mass spectrometric format is selected from among Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI, Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof.
- 10 70. The method of claim 65, wherein the samples are obtained from healthy subjects.
 - 71. A method of correlating a polymorphism with a parameter, comprising:

sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

isolating a biopolymer from each identified sample;

pooling each isolated biopolymer;

optionally amplifying the amount of biopolymer;

determining the frequency of the polymorphism in the pooled

20 biopolymers, wherein:

an alteration of the frequency of the polymorphism compared to a control, indicates a correlation of the polymorphism with the selected parameter; and

the control is the frequency of the polymorphism in pooled biopolymers obtained from samples identified from an unsorted database or from a database sorting according to a different parameter.

72. The method claim 71, wherein the parameter is selected from the group consisting of ethnicity, age, gender, height, weight, alcohol intake, number of pregnancies, number of live births, vegetarians, type of physical activity, state of residence and/or length of residence in a particular state, educational level, age of parent at death, cause of parent death, former or current smoker, length of time as a smoker, frequency of smoking, occurrence of a disease in immediate family (parent, siblings, children), use of prescription

20

drugs and/or reason therefor, length and/or number of hospital stays and exposure to environmental factors.

- 73. The method claim 72, wherein the parameter is occurrence of disease or a particular disease in an immediate family member, thereby correlating the polymorphism with the disease.
- 74. The method of claim 71, wherein the pooled biopolymers are nooled nucleic acid molecules.
- 75. The method of claim 74, wherein the polymorphism is detected by primer oligo base extension (PROBE).
- 10 76. The method of 75, wherein primer oligo base extension, comprises:
 - a) optionally immobilizing the nucleic acid molecules onto a solid support, to produce immobilized nucleic acid molecules;
 - b) hybridizing the nucleic acid molecules with a primer oligonucleotide
 that is complementary to the nucleic acid molecule at a site adjacent to the polymorphism;
 - c) contacting the product of step c) with composition comprising a dideoxynucleoside triphosphate or a 3'-deoxynucleoside triphosphates and a polymerase, so that only a dideoxynucleoside or 3'-deoxynucleoside triphosphate that is complementary to the polymorphism is extended onto the primer; and
 - d) detecting the extended primer, thereby detecting the polymorphism in nucleic acid molecules in the pooled nucleic acids.
 - The method of claim 76, wherein detecting is effected by mass spectrometry.
- 78. The method of claim 71, wherein the frequency is percentage of nucleic acid molecules in the pooled nucleic acids that contain the polymorphism.
 - 79. The method of claim 78, wherein the ratio is determined by obtaining mass spectra of the pooled nucleic acids.
- 30 80. The method of claim 72, wherein the parameter is age, thereby correlating the polymorphism with suceptibility to morbidity, early mortality or morbidity and early mortality.

- 81. A method for haplotyping polymorphisms in a nucleic acid, comprising:
- (a) sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;
- 5 (b) isolating nucleic acid from each identified sample;
 - (c) optionally pooling each isolated nucleic acid;
 - (d) amplifying the amount of nucleic acid;
 - (e) forming single-stranded nucleic acid and splitting each singlestrand into a separate reaction vessel;
- 10 (f) contacting each single-stranded nucleic acid with an adaptor nucleic acid to form an adaptor complex;
 - (g) contacting the adaptor complex with a nuclease and a ligase;
 - (h) contacting the products of step (g) with a mixture that is capable of amplifying a ligated adaptor to produce an extended product;
- (i) obtaining a mass spectrum of each nucleic acid resulting from step (h) and detecting a polymorphism by identifying a signal corresponding to the extended product:
 - repeating steps (f) through (i) utilizing an adaptor nucleic acid able to hybridize with another adapter nucleic acid that hybridizes to a different
- 20 sequence on the same strand; whereby

the polymorphisms are haplotyped by detecting more than one extended product.

- 82. The method of claim 1, wherein the nuclease is Fen-1.
- 83. A method for haplotyping polymorphisms in a population,
- 25 comprising:

sorting the database of claim 8 according to a selected parameter to identify samples that match the selected parameter;

isolating a nucleic acid from each identified sample:

pooling each isolated nucleic acid:

30 optionally amplifying the amount of nucleic acid;

contacting the nucleic acid with at least one enzyme to produce fragments thereof;

obtaining a mass spectrum of the resulting fragments; whereby:

the polymorphisms are detected by detecting signals corresponding to the polymorphisms; and

the polymorphisms are haplotyped by determining from the mass

5 spectrum that the polymorphisms are located on the same strand of the nucleic acid.

- 84. The method of claim 83, wherein the enzyme is a nickase.
- 85. The method of claim 84, wherein the nickase is selected from the group consisting of NY2A and NYS1.
- 10 86. A method for detecting methylated nucleotides within a nucleic acid sample, comprising:

splitting a nucleic acid sample into separate reaction vessels; contacting nucleic acid in one reaction vessel with bisulfite; amplifying the nucleic acid in each reaction vessel;

15 cleaving the nucleic acids in each reaction vessel to produce fragments thereof:

obtaining a mass spectrum of the resulting fragments from one reaction vessel and another mass spectrum of the resulting fragements from another reaction vessel: whereby:

20 cytosine methylation is detected by identifying a difference in signals between the mass spectra.

87. The method of claim 86, wherein:

the step of amplifying is carried out in the presence of uracil; and the step of cleaving is effected by a uracil glycosylase.

88. A method for identifying a biological sample, comprising: generating a data set indicative of the composition of the biological sample;

denoising the data set to generate denoised data;

deleting the baseline from the denoised data to generate an intermediate 30 data set:

defining putative peaks for the biological sample;

using the putative peaks to generate a residual baseline;

removing the residual baseline from the intermediate data set to generate a corrected data set;

locating, responsive to removing the residual baseline, a probable peak in the corrected data set; and

identifying, using the located probable peak, the biological sample; wherein the generated biological sample data set comprises data from sense strands and antisense strands of assay fragments.

- 89. The method according to claim 88, wherein identifying includes combining data from the sense strands and the antisense strands, and comparing the data against expected sense strand and antisense strand values, to identify the biological sample.
- 90. The method according to claim 88, wherein identifying includes deriving a peak probability for the probable peak, in accordance with whether the probable peak is from sense strand data or from antisense strand data.
 - 91. The method according to claim 88, wherein identifying includes deriving a peak probability for the probable peak and applying an allelic penalty in response to a ratio between a calculated area under the probable peak and a calculated expected average area under all peaks in the data set.
- 20 92. A method for identifying a biological sample, comprising: generating a data set indicative of the composition of the biological sample:

denoising the data set to generate denoised data;

deleting the baseline from the denoised data to generate an intermediate 25 data set:

defining putative peaks for the biological sample; using the putative peaks to generate a residual baseline;

removing the residual baseline from the intermediate data set to generate a corrected data set;

locating, responsive to removing the residual baseline, a probable peak in the corrected data set; and

25

identifying, using the located probable peak, the biological sample;
wherein identifying includes deriving a peak probability for the probable
peak and

applying an allelic penalty in response to a ratio between a calculated

5 area under the probable peak and a calculated expected average area under all
peaks in the data set.

- 93. The method according to claim 92, wherein identifying includes comparing data from probable peaks that did not receive an applied allelic penalty to determine their mass in accordance with oligonucleotide biological data.
- 94. The method according to claim 92, wherein the allelic penalty is not applied to probable peaks whose ratio of area under the peak to the expected area value is greater than 30%.
- 95. A method for detecting a polymorphism in a nucleic acid,15 comprising:

amplifying a region of the nucleic acid to produce an amplicon, wherein the resulting amplicon comprises one or more enzyme restriction sites;

contacting the amplicon with a restriction enzyme to produce fragments; obtaining a mass spectrum of the resulting fragments and analyzing

20 signals in the mass spectrum by the method of claim 88; whereby:

the polymorphism is detected from the pattern of the signals.

96. A subcollection of samples from a target population, comprising: a plurality of samples, wherein the samples are selected from the group consisting of nucleic acids, fetal tissue, protein samples; and

a symbology on the containers containing the samples, wherein the symbology is representative of the source and/or history of each sample, wherein:

the target population is a healthy population that has not been selected for any disease state;

30 the collection comprises samples from the healthy population; and the subcollection is obtained by sorting the collection according to specified parameters.

- 97. The combination of claim 26, wherein the samples are selected selected from the group consisting of nucleic acids, fetal tissue, protein, tissue, body fluid, cell, seed, microbe, pathogen and reproductive tissue samples.
- 98. A combination, comprising the database of claim 8 and a mass 5 spectrometer.
 - 99. The combination of claim 98 that is an automated process line for analyzing biological samples.
 - 100. A system for high throughput processing of biological samples, comprising:
 - a database of claim 8, wherein the samples tested by the automated process line comprise samples from subjects in the database; and a mass spectrometry for analysis of biopolymers in the samples.

ABSTRACT

Process and methods for creating a database of genomic samples from healthy human donors, methods that use the database to identify and correlate polymorphic genetic markers and other markers with diseases and conditions are provided.


Sample Bank



. . JO Un me me Caucasians Number of Samples DNA Bank

Hispanics

8





MESS MESS JOS MESS JOS MESS JESS MESS JESS MESS JESS MESS

FIGURE 2A

ege- and sex-distribution of the 291S allele of the lipoprotein lipase gene. A total of 438 males and 589 females were investigated.

Age-related distribution of the 291S aliele of the lipoprotein lipase gene within the





FIGURE 2B

male Caucasian population. A total of 436 males were tested.



Significance: Allele frequency of Ser291drops from 1.97% to 0.54% in males; p=0.009

Questionnaire for Population-Based Sample Banking






FIGURE 3




Sample Banks
















FIGURE 7A



Allele Distribution among Different Ethnic Groups Sjalander et al. Hum Hered 46: 41-48, 1996 Age-Related p53 Codon 72 Allele Distribution Caucasian Population FIGURE 7B

i genelics

i genetics

FIGURE 7C

SEQUENON SEQUENCIAL GENCIN

PR/RR 96.3 93.4 Genotype Fred (%) P53 PP vs. PR/RR Genotype Dist By Age cut point = 59 dd Age Group 62-09 18 - 59

Sample Size: 1735


Laure or other states are



FIGURE 7D


Genomic Organization of the p53 Gene

Sec. 11. 18. 18.




Significance: Genotype frequency of SR heterozygous drops from 13.3% to 9.2%; p=0.009

FVII R353Q




CETP 1405V






PAI-1 4G/5G




Ethnic Diversity (PAI-1)

FIGURE 12






Ethnic Diversity (CETP 405)




Ethnic Diversity (Factor VII 353)





Ethnic Diversity





OvellnD P53-Rb Pathway FIGURE 16 20-30 genes Levin A. Cell, 38: 323-331, 1997

i general




FIGURE 17




FIGURE 18




Figure 19






Figure 20


Figure 21

methionine sulfoxid reductase A (#63306)





ave you ever smoked yes, for how long? ave you or has anyor	Yes No rave you been ho in the past 5 years than 6 days at at the 1 days	imes?	Christian desorder industrial minutes and thrombosis charder control blander c					
ark all that apply!		You	Mother	Father	Sister	Brother	Child	
leart Disease,including	arteriosclerosis	_:B	🔠	=	· . ⊟	: : : 블 · · ;		
voertension				·	··· ::::::::::::::::::::::::::::::::::		· =	
indeminal blood clots liabetes, insulin depen	ndent	. =	<u> </u>					
habetes, not insulin-de	spendent (diet controlled)			<u>—</u>	=			
Lung & Bronchus	V 5 + 77 2	**** =		00		. 🖴	- C	
Breasts Prostate		. =	=			. 🖴	<u> </u>	
Colon & Rectum		, B.					□ ■	
Skin Lymphoma & Leuk	kemia	. =	=	. =	. 🗏 .			
Other, please spec	city below:				-	_	_ =	
(fi		E		_	_			
Uzheimer's Disease pilepsy		10	=	≡		=		
Schizophrenia		0				_	_ =	
Sipolar disorder (mani-	c depression)			00	=	=	= -	
Vultiple Sclerosis and	or Autoimmune Disease including Rheumatoid Arthritis	- =	00	0.0	1111	. 00	=	
Imphysema Asthma				Φ.	=		_	
Other, please specify	below:							
Do you take prescrip	otion drugs on a regular basis?	_ - Y∙	es 🗆 No				•	
f yes, please specify I	below:							
lave you ever donat	ed blood before? Yes No	Addition	nal health in	formation d	etails you t	would like to	provide:	
f yes, how many tim	es; Number of Times						1	
	् क्रिकास							
	: :							
	. 2 2 . 3 3.							
•	4 4 4			,		FOR	3	
	3 5 5 . ; 6 6; ·					OFFI	DE NI V	
	1					USE O	1411	
	1.1.3					. =	5 :	
						1 2	7	
	nd of alcoholic beverage?					5	Ē	
Never Less than 3 times	per week 3 or more times per week	k					2	
Daily						-	•	
•						3		



is completed in school? I leas than 8il yardie 18it, 8it, 10it, or 1 thit goad 1 calege graduate, 4 yr degree 1 calege g	39.39 □ Ca □44.49 □ SA □50.59 □ Ao 1 □ 50.59 □ Ao 1 □ 170.79 □ Oo □ 170.79 □ Oo □ 80.89 □ 2 90	oke pident ickle ner.		130-39		leart Disease Lencer Lincke Locident Lincide Lincide	
ark all that apply!	and minny (parones,	You	Mother	Father	Sister	Brother	Child
eart Disease					-		
troke	The state of the particular of						
vpertension bdominet blood clots	The section of the process.	CARL TO	77 5 77	7 - T	THE REPORT OF THE PERSON NAMED IN COLUMN TWO	~ = : : : :	
iabetes, insulin dependent iabetes, not Insulin-dependent (diet co	ntrolled)	### B					
ancer:					<u></u>	Eve	
Lung & Bronchus Breasts							- E
Directoto	Straft - er grid ya k						
Colon & Rectum		:"~ ☐ ₹		~;⊟		□ □ · · · · ·	- C
Lymphoma & Leukemia Other, please specify below:							
Other, prease specify below:		-	_	<u> </u>		_	
Izheimer's Disease		25 C			. 🕳		
pilepsy		- 등]		
ichizophrenia ipolar disorder (manic depression)			ᅠ	_ =			=
fajor depression Phronic Inflammatory or Autoimmune D	Vicanea including			- 2		0.0	
Authiple Sclerosis and Rheumatoid Arth	ritis	_					
U3							
		9. 5		·	: 🗀	· 🕳 .	
Imphysema Asthma			=		≘		=
Other, please specify below:	e e e			٠ .			
<u> </u>		1					
o you take prescription drugs on a	regular basis?	☐ Yes	i ⊏ No	Have yo	ou ever do	nated 🗀 Y	es.⊏No
yes, please specify below:	•			If yes, I	now Nu	umber of Tim	es
n the past 5 years for more han 6 days at a time?		orea ng infection and	l thrombosis	many u	ilias.	0.300 0.300 0.300 0.300 0.300	
lyes, how many times? 2)	Other: Weeks: Acute disorder, includir Chronic Disorder	टक्ट ng infection and	thrombosis		-	4444 4444 4444 4444 4444 4444 4444 4444 4444	
l yes, how many times?	Other: Weeks: Succession as Acute disorder, includir Chronic Disorder Accident Other: Weeks: Succession acute disorder, Includir Chronic Disorder Acute disorder, Includir Chronic Disorder	ng infection and				6.446 6.446	
lyes, how many times? 2)1 research to spitalization fried the same) well on gld dyou stay and for what reason? Do you drink any kind of alcoholic to Never	Other Disorder includir Chronic Disorder Acute disorder, includir Chronic Disorder Acute disorder, includir Chronic Disorder Includir Chronic Disorder Acute disorder, includir Chronic Disorder Acute	ng infection and			·	60 40 6	
lyes, how many times? Time of critical contents of the same of th	Other. Weeks: DICESTATE Acute disorder, includir Chronic Disorder Accident Other. Weeks: DICESTATE Acute disorder, Includir Chronic Disorder Accident Other. everage? actly ever or more times per weel	ng infection and notice that the notice that				FOR OFFI	_Y . □
lyes, how many times? 2)1 research hospitalization if not the same) wor long did you stay and for what reason? Do you drink any kind of alcoholic b Never Less than 3 times per week 3	Other. Weeks: DICESTATE Acute disorder, includir Chronic Disorder Accident Other. Weeks: DICESTATE Acute disorder, Includir Chronic Disorder Accident Other. everage? actly ever or more times per weel	ng infection and notice that the notice that				FOR OFFI	_Y . □
lyes, how many times? Time of critical contents of the same of th	Other. Weeks: DICESTATE Acute disorder, includir Chronic Disorder Accident Other. Weeks: DICESTATE Acute disorder, Includir Chronic Disorder Accident Other. everage? actly ever or more times per weel	ng infection and notice that the notice that				FOR OFFI	_Y . ≅
lyes, how many times? Time of critical contents of the same of th	Other. Weeks: DICESTATE Acute disorder, includir Chronic Disorder Accident Other. Weeks: DICESTATE Acute disorder, Includir Chronic Disorder Accident Other. everage? actly ever or more times per weel	ng infection and notice that the notice that				FOR OFFI	_Y . ≅




FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27






FIGURE 29




FIGURE 30




FIGURE 31




FIGURE 32

FIGURE 33 SHIFT SIGNAL TO ACCOUNT FOR VARIATIONS DUE TO STARTING POINT




FIGURE 34




FIGURE 35




FIG. 13 - TAKE A MOVING AVERAGE, REMOVE SECTIONS EXCEDING A THRESHOLD

FIGURE 36




FIGURE 37
FIND MINIMA IN REMAINING SIGNALS AND CONNECT TO
FORM A PEAK FREE SIGNAL




FIGURE 38

DOEE7483.1011900

GENERATE BASELINE CORRECTION




FIGURE 39






FIGURE 40




FIGURE 41




FIGURE 42






FIGURE 43




FIGURE 44




FIGURE 46




FIGURE 47




FIGURE 48




FIGURE 49




FIGURE 50





FIGURE 51







FIGURE 55







FIGURE 57





RATIO OF AREA UNDER PEAK

FIGURE 58

<211> 17

SEQUENCE LISTING

```
<110> Braun et al.
<120> METHODS FOR GENERATING DATABASES AND DATABASES FOR IDENTIFYING POLYMORPHIC GENETIC MARKERS
<130> 24736-2033
<140> Not Yet Assigned
<141> 2000-10-13
<150> 60/217.658
<151> 2000-07-10
<150> 60/159,176
<151> 1999-10-13
<150> 60/217,251
<151> 2000-07-10
<150> 09/663,968
<151> 2000-09-19
<160> 118
<170> FastSEO for Windows Version 4.0
<210> 1
<211> 361
<212> DNA
<213> Homo Sapien
<400> 1
ctgaggacct ggtcctctga ctgctctttt cacccatcta cagtccccct tgccgtccca
aqcaatqqat qatttqatqc tqtccccqqa cqatattqaa caatqqttca ctqaaqaccc
                                                                                   120
aggtecagat gaageteeca gaatgecaga ggetgeteec egegtggeec etgeaceage
                                                                                    180
agottoctaca orggoggoco otgoaccago ecoetectgg eccetgicat ettetgico
ttoccagaaa acctaccagg geagotacgg tittecgitotg ggettettge attetgigac
agocaagitot gigaetigea oggicagitig ecotgaaggg otggottoca igaagaetica
                                                                                    240
                                                                                    300
                                                                                   360
                                                                                    361
<210> 2
<211> 44
<212> DNA
<213> Artificial Sequence
<223> Oligonucleotide Primer
cccagtcacg acgttgtaaa acgctgagga cctggtcctc tgac
                                                                                     44
<210> 3
<211> 42
<212> DNA
<213> Artificial Sequence
<223> Oligonucleotide Primer
ageggataac aatttcacac aggttgaagt ctcatggaag cc
                                                                                     42
<210> 4
```

<212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 4 gccagaggct gctcccc	17
<210> 5 <211> 17 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 5 gccagaggct gctcccc	17
<210> 6 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 6 gccagaggct gctccccgc	19
<210> 7 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 7 gccagaggct gctccccc	18
<210> 8 <211> 161 <212> DNA <213> Homo Sapien	
<400> 8 gtccgtcaga acccatgcgg cagcaaggcc tgccgccgcc tcttcggccc agtggacagc gagcagctga gccgcgactg tgatgcgcta atggcgggct gcatccagga ggcccgtgag cgatggaact tcgactttgt caccgagaca ccactggagg g	60 120 161
<210> 9 <211> 43 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 9 cccagtcacg acgttgtaaa acggtccgtc agaacccatg cgg	43
<210> 10 <211> 44 <212> DNA <213> Artificial Sequence	

<220> <223> Oligonucleotide Primer	
<400> 10 agcggataac aatttcacac aggctccagt ggtgtctcgg tgac	44
<210> 11 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 11 cagcgagcag ctgag	15
<210> 12 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 12 cagcgagcag ctgag	15
<210> 13 <211> 16 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 13 cagcgagcag ctgagc	16
<210> 14 <211> 17 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 14 cagcgagcag ctgagac	17
<210> 15 <211> 205 <212> DNA <213> Homo Sapien	
<400> 15 gogetecatt catetettea tegactetet gitgaatgaa gaaaateeaa giaaggeeta caggigeagt tecaaggaag cetitgagaa agggetetge itgaagtigta gaaagaaceg etgeaacaat etggetetg agateaataa agteagagee aaaagaagea geaaaatgta cetgaagaet egiteteaga igeee	60 120 180 205
<210> 16 <211> 42 <212> DNA <213> Artificial Sequence	
<220>	

<223> Oligonucleotide Primers	
<400> 16 cccagtcacg acgttgtaaa acggcgctcc attcatctct tc	42
<210> 17 <211> 42 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 17 agcggataac aatttcacac agggggcatc tgagaacgag tc	42
<210> 18 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 18 caatctgggc tatgagatca	20
<210> 19 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 19 caatctgggc tatgagatca	20
<210> 20 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 20 caatctgggc tatgagatca a	21
<210> 21 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 21 caatctgggc tatgagatca gt	20
<210> 22 <211> 60 <212> DNA <213> Homo Sapien	
<220> <223> Probe	

<400> 22 gtgccggcta ctcggatggc agcaaggact cctgcaaggg ggacagtgga ggcccacatg	60
<210> 23 <211> 60 <212> DNA <213> Homo sapien	
<400> 23 ccacccacta ccggggcacg tggtacctga cgggcatcgt cagctggggc cagggctgcg	60
<210> 24 <211> 42 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 24 cccagtcacg acgttgtaaa acgatggcag caaggactcc tg	42
<210> 25 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 25 cacatgccac ccactacc	18
<210> 26 <211> 43 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 26 agcggataac aatttcacac aggtgacgat gcccgtcagg tac	43
<210> 27 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 27 atgccaccca ctacc	15
<210> 28 <221> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Probe	
<400> 28 cacatgccac ccactaccg	19
<210> 29	

<211> <212> <213>	DNA	ific	ial	Sequ	ence											
<220> <223>		be														
<400> cacat		.e ec	acta	ccag	ı											20
<210> <211> <212> <213>	23 DNA	ific	cial	Sequ	ience	è										
<220> <223>		be														
<400: agcgg	30 gataa	ac aa	attt	cacao	e agg	3										23
<210: <211: <212: <213:	236 DN2	A	apie	n												
<220: <221: <222: <223	> CD:	38).	(2	126)												
<300 <308 <309	> Ge	nBan 97-1	k AF 2-21	0374	39											
<400 gegg ccae teeg	cttg	tt g		gggt	c cc		cgcg	CC C	ida c	cc t	ague aa a	ca c	gc c .rg G	ag t	ggggc ggaag .cc !er	60 120 170
ccc Pro	cgc Arg	acc Thr	ctc Leu 15	cgt Arg	ccc Pro	gac Asp	ccg Pro	ggc Gly 20	ccc Pro	gcc Ala	atg Met	tcc Ser	ttc Phe 25	ttc Phe	cgg Arg	218
cgg Arg	aaa Lys	gtg Val 30	aaa Lys	ggc Gly	aaa Lys	gaa Glu	caa Gln 35	gag Glu	aag Lys	acc Thr	tca Ser	gat Asp 40	gtg Val	aag Lys	tcc Ser	266
att Ile	aaa Lys 45	gct Ala	tca Ser	ata Ile	tcc Ser	gta Val 50	cat His	tcc Ser	cca Pro	caa Gln	aaa Lys 55	agc Ser	act Thr	aaa Lys	aat Asn	314
cat His 60	gcc Ala	ttg Leu	ctg Leu	gag Glu	gct Ala 65	gca Ala	gga Gly	cca Pro	agt Ser	cat His 70	gtt Val	gca Ala	atc Ile	aat Asn	gcc Ala 75	362
att Ile	tct Ser	gcc Ala	aac Asn	atg Met 80	gac Asp	tcc Ser	ttt Phe	tca Ser	agt Ser 85	agc Ser	agg Arg	aca Thr	gcc Ala	aca Thr 90	ctt Leu	410
aag Lys	aag Lys	cag Gln	cca Pro 95	agc Ser	cac His	atg Met	gag Glu	gct Ala 100	gct Ala	cat His	ttt Phe	ggt Gly	gac Asp 105	ctg Leu	ggc Gly	458
aga	tct	tgt	ctg	gac	tac	cag	act	caa	gag	acc	aaa	tca	agc	ctt	tct	506

_	_	_	_	_	_		en1			em!				_		
Arg	Ser	110	Leu	Asp	Tyr	Gin	115	Gin	GIU	Thr	гÀг	120	ser	Leu	ser	
	acc Thr 125															554
	caa Gln															602
tta Leu	gag Glu	gct Ala	gaa Glu	agt Ser 160	ttt Phe	cat His	tca Ser	aca Thr	act Thr 165	tgg Trp	tcg Ser	cga Arg	ata Ile	aga Arg 170	gca Ala	650
cac His	agt Ser	cta Leu	aac Asn 175	aca Thr	atg Met	aag Lys	cag Gln	agc Ser 180	tca Ser	ctg Leu	gct Ala	gag Glu	cct Pro 185	gtc Val	tct Ser	698
	tct Ser															746
gat Asp	aag Lys 205	aga Arg	ttg Leu	gag Glu	gat Asp	tct Ser 210	ggc Gly	tca Ser	gca Ala	cag Gln	ttg Leu 215	ttt Phe	atg Met	act Thr	cat His	794
	gaa Glu															842
ttg Leu	ctg Leu	ctt Leu	tcc Ser	cag Gln 240	gaa Glu	tgt Cys	gac Asp	agt Ser	gcc Ala 245	cat His	tct Ser	ctc Leu	cgt Arg	ctt Leu 250	gaa Glu	890
atg Met	gcc Ala	aga Arg	gca Ala 255	gga Gly	act Thr	cac His	caa Gln	gtt Val 260	tcc Ser	atg Met	gaa Glu	acc Thr	caa Gln 265	gaa Glu	tct Ser	938
tcc Ser	tct Ser	aca Thr 270	ctt Leu	aca Thr	gta Val	gcc Ala	agt Ser 275	aga Arg	aat Asn	agt Ser	ccc Pro	gct Ala 280	tct Ser	cca Pro	cta Leu	986
aaa Lys	gaa Glu 285	ttg Leu	tca Ser	gga Gly	aaa Lys	cta Leu 290	atg Met	aaa Lys	agt Ser	ata Ile	gaa Glu 295	caa Gln	gat Asp	gca Ala	gtg Val	1034
aat Asn 300	act Thr	ttt Phe	acc Thr	aaa Lys	tat Tyr 305	ata Ile	tct Ser	cca Pro	gat Asp	gct Ala 310	gct Ala	aaa Lys	cca Pro	ata Ile	cca Pro 315	1082
	aca Thr															1130
gat Asp	gga Gly	cag Gln	gtg Val 335	gat Asp	ccc Pro	aac Asn	tgt Cys	ttc Phe 340	gtt Val	ttg Leu	gca Ala	cag Gln	tcc Ser 345	ata Ile	gtc Val	1178
	agt Ser															1226
cat His	ttc Phe 365	tgt Cys	aaa Lys	tac Tyr	cag Gln	att Ile 370	gaa Glu	gtg Val	ctg Leu	acc Thr	agt Ser 375	gga Gly	act Thr	gtt Val	tac Tyr	1274

Le 38	g gct 1 Ala)	gac Asp	att Ile	ctc Leu	ttc Phe 385	tgt Cys	gag Glu	tca Ser	gcc Ala	ctc Leu 390	ttt Phe	tat Tyr	ttc Phe	tct Ser	gag Glu 395	1322
ta Ty:	atg Met	gaa Glu	aaa Lys	gag Glu 400	gat Asp	gca Ala	gtg Val	aat Asn	atc Ile 405	tta Leu	caa Gln	ttc Phe	tgg Trp	ttg Leu 410	gca Ala	1370
gc. Al	gat Asp	aac Asn	ttc Phe 415	cag Gln	tct Ser	cag Gln	ctt Leu	gct Ala 420	gcc Ala	aaa Lys	aag Lys	ggg Gly	caa Gln 425	tat Tyr	gat Asp	1418
gg Gl	cag Gln	gag Glu 430	gca Ala	cag Gln	aat Asn	gat Asp	gcc Ala 435	atg Met	att Ile	tta Leu	tat Tyr	gac Asp 440	aag Lys	tac Tyr	ttc Phe	1466
tc: Se:	ctc Leu 445	caa Gln	gcc Ala	aca Thr	cat His	cct Pro 450	ctt Leu	gga Gly	ttt Phe	gat Asp	gat Asp 455	gtt Val	gta Val	cga Arg	tta Leu	1514
ga Gl	att lle	gaa Glu	tcc Ser	aat Asn	atc Ile 465	tgc Cys	agg Arg	gaa Glu	ggt Gly	999 Gly 470	cca Pro	ctc Leu	ccc Pro	aac Asn	tgt Cys 475	1562
tt. Ph	aca Thr	act Thr	cca Pro	tta Leu 480	cgt Arg	cag Gln	gcc Ala	tgg Trp	aca Thr 485	acc Thr	atg Met	gag Glu	aag Lys	gtc Val 490	ttt Phe	1610
	g cct 1 Pro															1658
Ct.	atc lle	cat His 510	tcg Ser	gtt Val	cga Arg	gga Gly	gat Asp 515	gaa Glu	ttt Phe	ctg Leu	ggc Gly	999 Gly 520	aac Asn	gtg Val	tcg Ser	1706
Pr	act Thr 525	gct Ala	cct Pro	ggc Gly	tct Ser	gtt Val 530	ggc Gly	cct Pro	cct Pro	gat Asp	gag Glu 535	tct Ser	cac His	cca Pro	gly ggg	1754
ag Se 54	tct Ser	gac Asp	agc Ser	tct Ser	gcg Ala 545	tct Ser	cag Gln	tcc Ser	agt Ser	gtg Val 550	aaa Lys	aaa Lys	gcc Ala	agt Ser	att Ile 555	1802
aa Ly	ata Ile	ctg Leu	aaa Lys	aat Asn 560	ttt Phe	gat Asp	gaa Glu	gcg Ala	ata Ile 565	att Ile	gtg Val	gat Asp	gcg Ala	gca Ala 570	agt Ser	1850
ct. Le	g gat 1 Asp	cca Pro	gaa Glu 575	tct Ser	tta Leu	tat Tyr	caa Gln	cgg Arg 580	aca Thr	tat Tyr	gcc Ala	gly ggg	aag Lys 585	atg Met	aca Thr	1898
tt Ph	gga Gly	aga Arg 590	gtg Val	agt Ser	gac Asp	ttg Leu	999 Gly 595	caa Gln	ttc Phe	atc Ile	cgg Arg	gaa Glu 600	tct Ser	gag Glu	cct Pro	1946
ga Gl	a cct 1 Pro 605	gat Asp	gta Val	agg Arg	aaa Lys	tca Ser 610	aaa Lys	gga Gly	tcc Ser	atg Met	ttc Phe 615	tca Ser	caa Gln	gct Ala	atg Met	1994
aa Ly 62	g aaa s Lys	tgg Trp	gtg Val	caa Gln	gga Gly 625	aat Asn	act Thr	gat Asp	gag Glu	gcc Ala 630	cag Gln	gaa Glu	gag Glu	cta Leu	gct Ala 635	2042
tg Tr	g aag Lys	att Ile	gct Ala	aaa Lys 640	atg Met	ata Ile	gtc Val	agt Ser	gac Asp 645	att Ile	atg Met	cag Gln	cag Gln	gct Ala 650	cag Gln	2090

8

tat gat caa ccg tta gag aaa tct aca aag tta tga ctcaaaactt
Tyr Asp Gln Pro Leu Glu Lys Ser Thr Lys Leu *
655 660

gagataaagg aaatotgott gtgaaaaata agagaacttt tttocottgg ttggattott caacacagoc aatgaaaaca goactatatt totgatotgt cactgttgtt tocagggaga gaatggggag acaatoctag gacttocaco ctaatgcagt tacctgtagg goataattgg atggcacatg atgtttoaca cagtgaggag totttaaagg ttaccaa

<211> 662 <212> PRT <213> Homo Sapien

<210> 32

<400> 32 Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser Pro Arg Thr Leu Arg 10 Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg Arg Lys Val Lys Gly 30 25 Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser Ile Lys Ala Ser Ile 40 35 Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn His Ala Leu Leu Glu 60 50 Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala Ile Ser Ala Asn Met 70 Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu Lys Lys Gln Pro Ser 90 His Met Glu Ala Ala His Phe Gly Asp Leu Gly Arg Ser Cys Leu Asp Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser Lys Thr Leu Glu Gln 120 Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe Ile Gln Phe Met Glu 140 135 Leu Arg Arg Met Glu His Leu Val Lys Phe Trp Leu Glu Ala Glu Ser 155 150 Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala His Ser Leu Asn Thr 170 165 Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser Pro Ser Lys Lys His 185 180 Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu Asp Lys Arg Leu Glu 205 200 195 Asp Ser Gly Ser Ala Gln Leu Phe Met Thr His Ser Glu Gly Ile Asp 215 220 Leu Asn Asn Arg Thr Asn Ser Thr Gln Asn His Leu Leu Leu Ser Gln 230 235 Glu Cys Asp Ser Ala His Ser Leu Arg Leu Glu Met Ala Arg Ala Gly 245 Thr His Gln Val Ser Met Glu Thr Gln Glu Ser Ser Ser Thr Leu Thr 265 Val Ala Ser Arg Asn Ser Pro Ala Ser Pro Leu Lys Glu Leu Ser Gly 285 280 Lys Leu Met Lys Ser Ile Glu Gln Asp Ala Val Asn Thr Phe Thr Lys 300 295 Tyr Ile Ser Pro Asp Ala Ala Lys Pro Ile Pro Ile Thr Glu Ala Met 315 310 Arg Asn Asp Ile Ile Ala Arg Ile Cys Gly Glu Asp Gly Gln Val Asp 330 325 Pro Asn Cys Phe Val Leu Ala Gln Ser Ile Val Phe Ser Ala Met Glu 345 350 340 Gln Glu His Phe Ser Glu Phe Leu Arg Ser His His Phe Cys Lys Tyr 360 Gln Ile Glu Val Leu Thr Ser Gly Thr Val Tyr Leu Ala Asp Ile Leu 380 375 Phe Cys Glu Ser Ala Leu Phe Tyr Phe Ser Glu Tyr Met Glu Lys Glu 395 390 Asp Ala Val Asn Ile Leu Gln Phe Trp Leu Ala Ala Asp Asn Phe Gln

				405					410					415		
Ser	Gln	Leu	Ala 420	Ala	Lys	Lys	Gly	Gln 425	Tyr	Asp	Gly	Gln	Glu 430	Ala	Gln	
Asn	qaA	Ala 435		Ile	Leu	Tyr	Asp	Lys	Tyr	Phe	ser	Leu 445		Ala	Thr	
His	Pro		Gly	Phe	Asp	Asp 455		Val	Arg	Leu	Glu 460		Glu	Ser	Asn	
Ile 465		Arg	Glu	Gly	Gly 470		Leu	Pro	Asn	Cys 475		Thr	Thr	Pro	Leu 480	
	Gln	Ala	Trp	Thr 485		Met	Glu	Lys	Val		Leu	Pro	Gly	Phe 495		
Ser	Ser	Asn	Leu 500		Tyr	Lys	Tyr	Leu 505		Asp	Leu	Ile	His 510		Val	
Arg	Gly	Asp 515		Phe	Leu	Gly	Gly 520	Asn	Val	Ser	Pro	Thr 525		Pro	Gly	
Ser	Val		Pro	Pro	Asp	Glu 535		His	Pro	Gly	Ser		Asp	Ser	Ser	
Ala 545		Gln	Ser	Ser	Val 550		Lys	Ala	Ser	Ile 555		Ile	Leu	Lys	Asn 560	
	Asp	Glu	Ala	Ile 565		Val	qaA	Ala	Ala 570		Leu	Asp	Pro	Glu 575		
Leu	Tyr	Gln	Arg 580		Tyr	Ala	Gly	Lys 585		Thr	Phe	Gly	Arg 590		Ser	
Asp	Leu	Gly 595	Gln	Phe	Ile	Arg	Glu 600	Ser	Glu	Pro	Glu	Pro 605	Asp	Val	Arg	
Lys	Ser 610		Gly	Ser	Met	Phe 615		Gln	Ala	Met	Lys 620		Trp	Val	Gln	
Gly 625		Thr	qaA	Glu	Ala 630		Glu	Glu	Leu	Ala 635		Lys	Ile	Ala	Lys 640	
	Ile	Val	Ser	Asp 645		Met	Gln	Gln	Ala 650		Tyr	Asp	Gln	Pro 655		
Glu	Lys	Ser	Thr 660		Leu				050					000		
<211 <212	0> 30 L> 20 2> DI 3> Ho	363	Sapie	en												
<222	L> CI 2> (:	OS 138) KAP-1		2126)											
<222	2> 20			cleo	tide	Poly	mor	phis	n: A	to (3					
gcgg	ctcc	gtt g	agaa	agggi ga a	tc co	ettti	gga		agtgo agg	eage	ggc	ecctions	etg d	gacco cag 1	ogggge oggaag occ Ser	60 120 170
								ggc Gly 20								218
cgg Arg	aaa Lys	gtg Val 30	aaa Lys	ggc Gly	aaa Lys	gaa Glu	caa Gln 35	gag Glu	aag Lys	acc Thr	tca Ser	gat Asp 40	gtg Val	aag Lys	tcc Ser	266
								tcc Ser								314

cat His 60	gcc Ala	ttg Leu	ctg Leu	gag Glu	gct Ala 65	gca Ala	gga Gly	cca Pro	agt Ser	cat His 70	gtt Val	gca Ala	atc Ile	aat Asn	gcc Ala 75	362
att Ile	tct Ser	gcc Ala	aac Asn	atg Met 80	gac Asp	tcc Ser	ttt Phe	tca Ser	agt Ser 85	agc Ser	agg Arg	aca Thr	gcc Ala	aca Thr 90	ctt Leu	410
aag Lys	aag Lys	cag Gln	cca Pro 95	agc Ser	cac His	atg Met	gag Glu	gct Ala 100	gct Ala	cat His	ttt Phe	ggt Gly	gac Asp 105	ctg Leu	ggc Gly	458
aga Arg	tct Ser	tgt Cys 110	ctg Leu	gac Asp	tac Tyr	cag Gln	act Thr 115	caa Gln	gag Glu	acc Thr	aaa Lys	tca Ser 120	agc Ser	ctt Leu	tct Ser	506
aag Lys	acc Thr 125	ctt Leu	gaa Glu	caa Gln	gtc Val	ttg Leu 130	cac His	gac Asp	act Thr	att Ile	gtc Val 135	ctc Leu	cct Pro	tac Tyr	ttc Phe	554
					ctt Leu 145											602
					ttt Phe											650
cac His	agt Ser	cta Leu	aac Asn 175	aca Thr	atg Met	aag Lys	cag Gln	agc Ser 180	tca Ser	ctg Leu	gct Ala	gag G1u	cct Pro 185	gtc Val	tct Ser	698
cca Pro	tct Ser	aaa Lys 190	aag Lys	cat His	gaa Glu	act Thr	aca Thr 195	gcg Ala	tct Ser	ttt Phe	tta Leu	act Thr 200	gat Asp	tct Ser	ctt Leu	746
gat Asp	aag Lys 205	aga Arg	ttg Leu	gag Glu	gat Asp	tct Ser 210	ggc Gly	tca Ser	gca Ala	cag Gln	ttg Leu 215	ttt Phe	atg Met	act Thr	cat His	794
					ctg Leu 225											842
ttg Leu	ctg Leu	ctt Leu	tcc Ser	cag Gln 240	gaa Glu	tgt Cys	gac Asp	agt Ser	gcc Ala 245	cat His	tct Ser	ctc Leu	cgt Arg	ctt Leu 250	gaa Glu	890
atg Met	gcc Ala	aga Arg	gca Ala 255	gga Gly	act Thr	cac His	caa Gln	gtt Val 260	tcc Ser	atg Met	gaa Glu	acc Thr	caa Gln 265	gaa Glu	tct Ser	938
tcc Ser	tct Ser	aca Thr 270	ctt Leu	aca Thr	gta Val	gcc Ala	agt Ser 275	aga Arg	aat Asn	agt Ser	ccc Pro	gct Ala 280	tct Ser	cca Pro	cta Leu	986
aaa Lys	gaa Glu 285	ttg Leu	tca Ser	gga Gly	aaa Lys	cta Leu 290	atg Met	aaa Lys	agt Ser	ata Ile	gaa Glu 295	caa Gln	gat Asp	gca Ala	gtg Val	1034
aat Asn 300	act Thr	ttt Phe	acc Thr	aaa Lys	tat Tyr 305	ata Ile	tct Ser	cca Pro	gat Asp	gct Ala 310	gct Ala	aaa Lys	cca Pro	ata Ile	cca Pro 315	1082
					aga Arg											1130

gat Asp	gga Gly	cag Gln	gtg Val 335	gat Asp	ccc Pro	aac Asn	tgt Cys	ttc Phe 340	gtt Val	ttg Leu	gca Ala	cag Gln	tcc Ser 345	ata Ile	gtc Val	1178
ttt Phe	agt Ser	gca Ala 350	atg	gag Glu	caa Gln	gag Glu	cac His 355	ttt	agt Ser	gag Glu	ttt Phe	ctg Leu 360	cga	agt Ser	cac His	1226
cat His	ttc Phe 365	tgt Cys	aaa Lys	tac Tyr	cag Gln	att Ile 370	gaa Glu	gtg Val	ctg Leu	acc Thr	agt Ser 375	gga Gly	act Thr	gtt Val	tac Tyr	1274
ctg Leu 380	gct Ala	gac Asp	att Ile	ctc Leu	ttc Phe 385	tgt Cys	gag Glu	tca Ser	gcc Ala	ctc Leu 390	ttt Phe	tat Tyr	ttc Phe	tct Ser	gag Glu 395	1322
tac Tyr	atg Met	gaa Glu	aaa Lys	gag Glu 400	gat Asp	gca Ala	gtg Val	aat Asn	atc Ile 405	tta Leu	caa Gln	ttc Phe	tgg Trp	ttg Leu 410	gca Ala	1370
	gat Asp															1418
	cag Gln															1466
	ctc Leu 445															1514
gaa Glu 460	att Ile	gaa Glu	tcc Ser	aat Asn	atc Ile 465	tgc Cys	agg Arg	gaa Glu	ggt Gly	ggg Gly 470	cca Pro	ctc Leu	ccc Pro	aac Asn	tgt Cys 475	1562
tto Phe	aca Thr	act Thr	cca Pro	tta Leu 480	cgt Arg	cag Gln	gcc Ala	tgg Trp	aca Thr 485	acc Thr	atg Met	gag Glu	aag Lys	gtc Val 490	ttt Phe	1610
	cct Pro															1658
cto	atc Ile	cat His 510	tcg Ser	gtt Val	cga Arg	gga Gly	gat Asp 515	gaa Glu	ttt Phe	ctg Leu	ggc Gly	999 Gly 520	aac Asn	gtg Val	tcg Ser	1706
Pro	act Thr 525	gct Ala	cct Pro	ggc Gly	tct Ser	gtt Val 530	ggc Gly	cct Pro	cct Pro	gat Asp	gag Glu 535	tct Ser	cac His	cca Pro	gly ggg	1754
agt Sei 540	tct Ser	gac Asp	agc Ser	tct Ser	gcg Ala 545	tct Ser	cag Gln	tcc Ser	agt Ser	gtg Val 550	aaa Lys	aaa Lys	gcc Ala	agt Ser	att Ile 555	1802
aaa Lys	ata Ile	ctg Leu	aaa Lys	aat Asn 560	ttt Phe	gat Asp	gaa Glu	gcg Ala	ata Ile 565	att Ile	gtg Val	gat Asp	gcg Ala	gca Ala 570	agt Ser	1850
cto	g gat 1 Asp	cca Pro	gaa Glu 575	tct Ser	tta Leu	tat Tyr	caa Gln	cgg Arg 580	aca Thr	tat Tyr	gcc Ala	ggg Gly	aag Lys 585	atg Met	aca Thr	1898
ttt Phe	gga Gly	aga Arg	gtg Val	agt Ser	gac Asp	ttg Leu	ggg Gly	caa Gln	ttc Phe	atc Ile	cgg Arg	gaa Glu	tct Ser	gag Glu	cct Pro	1946

595 590 gaa cct gat gta agg aaa tca aaa gga tcc atg ttc tca caa gct atg 1994 Glu Pro Asp Val Arg Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met 61.0 605 aag aaa tgg gtg caa gga aat act gat gag gcc cag gaa gag cta gct Lys Lys Trp Val Gln Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala 2042 625 630 tgg aag att get aaa atg ata gte agt gae gtt atg eag eag get eag 2090 Trp Lys Ile Ala Lys Met Ile Val Ser Asp Val Met Gln Gln Ala Gln 640 tat gat caa ccg tta gag aaa tct aca aag tta tga ctcaaaactt 2136 Tyr Asp Gln Pro Leu Glu Lys Ser Thr Lys Leu * 660 655 qagataaagg aaatctgctt gtgaaaaata agagaacttt tttcccttgg ttggattctt 2196 2256 caacacagec aatgaaaaca gcactatatt tetgatetgt caetgttgtt tecagggaga gaatggggag acaatcctag gacttccacc ctaatgcagt tacctgtagg gcataattgg 2316 atggcacatg atgtttcaca cagtgaggag tctttaaagg ttaccaa 2363

600

<210> 34 <211> 662 <212> PRT

<213> Homo Sapien

<400> 34 Met Arg Gly Ala Gly Pro Ser Pro Arg Gln Ser Pro Arg Thr Leu Arg 10 Pro Asp Pro Gly Pro Ala Met Ser Phe Phe Arg Arg Lys Val Lys Gly 25 20 Lys Glu Gln Glu Lys Thr Ser Asp Val Lys Ser Ile Lys Ala Ser Ile 40 35 Ser Val His Ser Pro Gln Lys Ser Thr Lys Asn His Ala Leu Leu Glu Ala Ala Gly Pro Ser His Val Ala Ile Asn Ala Ile Ser Ala Asn Met 75 Asp Ser Phe Ser Ser Ser Arg Thr Ala Thr Leu Lys Lys Gln Pro Ser 90 95 85 His Met Glu Ala Ala His Phe Gly Asp Leu Gly Arg Ser Cys Leu Asp 100 105 Tyr Gln Thr Gln Glu Thr Lys Ser Ser Leu Ser Lys Thr Leu Glu Gln 125 120 115 Val Leu His Asp Thr Ile Val Leu Pro Tyr Phe Ile Gln Phe Met Glu 140 130 135 Leu Arg Arg Met Glu His Leu Val Lys Phe Trp Leu Glu Ala Glu Ser 155 150 Phe His Ser Thr Thr Trp Ser Arg Ile Arg Ala His Ser Leu Asn Thr 175 165 170 Met Lys Gln Ser Ser Leu Ala Glu Pro Val Ser Pro Ser Lys Lys His 190 185 180 Glu Thr Thr Ala Ser Phe Leu Thr Asp Ser Leu Asp Lys Arg Leu Glu 205 200 Asp Ser Gly Ser Ala Gln Leu Phe Met Thr His Ser Glu Gly Ile Asp 215 Leu Asn Asn Arg Thr Asn Ser Thr Gln Asn His Leu Leu Leu Ser Gln 235 230 Glu Cys Asp Ser Ala His Ser Leu Arg Leu Glu Met Ala Arg Ala Gly 250 Thr His Gln Val Ser Met Glu Thr Gln Glu Ser Ser Ser Thr Leu Thr 265 260 Val Ala Ser Arg Asn Ser Pro Ala Ser Pro Leu Lys Glu Leu Ser Gly 280 285 Lys Leu Met Lys Ser Ile Glu Gln Asp Ala Val Asn Thr Phe Thr Lys 300 295 290

Tyr Ile Ser Pro Asp Ala Ala Lys Pro Ile Pro Ile Thr Glu Ala Met Arg Asn Asp Ile Ile Ala Arg Ile Cys Gly Glu Asp Gly Gln Val Asp Pro Asn Cys Phe Val Leu Ala Gln Ser Ile Val Phe Ser Ala Met Glu Gln Glu His Phe Ser Glu Phe Leu Arg Ser His His Phe Cys Lys Tyr Gln Ile Glu Val Leu Thr Ser Gly Thr Val Tyr Leu Ala Asp Ile Leu Phe Cys Glu Ser Ala Leu Phe Tyr Phe Ser Glu Tyr Met Glu Lys Glu Asp Ala Val Asn Ile Leu Gln Phe Trp Leu Ala Ala Asp Asn Phe Gln Ser Gln Leu Ala Ala Lys Lys Gly Gln Tyr Asp Gly Gln Glu Ala Gln Asn Asp Ala Met Ile Leu Tyr Asp Lys Tyr Phe Ser Leu Gln Ala Thr His Pro Leu Gly Phe Asp Asp Val Val Arg Leu Glu Ile Glu Ser Asn Ile Cys Arg Glu Gly Gly Pro Leu Pro Asn Cys Phe Thr Thr Pro Leu Arg Gln Ala Trp Thr Thr Met Glu Lys Val Phe Leu Pro Gly Phe Leu Ser Ser Asn Leu Tyr Tyr Lys Tyr Leu Asn Asp Leu Ile His Ser Val Arg Gly Asp Glu Phe Leu Gly Gly Asn Val Ser Pro Thr Ala Pro Gly Ser Val Gly Pro Pro Asp Glu Ser His Pro Gly Ser Ser Asp Ser Ser Ala Ser Gln Ser Ser Val Lys Lys Ala Ser Ile Lys Ile Leu Lys Asn Phe Asp Glu Ala Ile Ile Val Asp Ala Ala Ser Leu Asp Pro Glu Ser Leu Tyr Gln Arg Thr Tyr Ala Gly Lys Met Thr Phe Gly Arg Val Ser Asp Leu Gly Gln Phe Ile Arg Glu Ser Glu Pro Glu Pro Asp Val Arg Lys Ser Lys Gly Ser Met Phe Ser Gln Ala Met Lys Lys Trp Val Gln Gly Asn Thr Asp Glu Ala Gln Glu Glu Leu Ala Trp Lys Ile Ala Lys Met Ile Val Ser Asp Val Met Gln Gln Ala Gln Tyr Asp Gln Pro Leu Glu Lys Ser Thr Lys Leu

```
<210> 35
<211> 162025
<212> DNA
```

gaattootat ttoaaaagaa acaaatgggo caagtatggt ggotoataco tgtaatocca goactttggg aggocgaggt gagtgggtoa cttgagggtoa ggagttocag gocagtotgg coacotgtaa toccagotat teaggaggtog gagocaggag tatggotgg gocotgtaa toccagotac toaggaggtog gagocaggag aattgottga acotgggagg teggaggtog aggagocag agtagocag agtoggoca ototgotoca acaagsaaca aaggaaataaa tgaaacaatt ttgttoacat atatttoaca aatttgaaat gttaaaaggta ttatggtoac tgatatoctg ttoattoot tatataatcaca attaagttga aatgtatact tgoactacta acaacagtagt taatottagt octacaagtt acotgottta cacaatatat tttogaatat gtstatact gootacaagtt taatttagt cotacaagtt tactgtttaa tgtatgocat ggtgtttat gtstagtatact tgttatact tgttatact acatattta tgttatact acatattat tttogaatat tgtatgocat tattttgtaco atcacatatat tttogtaatat tgtatgocat tattttgtaco atcacatcag

<213> Homo Sapien

<300> <308> GenBank AC005730

<309> 1998-10-22 <400> 35

660 ttcagaagga ttgacagagc aaaatgattt gatgaagtat aaaagtcaca tggtgagtgg cataaataca actotgaaca attaggaggo toactattga ctggaactaa actgcaagco 720 agaaagacac atatcctata tgtcaagaga tgtaccaccc aggcagttaa agaagggaag 780 tacacataga aagcacaatg gtgaataatt aaaaaattgg aatttatcag acactggatt 840 catttgctcc taaagtcaga gtcctctatt gtttttttgt ttttgtgggt ttctttttaa 900 atttttttat tttttgtaga gtcggagtct cactgtgtta cccgggctgg tctagaactc 960 1020 ctggcctcaa acaaacctcc tgcctcagct tcccaaagca ttgggattac agacatgagc cactgagece ageccagaeg etttageatt tatgaagett etgaaatagt tgtagaaace 1080 gcataagett tecatgteac tttcaaagtt tgatggtete tttagtaaac caaccaagtt 1140 attecteaag ggcaaaataa cattteteag tgcaaaactg atgcaettea ttaccaaaag 1200 gaaaagacca caactataga ggcgtcattg aaagctgcac tcttcagagg ccaaaaaaaa 1260 aggtacaaac acatactaat ggaacattet ttagaagage eccaaagtta atgataaaca 1320 ttttcatcaa agagaaaaga gaacaaggtg ttagcaaatt cctctatcaa ataacactaa 1380 acatcaagga acatcaatgg catgccatgt ggaagaggaa gtgctagctc atgtacaaac 1440 cagtagataa tttcaacttg ctgccgaatg aaacctcttt gcaaggtatg aatcagcact 1500 tctcatgttt gttttgcttt gttttgtttt gtttttagag acaggccctt gctctgtcac 1560 1620 acaggetgga gtgcagtggc acgatcagag etcactgcaa cetgaaacte etgggetcaa gggatcetce tgcettagee teccaagtag etgggactae aggeceacea tgcecageta 1680 attttttaaa ttttctatag agatgggatc tcactagcac ctttcatgtt tgatgttcat 1740 atacaacgac caaggtacaa tgtggaaaag ggtctcaggg atctaaagtg aaggaggacc 1800 agaaagaaaa ggggttgcta catagagtag aagaagttgc acttcatgcc agtctacaac 1860 actgctgttt teetcagage agagttgatg atetaaatea ggggteecea aeceecagtt 1920 1980 catagoctgt taggaaccgg gccacacagc aggaggtgag caataggcaa gcgagcatta ccacctgggc ttcacctccc gtcagatcag tgatgtcatt agattctcat aggaccatga 2040 accetattgt gaactgagca tgcaagggat gtaggttttc cgctctttat gagactctaa 2100 tgccggaaga tctgtcactg tcttccatca ccctgagatg ggaacatcta gttgcaggaa aacaacctca gggctcccat tgattctata ttacagtgag ttgtatcatt atttcattct 2160 2220 atattacaat gtaataataa tagaaataaa ggcacaatag gccaggcgtg gtggctcaca 2280 cetgtaatec cagcactteg ggaggecaag gcaggeggat caegaggtea ggagategag 2340 accatcctgg ctaaaacggt gaaaccccgt ctactaaaaa ttcaaaaaaa aattagccgg 2400 qtqtqqtqgt gggcacctqt agtcccagct actcgagagg ctgaggcagg agaatggtgt 2460 gaacetggga ggcagagett gaggtaagce gagatcaege cactgcacte cagcetggge 2520 2580 2640 aaatgtaatg tggctgaatc attccaaaac aatcccccca ccccagttca cggaaaaatt 2700 ctcccacaaa accagtccct ggtgccaaaa aggttgggga ccgctaatct aaataatcta atottoatto aatgotaaaa aatgaataaa otttttttta aatacacggt etcactttgt 2760 tgcccaggct ggagtacggt ggcatgatca cagctcactg tagcctcaat cacccaggcc 2820 ccagogatco toccacctaa acttectgag tagetgggac tacaggcacg caccaccatg 2880 cccagctaat ttttaaattt tttatagaga tgggggtete accatgttge ccagactggt 2940 ctoaaaccet gggctcaagt gatcetcect caaactcetg gatcaagtg atcotcotte cttggcctec caaagtgctg ggattacaag catgagcac tgtaccoage tggataacag ttttaagtg cactacagtc atggacaatc aggcttttca acatgcagta tggacagtga 3000 3060 3120 gtcccagggt ctgcttttcc atactgaaat acatgtgata ctaaggagaa aggtgctcgc 3180 aaggatattt aaaatgaaga atatttaaaa tgaggaaaaa actgtttett catgaetttg 3240 ataaggotga taaagaccat ttotgtgato toaggtgatt cactoaagta gtatatttoa 3300 gtaatcatta tetggaacag cetgaatett aaccaaaata ceatgatttt ttaatgetgt 3360 tatgatacct tgatgatatg accaaactgc aatgtaggca gctaaatctc cacgagtttg 3420 acttccccga gagttgacag ttttcttcac aaattaaaga aatatatttt ttgatacatg 3480 attggcatat ttaaaaacta cactgaaatg ctgcaaaatg atataaagaa acattttcca 3540 gaatcaaatg caatcaaaga gtggattagg aatctactca ccattatcaa ctaaatagaa 3600 acacttggac tgggtgtggt ggctcacatc tgtaatctca gcactttggg aggccaaggc 3660 aggtggattg cttgaggcca ggagctcaag accagcctga gcaacatagc aaaactctgt 3720 ctctacaaaa aaaaaaaaa attaaccagg catggtggca gatgettgta atcccagcta 3780 3840 ctctggaagc tgaagtagga ggactgcttg agcccaggag atcaagactg cagtgagccg tggtcatgct gcgccacagc ctgagtgaca gagagagacc ctgtctcaaa aacaaaaaca 3900 3960 aacaaaaaaa acttaacctt cctgtttttt gctgttgttg ttgttgtttg tttgttttga gatggagtet cactetgttg cecaggetgg agtgcagtgg cgtgatettg getcaetgca 4020 agetetgeet ecegggitea egecattete etgeeteage etceegagta getgggaeta 4080 taggogocog ccaccacgoc oggotacttt tttgcatttt tagtagagat ggggtttcac 4140 egtgttagee aggatggtet tgateteetg acctegtgat ceaectgeet eggeeteeea 4200 aagtgetggg attacaggea tgagecaeeg caeeeggeea acetttetgt titttagttt 4260 gatatgettg ttaactcage agetgaaaga atgetgaaag tggeetteag taaaaaaatt 4320 tcactagaat ctctacatcc atatttaatc tgaatgcata tccagattga tcagttagag 4380 4440 caaaaacact catcatcatt cctgatgacc tctaattctg gtttcggctt tctatttcaa tggaaacaga ataaggaaag aaatggaagg getetggaaa tttgteetgg getatagata 4500 ctatcaaaga tcaccaacaa taagatctct cctataaata taaaacaagt ataattaatt 4560 4620 ttttaattat ttttttctct tcagaggatt ttatttcaag ataaaacata acttctaccc

atact	attga	ttccaaaggt	tagaaaaagt	gtttttcctc	atcttatcct	tcaaaqagqt	4680
		caaacatcta					4740
aatca	ttgaa	aatgcttttc	cattttaagc	ttaggtgagg	tgtcttagga	aacctctatg	4800
		ctatttattg					4860
atctc	atttt	ttaggcttcc	taatcccttg	aagcacaatc	gaaaaageee	tggatctctt	4920
ttctg	cacat	atcatcgcgg	aattcattcg	gcttccagca	agctgacact	ccatgataca	4980
agcgg	cctcg	cccttctccg	gacgccagtc	cttgctgcgg	ttagctagga	tgaggggttt	5040
gctgg	gcttc	agtgcaggct	tetgegggtt	cccaagccgc	accaggtggc	ctcacaggct	5100
ggatg	tcacc	attgcacact	gageteetgg	caggctgtac	caattttta	attatttaat	5160
attta	ttttt	aaaattatgg	tgaatatttt	ggtattctgc	tctaaaatag	gcccataaat	5220
gcaca	gcaga	tatctcttgg	aacccacagc	tttccactgg	aagaactaag	tatttttctt	5280
ttaaa	gatgc	tactaagtct	ctgaaaagtc	cagatectet	acctctttcc	atcccaaact	5340
aagac	ttgga	atttatgaga	gatctagcta	acagaaatcc	cagacacatc	attggttctt	5400
cccag	agtgc	agtcctccta	aagaggctca	gccctaagca	ggcccctgca	ccaggagggt	5460
		cccacatagc					5520
		cctgcaagcc					5580
		agagaaaagg					5640
		atgaaagcat					5700
		tgaaaaacaa					5760
agtta	cattt	ttatattctg	actetgetaa	tgtgaaattc	cctatctgct	agactaaaag	5820
		cctgttcaaa					5880
		gatgactatt					5940
		aacttttgtg					6000
		caggttcctc					6060
		aggggtagac					6120
		aaaaggaaat					6180
		aataaggcag					6240
		tagacaaatt					6300
agggc	gggaa	acgaggagtt	actaatcaac	gaacataacg	ttgcagttaa	gtaagatgaa	6360
taagc	tctca	agatcagctg	tacaacactg	tacctagagt	caacaataat	gtattgtaca	6420
		tgttaagggt					6480
		agtaaaataa					6540
		aaaccctgtc					6600
		ggctgaggtg					6660
		accactgtac					6720 6780
		gaatatcaaa					6840
		gagcatcgac					6900
		aaacaatgac					6960
		aaaggaggaa					7020
		tccaaaacta tctgggaccc					7080
		ggaaagcatg					7140
gacag	gaget	cttgattaac	totagtgaat	ggggagaatt	gettegettg	agrangatag	7200
tassa	ttaaa	attttagaat	cottagecaat	ggggacaacc	ganatagatt	agaaagacgc	7260
		gcaagaaact					7320
		gtgactagaa					7380
		tgatcaccag					7440
tacca	ctaca	aatacggaag	atttaccata	tatattaatt	atatactoot	atataaccaa	7500
		ccatttagca					7560
		gataggctta					7620
		agctggggtt					7680
		cactcacctg					7740
		gtgagcctct					7800
		catgagtgat					7860
		ctaacactat					7920
		ggaactaagc					7980
		atcatcacac					8040
		acattcaaat					8100
		tagaggaaga					8160
		ccctgaaaag					8220
gagta	ggaaa	tttcggtgga	attettttt	aaagaaagga	accatataag	catgttttga	8280
		gaataaatca					8340
		gtcttggcag					8400
		agggataagg					8460
		acgcataggt					8520
ttgag	attc+	cacctcaaat	ccattttgtt	gttacctgta	ccttcctacc	ttetetttt	8580
actac	atgca	gactgctgtt	ttatetteet	gacctattee	aggtttcagc	attctggcat	8640
520	-5-4	22300	3	555-900	23	555	

atctgctacc	ctgttcccaa	acctctctag	agtccatgct	ccttccttgg	atagtgtttg	8700
		agtgatgcct				8760
aatctccatc	agtgaccctg	acagacttgg	tatcttggag	atgtcactgc	teccageetg	8820
tggtctagga	gaatctcagc	ctgggcctct	agtagtatgg	ataaggcgtt	aaggtatctt	8880
tgaaccagag	tctqtcatat	tcctcaatgt	gggacagata	aaacagtggt	agtgctggtg	8940
		tttttggtct				9000
		aatgttcaat				9060
		tagatgaaca				9120
		ccattttagc				9180
ctatttaagg	atacttttat	taaaacctac	catcttacta	ggcacatgat	attgaaacta	9240
atgaaataat	ggagaaactt	cttaaaaact	tttaatgaat	aaagtgatga	agtgataata	9300
		gtgactatta				9360
		ccttaataac				9420
		ggggtcagag				9480
cctccatcta	gaaaatctga	gatttgtaca	ggaacgtatc	aaactctgaa	atccatactt	9540
		tctaataaaa				9600
		accctacttg				9660
caacttattt	attoctoatc	tcccccacta	gattataaac	tcaataaaaq	caagatcctt	9720
		taaaacgctg				9780
		aaaaattcaa				9840
		gaaagcatat				9900
		tgctagctgg				9960
		cagatcactt				10020
		actaaaaata				10080
		gaggctgagt				10140
gattacaata	ggccaagatt	gcaccactgc	actccagcct	gagtaacaaa	gcaagactct	10200
		aagaaggaaa				10260
aagaaagaaa	gaaagaaaga	aagaaagaaa	gaaagaaaga	aagaaagaaa	gaaagaaaga	10320
		gaaagaaaga				10380
atgtttttcc	atgcacgcta	ttttcagtaa	agcagttagc	aaacttgcaa	gatcataaca	10440
		ctctaaaatt				10500
atgtatgcat	tagttttcta	agagttacta	gtaacttttt	ccctggagaa	tatccacage	10560
cagtttattt	aaccaaagga	ggatgcttac	taacatgaag	ttatcaaatg	tgagcctaag	10620
ttaaaccaat	tcatattaat	atactccaga	acaaaaacca	tcctactqtc	ctctgacaat	10680
tttacctqaa	aattcatttt	ccacattacc	aaggagccag	qqtaqqaqaa	tatagaaaqa	10740
		ctttcaqcaa				10800
gccctaacaa	tgaatagcag	attgtgctca	gaagaatgat	ctacaacatc	ttactgtgaa	10860
ggaactactg	aaatattcca	ataagacttc	tctccaaaat	gattttattg	aatttgcatt	10920
ttaaaaaata	ttttaagcct	aaattttaaa	aggtttgata	ttggtacatg	aatagacaaa	10980
cagacatgga	ctagaccaag	aattaggttc	aaacatatac	aggaatttaa	tatacgataa	11040
		caacaaatgg				11100
		cttactccta				11160
		gttttaagtt				11220
attacatagg	tatacatgtg	ccatgttggt	gaggagcacc	aaatatttaa	aagaaaaaa	11280
ttggccaggg	gcggtggctc	acacctgtaa	teccageact	ttgggaggcc	aaggtgggca	11340
		tcgagaccag				11400
ctaaaaatac	aaaattagcc	aggcatggtg	gcacatgcct	gtaatcccag	ctacttggga	11460
ggctgaggca	ggagaatagc	tttaatctgg	gaggcacagg	ttgcggtgag	ctgagatatt	11520
		agagcaaaac				11580
aaataaagaa	agaaaagaaa	aaaatgaaaa	tagtataatt	agcagaagaa	aacaccgtag	11640
		ggggaatgcc				11700
		accaaatctt				11760
		tgaactggga				11820
ttaattttee	tacacataaa	gagtacctat	ataaacccaa	caaaaaaacc	accactaacc	11880 11940
caaaataaaa	atgtgacagg	taatgaacag	gtagtteaca	gagaatacaa	atggetette	12000
		tgacttttac				12060
		caaactcctg				12120
		cctcaaccac tagaatggca				12120
						12240
		ctggcactct ctggcagcgt				12300
						12360
gacaaagcaa	cccacccca	ggaatgtgtt gcagaagata	stattattt	gagatagttag	gggctgggdd	12420
tattaaattt	tatataatat	aatatattat	ttttaacee	agataattt	taagggatat	12420
						12540
atacatact	atgatgtgag	cttttctgag	catcanacta	ctagattan	ccayyccyya	12600
angetanger	taataaataa	ctgactgcag	aggregates	catcatocta	atttttatat	12660
caccidaged	cccigagiag	ctgggactac	aggeacgige	carcargera	accetglat	15000

	tanatatatt	gcccaggcta	atotcaaact	cctaggctca	agcaatccac	12720
acacagggcc	ctccaaagtg	ctgggattac	aggcgtgagc	caccqcqcct	ggccctggga	12780
attettacaa	aaraaaaaat	atctactctc	cccttctatt	aaaqtcaaaa	cagagaagga	12840
						12900
atttctcaca	caggaatttg	ctgaacaaaa	tcgagggaag	atyacaayaa	ccaagactcu	12960
attatagaact	adacacaata	gctcacacct	gtaatcccag	cactttqqqa	ggccgaggcg	13020
gagagatgag	gaggt cagga	gattgagacc	atactqqcta	acacagtgaa	acccagtete	13080
tactagagat	acaaaaaatt	adccdddcat	aataacaaaa	quelquague	CLagctactt	13140
						13200
taggaggagt	acactccage	ctgggtgaca	gagcaagact	ctqtctcaaa	aaaaaaaaa	13260
						13320
a a a c c a a c c a	atatecttee	ctataaaccc	tgctccttac	tqaaggaagg	taacggatga	13380
at capacaca	ccaatggaga	aaagcactaa	caccattatc	Lyalyaacat	cacycyaaga	13440
aggetaagaa	atasataa	attoctgaag	aagtcagtga	aagcggacat	ccatttgggg	13500
						13560
						13620
						13680
						13740
accactacac	tecageetaa	gtgacagagt	gagactecat	CLCdaddada	aaagccagac	13800
						13860
acadaddaaa	accasattta	agatataaca	ccggaaaact	ttcctqaaat	tgagtaactg	13920
						13980
	ataggaagg	taataattat	accaacacag	agaaagaagt	qqqtqaccca	14040
		catatacaat	cttctccaga	acactggagt	ctgaagacaa	14100
						14160
						14220
						14280
						14340
						14400
						14460
gaggagatga	acacccaagt	cagageeete	cagtgcgcac	tggtctacaa	agcccttccc	14520
2000000000	acacataccc	teceggatect	tataacatat	ctcctqcata	ccctagcagc	14580
						14640
						14700 14760
						14760
						14880
cttctaacgt	attctaagac	ttactcattt	attacattgt	ttgccacccc	ctctagtaca	14940
+ anaget general	aggggggggg	atttctqtct	atttattcat	ttctttatcc	CLaygacaca	15000
						15060
ttccagttag	gcacagaatt	aaatctaaat	agaattaaat	eteatggtet	gggttaacta	15120
tggatagaaa	attagatata	attttaagaa	gcctagaaag	aaaaaaccaa	taatgtaaaa	15180
						15240
atcccagcta	ctcaggaggc	tgaggtggaa	ggatcacttg	agaccagagt	tcaagactca	15300
gcctaggcaa	cacggcaaga	aactgtctct	aaaaaaatta	gazzatata	ttttaaaaaa	15360
						15420
ctatgctaat	ggttttttt	ttttttagaa	aggialaacc	addagacccc	tttctcaagt	15480
cgataaactg	agaaagataa	geatatette	attanana	agggggagg	aaagccagat	15540
acaacaaaat	aagatataaa	ttagtttcca	grigadade	tratasarar	ttattttgca	15600
tcacctcacc	tgtgacctcc	cecageeeaa	aaaacactac	aaccacaaaa	ggtagaaaag tataagcaca	15660
catcatctca	gataaagcag	gaaaaactgc	cacagicica	acctactacc	agctaggatg	15720
cacctggcca	accetgecaa	gtetgggete	tataggagge	acgegeegas	agctaggatg catctcaaag	15780
taccaactta	gacattetgt	gggatacaga	catatatas	agggeeacae	agggcactta	15840
gcacctgtaa	i Egeceaetga	t tacagecac	. catacgegas	tcctcagccc	tgcaaattaa	15900
gagagtataa	caagaacctt	. atgication	agacgaggac	acttttattt	cagtaattcc	15960
ccaactcttt	agaacaactg	gcaaaacaca	aacacccace	cacacacaaa	atggtattta	16020
actettagat	atcaatccaa	agracargas	acageagate	catatototo	aataggatac	16080
ctgcagcatt	gtttataala	gcaaaaaac	agadatada	aagagtgata	a tggatgtcca	16140
Lgggtadate	agggrargte	tatattacat	. gaaaacaaa	tcaagcagca	gcaggatggg	16200
cagatggaca	taaaaagctg	g tgtgttacgt	gaaaacaaa	tctagtatat	gcacagaaaa	16260
cttatgatag	teagtatgag	ocaatitici	gadadaddad	agatgttt.	ctaagttgta	16320
catctgaaa	g aacagaaaca	t tttaggggg	cagaacact	ctttttoca	ctaagttgta a aaagaaaatt	16380
tatctatact	. gcttgtaati	- taaaattaa	. gcaagaacca	ataataata	g aataaaagag	16440
caggaaata	a ageattteti	. LaaaCttCal	. guttaaaca	tatacatas	cacaccettt	16500
ttcttattc	t cataaaca	acacagcaca	tettteett	taggttctat	cccttcactc	16560
acttgataa	a Laccargit	y adiatititas	atatacett	tocctasac	cactttaata	16620
aaaatgcgg	. cacaaacaa	a cycaccitt	tcaaagcta	actcagcct	g aaactaccct	16680
Laactttac	a guudaatta	. caccacage	_ ccaaageca;	,		

ttaatttaaa	accettatta	aaatgccaca	tacageteet	tcaaataaaa	acaaacccta	16740
agaggtgaga	ctaggettee	tttgttgcta	ctcataatgg	ccaaqttciq	Lgcttataat	16800
agatettett	tcattttatt	gctacatatc	caagggtttt	atatqttttt	cttattatat	16860
attaattaaa	aacaccatca	cactettte	cagatgaaaa	taaqqaaaaq	aaattqaqca	16920
						16980
agatataga.	agtagaggt	gaaaaccagt	accattcacc	tccaqqqtqa	qctatataca	17040
						17100
						17160
						17220
cctatgaaca	fffccactgt	gagaaatgtt	ceccactqtg	Lygagaagac	CCCCacccc	17280
						17340
tatttaggag	aatttaagtc	caaatagtta	ttaaatcctc	ctctqttcca	gaaacagtgc	17400
						17460
						17520
a a con a control of	taagtcacca	agaatacagt	adcadttqtq	actacyayta	actactacta	17580
ttcaatactt	tatetteect	tagaaaactc	ttctcccttq	qaaatttatt	Lycattetta	17640
aataggattg	cttactaaaa	agaagcaggg	ctccttqqqq	aaataqctga	ttctaggtgt	17700
agagtatasa	atrasastro	tgagtctggg	acatcccatq	ttqcccaqaa	accaayyaac	17760
						17820
tttaccccac	gtggaacaat	ttcaagaaaa	acatgacagt	aatgaattat	aaaacacgaa	17880 17940
						18000
cttcatogaa	gaataccage	taataaatgt	aaaqqaaatq	agagaattag	aaaaactacc	18060
a t t t t c t a a a	ccttaatata	ttcacctaga	catoctaaaa	ccactgagta	aaaqqctgct	
						18120 18180
						18240
						18300
aaggtaatga	caagggaaga	actggacage	ttctqaccat	qaqacgcccc	accagacaac	18360
++ac++accc	tetecaaaga	aacttgcttg	acctetecaa	aqaaaaccca	guccacuca	18420
2222022220	taattattta	aaaacaaacq	aaaagcaagt	tqtqqacttg	agetecaggg	18480
acagagcaga	catacttttc	cctgttcttc	ccagtaagtg	gtaataaaaa	etategaeget	18540
tagatataaa	acaaatataa	gaaggttctg	gaaggggaag	aggaggcaga	ttacttaggt	18600
						18660
atctcagact	tggagctgaa	gcagcaggca	acttcaaaac	accaaggggc	acagaccgaa	18720
aagccccaag	aaaagcctgc	cetetetage	caaaggacca	ggaaggagac	agcccaacga	18780
gatggaacac	atttagacag	taaetgeeca	tttaccagca	acaaccgage	actaaataaa	18840
gacttccagt	cttgtgagga	cgtaccaagg	tacccaacac	catcactaag	ccaccaacaa	18900
gactgcgact	tttatccctg	catggcagta	gtaaggagcc ccaggagtga	taaaaccctc	cetactagag	18960
tgtcagggga	acctggactt	tegagattea	gtgacttaac	cttttcccag	agataatgag	19020
tcatgtcaga	ggaggeetag	cagagaccca	acagtgaaag	cactgtggga	agcagtaggc	19080
gccacctttc	-tactocccc	ccccatggtg	agggaggcca	agtagggaac	cagaataccc	19140
actectacec	occocagoca	gggaggcacc	accccattgg	gtgtcaatgg	aagcagagcg	19200
acaaccaccc	agcagcaaca	ccatctagaa	gtaacaagct	gatgtccccc	ttcttctact	19260
gaaageetgg	tassascada	tttaaataan	gtctagagtc	tgataacgta	atacccaaat	19320
						19380
202022220	caattgagag	acactaggac	: taaqaqaqca	cagatattag	aactacctga	19440
						19500
a a c c c c c a c c a	ctttaggaag	ccaaaacaaa	r togateacac	. qattayyaya	. ccgagaceae	19560
actacates	accontoaaac	cccatctcta	: ctaaaaatac	aaaaaaaaat	agcaaggcat	19620
						19680
ctcccaacac	r dadcadtdac	r ccgagatcgc	accaccqcac	tccagcctgg	gcaacagagc	19740
agazetteat	cccaaaaaaa	. aaaaaaaaaa	i aaaaaaaaaq	Cluadadaac	aaccacaaac	19800
atacttass	caaatgaaaa	aaaaatcttc	r dcaaadaaat	aaaagatata	tattttggcc	19860
agatagaata	actcacage	 tgtaatccct 	: acactttqq	aggetgagge	aggeggatea	19920
ant an aat as	gasatttasc	, accadectes	ccaacatgga	ı gaaaccccqt	ctctactaaa	19980
aatacaaaat	: Fagccagtca	i taataacaca	i tqcctqtaai	. Colayctaci	. caggaggccg	20040
addeaddada	atcacttaaa	ctcaggaggt	ggaggttgc	qtqagccgag	accordicat	20100 20160
	· actacacact	- aaacaacaac	r accasaacto	: catctcaaaa	aaataqatac	20220
atatttaat	- ccaaatttta	gaattgaaaa	a atacaqtaaq	caaattgaat	: ggaaagacaa	20220
catacaatco	addadacada	n caaaataato	aqtqaactt	: aacayaaaa	. aacagaaacc	20280
acccaatato	r aagaacagaa	agaaaataga	a ctqqccaaaa	aataaagaag	g aaaaaagagg	20340
accaccacca	a ggaatgatgg	r aaaaagagag	a aqqaaqqaaq	qaaqqqaaqq	agggagggaa	20460
arant radro	r agaaagtete	: aaagacctct	t gagactaaa	a taaaagatci	aacacttgtc	20520
						20520
						20580
						20700
gaaaagagaa	a aacgtcttg	a aagcagtgag	y rgaaacaac	a circaiglai	aagggaaaaa	20.00

annttannat	aacacatttc	ttacacaaat	taaggaagcc	agaaggaaat	gacacaatgg	20760
ttttaaata	ctcaaacaaa	agaagtgtca	acacaaaatt	ctagattcag	taaaaatatc	20820
etterageg	castagaaa	traagacagt	ctcagataaa	gcaaaataag	agaatatgtt	20880
cttcaagaat	caacgggaaa	ccaagacage	aaggaagatc	atgcaacaga	ccaaaaaatg	20940
geeageagat	chagaga	agateggeau	gaaagaaata	acatagtaag	caaaaataca	21000
atgaaagaag	gaacccagaa	tateteetet	taagacttct	aaattatatt	gatggttgaa	21060
tgtaattaca	ataaaatttc	taccccccc	ctactaaatg	tatacadada	attataaatg	21120
gcaaaaatta	taacectgtc	egaagtgccc	agtggtaaaa	taacaacact	gtgaaaagtt	21180
gggaaagtat	aggtttctat	accidatiga	ageggeaaaa	atatatatat	gtgtatatat	21240
acatacacac	acacacgtaa	gtatatataa	atatatgtgt ctaacaacac	tatacasaga	gataataacc	21300
atatatacat	ataatgtaat	acagcaacca	tetacaacac	attcasatac	tctacaccaa	21360
aaaaacaatt	tagataaatt	gaaacggaac	tctaaaaaat acaaactaaa	tttttaaaa	acataaataa	21420
gacaagacaa	aaagagaaaa	aaagaggagg	acaaaccaaa	atataaataa	tctaattata	21480
aatggtagac	ttaagcccta	acttatcaat	aattacataa	tagctataag	aaacctgctt	21540
tcaattaaaa	gacagagata	gcagagctaa	tttaaaaaca	tagecacaag	aaaacaaata	21600
tgggctgagt	gcagtgactc	acacttgtaa	teccageact	ataataataa	cccatctcta	21660
gatcacctga	ggtcaggagt	tecagaccag	cctggacaac	acggtaatac	caactactca	21720
ctaaaaatac	aaaaaaatta	gecaggearg	gtggcacacg	eetgtagtet	caaccaecea	21780
ggaggctgcg	acacaagaac	tgettgaace	cgggcagcag	aggrageage	20222222	21840
tgcgccactc	cagcctgaac	gacagagtga	gactccacct	caguigaaaa	atatataaga	21900
aacctgcttt	aaatatacca	acatatgttg	gttgaaatta	adagaataaa	attacaccacg	21960
aaaacattaa	tcaaaagaaa	ggagtggcta	tattaataac	ataaaataga	gaaaagaa	22020
aagaaaattt	caagagacag	gaataaaagg	atcaagaaaa	gateetgaaa	gaaaagcagg	22080
caaatcaatc	attctgcttg	gagattcaac	accetetett	aacaactgat	agaacaacca	22140
gagaaaaa	tragrataga	gttgagaaga	acttaacacc	actyaacaac	aggacecaac	22200
agagatttag	ggaagagtgt	acccaacaat	agcaaaataa	acattette	Caagcaccca	22260
ctgaacatat	ccttagaccc	taccctgggc	cataaaacaa	ageteactag	tgattgeega	22320
aggettggat	ggacagtgga	agagctgcat	ggggagggag	aaggtgacag	ttaaagagtg	22320
taggatttct	ttttgggata	atgaaaatgt	tccaaaattg	attgtggtga	tgttggcgca	22340
2010120222	tataaaaaaa	gccattgaat	tatacatttt	aaquqqquqa	aacacacggc	22500
						22560
cagagtgtgc	tctactggaa	tcaaactaga	aagaggtaac	tggaggataa	cgagaaaagc	22620
ctccaatac	ttgaaaactg	gacagcacat	ttctaaaatc	acceguggge	Caaagacacc	22680
						22740
actgactaaa	aatgaatatg	gctgggtgcg	gtggctcacg	cctgtgatcc	cagcactttg	22800
agaggggggg	actaataaat	cacaagatca	ggagttegag	accageergg	ccaagacggc	22860
						22920
ggtcccagct	acttgggagg	ctgaggtagg	agaatcgctt	gaacacaggc	agcagaggcc	22980
gcagtgagcc	aagattgtgc	cactgcacgc	cagcctgggc	gacagagact	geetcaaaaa	23040
aaaaaaaaa	aaaaagaata	tcaaaatttg	tgggacatag	ttaaagcaat	gergagaggg	23100
aaatttataa	cactaaatgt	ttacattaga	aaagagaaaa	agtttcaaat	caacagcccc	23160
cactcccatc	tcaagaacac	agaagatgaa	gagcaaaata	aacccaaagc	aagcaaaaga	23220
aagaaatat	aaaaataaat	cagtaaaatt	qaaaacaqaa	acacaacaa	gaaaaccagc	23280
gaaacaaagt	actgattctt	cgaaagatta	ataaaattga	caaaccccca	gcaaggctaa	23340
caaacaaaaa	. agaaagaaga	cacggattac	cagttattag	aatgaaagca	taattagaaa	23400
caactctaca	. cattataaat	ttgacaatgt	agatgaaatg	gactaattac	tgaaaaaaca	23460
casattacca	caactcaccc	: aatatgaaat	agataattgg	qataqcctga	Laactactgu	23520
						23580
aaatattaga	. taaggtaatt	ataccettee	ttaacaaata	addacgacaa	attattttgc	23640
agctaaagag	atgtatgtac	tgtgaaaaat	atcttcagaa	aaatagaact	ttgtttgaag	23700
aataaggatt	: taaaaaatgt	ttttaactct	caagaagcaa	acacccgggc	ccagatggtt	23760
tcactgaaga	. attctaccaa	atgtttaatg	aagaattacc	accaacteta	catagcatct	23820
						23880
tgatactaga	. actgtataag	g gacagetaet	cttgacacac	tgeetatggg	tagetetget	23940
						24000
gaaaactggg	g ccaggtgcag	g tggctcacac	ctgtaatctc	agcactttgg	gaggetgacg	24060
						24120
tctctactaa	aatacaaaa	a ttagccaggo	agggtggtg	ggaaaataaa	aaggaaaaaa	24120
						24240
tccttaacaa	a aatattagca	a agtagaagca	a atatataaaa	ataattata	accatgatca	24300
actoggacti	- attccadaaa	cocaaototo	r attcaacatt	: tqaaaacaag	gtaacccact	24360
						24420
+taccaaaa1	- ccaatatcca	a ttcatgatac	tctaataaqa	a aaaataagaa	a taaaggggaa	24420
attecttea	· ttgataaag	: ttacaaaaga	a ctacaaaaq	ttacagctaa	a cctatactta	24480
						24540
attactctt:	a tttaacatao	r ccctgaagti	: ctaacttqt	caaaacgat	a agaaagggaa	24600
						24720
attgtctca	t agaaaatgt:	a aagcaacta	g gggtagggg	g gcagtggag	a cacgetggte	24/20

24780 aaaggatacc aaatttcagt taggaggagt aagttcaaga tacctattgc acaacatggt aactatactt aatatattgt attottgaaa atactaaaag agtgggtgtt aagcgttoto 24840 accacaaaaa tgataactat gtgaagtaat gcatacgtta attagcacaa cgtatattac 24900 tccaaaacat catgttgtac atgataaata cacacaattt tatctgtcag tttaaaaaca 24960 catgattttg gccaggcaca gtggctcata cctgtaatcc cagcatttta ggaggctgag 25020 gcgagcagaa aacttgaggt cgggagtttg agaccagaat ggtcaacata gtgaaatccc 25080 25140 gtotocacta ataatacaaa aattagcagg atgtggtggc gtgcacctgt agacccagct 25200 acttgggagg ctgaggcacg agaattgctt gaacaaggga ggcagaggtt gcagtgagct 25260 aaagcatgac ttttcttaaa tgcaaagcag ccaagcgcag tggctcatgc ctgtaatccc 25320 accactttgg gaggccgagg caggcagatc acaaggtcag gagtttgaga ccagcctgac 25380 caacatggtg aaaccccatc totactaaaa aatatataaa ttagccaggc atgtgtagtc 25440 tcagctactc aggaggctga ggcaggagaa tcacttgaac ccggaggcag aggttgcagt 25500 gttgagccac cgcactccag cctgggtgag agaacgagac tccgtctcaa aaaaaaaaag 25560 caaaataacc taattttaaa aacactaaaa ctactaagtg aattcagtaa gtctttagga 25620 ttcaggatat atgatgaaca tacaaaaatc aattgagctg gacaaaggag gattgtttta 25680 ggtcagtagt ttgaggctgt aatgcacaat gattgtgcct gtgaatagct gctgtgctcc 25740 agcctgagca gcataatgag accacatoto tatttaaaaa aaaaaaaatt gtatototat 25800 gtactagcaa taagcacatg ggtactaaaa ttaaaaaacat aataaatact gtttttaatt 25860 gcctgaaaaa aatgaaatac ttacatataa atctaacaaa atgtgcagga cttgtgtgct 25920 gaaaactaca aaacgctgat aaaagaaatc aaagaagact taaatagcgt gaaatatacc atgcttatag gttggaaaac ttaatatagt aaagatgcca attttatcca aattattaca 25980 26040 caggataaca ttattactac caaaatccca gaaaaatttt acatagatat agacaagatc 26100 atacaaaaat gtatacggaa atatgcaaag gaactagagt agctaaaaca aatttgaaaa 26160 agaaaaataa agtgggaaga atcagtctat ccagtttcaa gacttacata gctacagtaa 26220 26280 tcaagactgt gatattgaca gagggacagc tatagatcaa tgcaaccaaa tagagaacta agaaagaagc acacacaaat atgcccaaat gatttctgac aaaggtgtta aaacacttca 26340 acgggggaag atatgtetet cattaaaggg tgtagagtea ttgcacatet ataggeaaaa 26400 agatgaacct gaacctcaca ccctacagaa aaattaactc aaaatgactc aaggactaaa 26460 cataagatat acatctataa aacatttaga aaaaggccac gcacggtggc tcacgctcgt 26520 26580 aatcccagca ctttgggagg ccaaggcagg tggatcacct aaggtcagga gtttgagacc agccggatca acatggagaa gccccatctc tactaaaaat acaaaattag ctggacgtqg 26640 tggcacatgc ctgtaatccc agctacttgg gaggctgagg catgagaatc gcttgaaccc ggggggcaga ggttgcggtg agccaagatc acaccattgc actccagcct gggcaacaag 26700 26760 26820 agcaaaactc caactcaaaa aaaaaaaaaa aaaggaaaaa tagaaaatct ttgggatgta aggogaggta aagaattott acacttgatg ccaaactaag atotataagg ccagtogtgg 26880 tggctcatgc ctgtaattcc agcactttgg tcaactagat gaaaggtata tgggaattca 26940 ctgtattatt ctttcaactt ttctgtaggt ttgacatttt tttagtaaaa aattggggga 27000 27060 aagacetgae geagtggete acacetgtaa teecageact ttgggaggee ggggeaggtg gateacaegg teaggagtte gagaecagee tggeeaacat ggtgaaaece egtetetaee 27120 aaaaatataa aaaattagcc gggtgtcatg gtgcatgct gtaatcccag ctactgaga ggctgaggca ggagaatcac ttgaacctgg gaggtggaag ttgcagtgag ccgagattgt gccactgcac tccagccttg ggtgacagag cgagactccg tctcaaaaga aaaaaaaaa 27180 27240 27300 aaagaatatc aaacgcttac tttagaaact atttaaaagga gccagaattt aattgtatta 27360 gtatttagag caatttttat gctccatggc attgttaaat agagcaacca gctaacaatt 27420 agtggagttc aacagctgtt aaatttgcta actgtttagg aagagagccc tatcaatatc 27480 actgicatti gaggotgaca ataagcacac ccaaagcigt acctectiga ggagcaacat 27540 aaggggttta accctgttag ggtgttaatg gtttggatat ggtttgtttg gccccaccga gtctcatgtt gaaatttgtt ccccagtact ggaggtgggg ccttattgga aggtgtctga 27600 27660 gtcatggggg tggcatatcc ctcctgaatg gtttggtgc attcttggag gaatgagtga gttcttactc ttagttccca caacaactgg ttattaaaaa cagcctggca ctttcccca 27720 27780 tetetegett ceteteteac catgtgatet cactggttee cettecettt atgcaatgag 27840 27900 tggaagcagc ctgaagccet cgccagaagc agatagtgat gccatgette ttgtacagcc tacaaaacca tgagcccaat aaaccttttt tetttataaa ttatecagee teaggtatte 27960 ctttatagca agacaaatga accaagacag ggggaaatca acttcattaa aataatctat 28020 gcagtcacta aacaaataag aacaagaggc tccagaagtg ggaagccaat acccagagtt 28080 cctacaatac agtatctgaa aagtccagtt tccaaccaaa aaatatatat atacaggccg 28140 gacatggtag cttatgtctg taatcccagc actttgggat gctgaggcgg gcagatcacc 28200 ctaggtcagg agttcgagac cagcctggcc aatatggcaa aaccccgtct ctactaaaaa 28260 tacaaaaatt agccaggcat ggtggtggat gcctgtaatc ccagctactc gggaggctga 28320 ggcagggaat cacttgaacc caggaggcag aggttgcagt gagccgagat cacgccactg 28380 28440 tatatgtgtg tgtgtgtgtg tgcgcgcgtg tgtgtatata cacatacaca tatatacata tatacagaca cacatatata tatgaagcat gaaaagaaac aaggaagtat gaaccatact 28560 28620 ttctgtggtt atgataggat ggggtatcac gggggaagta gacaagggaa actgcaagtg agagcaaaca gttatcagat ttaacagaaa aagactttgg agtaaccatt ataaatatgt 28680 28740

tccaaataga	gaatatcaat	aaaggcatag	aaattataaa	atataataca	atggaaattc	28800
cagaattaaa	aggtagaata	actaaaattt	aaaattcact	agagaaggtt	caacactata	28860
	cagaagaaaa					28920
	aaagaaaaaa					28980
	cacattaaca					29040
Caccattaat	Cacaccaca	catgeatact	gagagraceg	gaagcagacg	agaaagagga	29100
agaaaaaata	ttcaaatgat	ggccagtaac	LLCCLagall	LLLGLLLLaa	agcaataacc	
	agaaact caa					29160
gatacaccat	ggtaaaaatg	ctgtaagtca	aaaacagaga	aaatattgaa	agcagctaga	29220
ggaaaactta	taagagaacc	tcacttacaa	aagaacatca	cttataaaag	aaccacaata	29280
	ttgacctctc					29340
gaaaaaaaat	aaagattcct	atatacgaca	aagctgtctt	tcaaaaatat	acatccaaaa	29400
ggattgaaac	cagggtcttg	aagagttatt	tgtacatcca	tgttcatagc	agcattattc	29460
acaatagcca	aaaggtagaa	qcaacccaaq	ggtccatcga	caaataaata	aaatqtqqta	29520
	caatggaatt					29580
	aaaccttgag					29640
	tacttcactt					29700
	gttgccaagg					29760
						29820
	agttttgcaa					29880
	aaatatactt					
	ctctactaaa					29940
aatcccagct	acttgggagg	ctgaggcagc	agaattgctt	gaaaccagaa	ggcggaggtt	30000
	gagattgcgc					30060
	aaaaataaaa					30120
ctcacaccta	taatgccagc	actttgggag	gccgaggcag	gcgatcactt	gagaccagga	30180
gtttgagacc	agcctggcca	acatggcaaa	accctgtctc	tgctaaaaat	acaaaaatta	30240
gccaggcatg	gtggcatata	cttataatcc	cagctactgg	tgagactgag	acacgagaat	30300
tgcttgaacc	caggaggcag	agattgcagt'	qaqtcqaqat	cgcgccactg	aattccaqcc	30360
tagacqacaa	agcaagattc	tatctcaaaa	aaacaaaaac	aaaaacaaaa	agcaaaacca	30420
	aagcaggaaa					30480
ggctcatgag	agcacaaaac	ttttcaaaaa	atgtttaatg	attaaaatgg	taaattttat	30540
	ccacaaaaaa					30600
cccadadaaa	caaaagtaga	gaatttgttg	ccttagaaga	aacaccacac	gaagttette	30660
accepagada	caagtgaccc	cadadddataa	tctcaattct	cacacacacag	traarcatar	30720
cagtagaggt	tattctgtaa	ctatgaggcau	aacaatgcat	attttttcct	ttcttctcta	30780
	aaaagcaatt					30840
adatgatta	aaatatactt	gtastatatt	tacasatasa	tacacaaaaa	agagettagaa	30900
	actaggetaa					30960
	attttaaaaa					31020
						31020
gradiaria	tagacataat	acaaaaatac	cacaaaaagg	gaagaagaca	atagaactac	
ataggaataa	cattttggta	tetaaetaga	attaaattat	aaatatgaag	tatattetgg	31140
	cacacatgtt					31200
	taaaataatt					31260
taccacaaat	tgagtggctt	aacacaactt	aaatgtattt	tctcccagtt		31320
aacacctgca	atcaaggtga	gtacagggcc	atgctccctg	tgaaggctct	aggaaagaat	31380
	ctcttccagc				ccttggcttg	31440
tagctatatc	attcctagca	accagaaaga	agaaaataat	aaagattatg	gcaaaaaata	31500
atgaaatcaa	aaggagaaaa	atggaaaaaa	ataaataaaa	ccaaaagcta	gttctttgaa	31560
aagatcaacc	aagttaacaa	accttttaac	tagactgaca	aaaaggaggt	aagactcaaa	31620
ttactagaat	cagaaataaa	agaggggaca	ttactaatga	gggattagaa	aagaatacta	31680
cgaacaaatg	tgtgccaaca	aattagaaaa	cttagatgaa	atggacaggt	tcctaggaca	31740
	ccaaaattta					31800
	aattgacaac					31860
	aattctttca					31920
	aagaacagat					31980
	gacactatga					32040
	aaaatctatt					32100
						32160
	aattcaattt					32220
	aagtgcaaaa					
	ataaatgaaa					32280
	aaattgatct					32340
	ggttcatgcc					32400
	agagetegag	atcagcctga	ccaacatgga			32460
2212022221						
	tagtcaggcg	tggtggcaca				32520
aggcaggaga	tagtcaggcg atcgcttgaa	tggtggcaca cccaggaggc	agaggttgca	gtgagccaag	atcgtgccat	32580
aggcaggaga tgcactccag	tagtcaggcg atcgcttgaa cctgggcaac	tggtggcaca cccaggaggc aagagcaaaa	agaggttgca ttccatctca	gtgagccaag aaaaaaaaaa	atcgtgccat aaaaaaaatc	32580 32640
aggcaggaga tgcactccag	tagtcaggcg atcgcttgaa	tggtggcaca cccaggaggc aagagcaaaa	agaggttgca ttccatctca	gtgagccaag aaaaaaaaaa	atcgtgccat aaaaaaaatc	32580 32640 32700
aggcaggaga tgcactccag ccagatgact	tagtcaggcg atcgcttgaa cctgggcaac	tggtggcaca cccaggaggc aagagcaaaa aattgaaaag	agaggttgca ttccatctca attattctaa	gtgagccaag aaaaaaaaaa aattcacatg	atcgtgccat aaaaaaaatc gaattgcaag	32580 32640

gecaattgca aatgttacga cacagcaaca gtaatcaaga ctgtgtggta ctggcaaaag 32820 acacatacat acatacatat caatggaata taattgagag tacagaaaca agcctaaaca tctatggtaa gtgcttttct atttttttct ttttttttt cttttttgta gagatagaat 32940 ctcaccatgt tgcccagget ggtcttcaac ttctgggctc aagcaatect cccactgtgg 33000 ceteccaaag tgetgggata aetggeatga gecaccacat ceageccaga tgatttteaa 33060 33120 aaaagtcaac aagaccatto ttttcaacaa ataggtotgg gatgatcaga tagtcacatg 33180 aaaaaaaaa tgaagttgga ccctccatca cactaaagtg ctgcgattat aggcatcagc caccacatcc agcccaaatg attttcaaaa aggtcaacaa gaccattctt ttcaacaaat 33240 aggtctggga taatcagata gtcacatgaa aaaaaaaatg aagttggacc ctccatcaca 33300 ccatatgcaa aaattaattc aaaaatgaat tgatgactta aacgtaagag ttacgactgt 33360 aaaactetta gaaggaaaca tacgggtaaa tettaaagac gttaggtttg acaaagaatt 33420 cttagacatg acaccaaaag catgaccaac taaggtaaaa tagggtaaat tgtacctacc 33480 aaaatgaaaa acctttgtgc tggaaaggac accatcaaga aatggaaagc caaaatagcc 33540 aaggcaatat taagcaaaaa gaacaaagct ggaggcatca tactacctga cttcaaaqca 33600 acagtaacca aaacagcatg gtactagtag aaaaacagac acatagacca atggaacaga 33660 ataaagaacc caaaaataaa tccacatatt tatagtcaac tgatttttga caatgacacc 33720 ccttcaataa atgatactag gaaaactgga tatcgatatg cagaagaata aaactagacc 33780 cctatctctc accatataga aaaatcaact cagactgaat taaagacttg aatgtaagac 33840 ccaaaactat aaaactactg gtagaaaaca taaggaaaaa cgcttcagga cattggtcca 33900 33960 ggcaaagatc ttatggctaa aacctcaaaa acacaggcaa caaaaacaaa aatggaaaaa tagcacttta ttaaactaaa aagctcctgc acagcaaagg aaacaacaga atgaaaagac 34020 aacctgtaga atgggagaaa atatttgcaa actatccatc catcaaggga ctagtatcca 34080 gaacacacaa gtgactaaaa caactcaaca gcaaaaaagc aaataatctg gtttttatat 34140 gggcaaaaga totgaataaa cattotcaaa ggaagacata caaatgtoac tatcattotg 34200 34260 ccagtaccac actgtcttga ttacttgtta gtgtataaat ttttaaattg ggaagtgtga gtcatcctac actitgtict tgtttttcaa gtttgttttg gctattctgg gagccttgca agtataaaat agccaacaag tatgaaaaaa tgctcaccat cactaatcat cagagaaata 34320 34380 aaaatcaaga ccactatgag atateetete aeteeagtta gaatggetae tateaaaaag 34440 acaaaatata atggatgctg gcaaagattt ggagaaaggg gaactcctat acactgtggg tagggatgca aattggtaat ggcattatg gaaattatta Ctgaggttt tcaaaaaact gaaaattagaa ctaccatatg atcaggaac cctactactg ggtatttatc caaaggaaag 34500 34560 34620 aagtcagtat actgaagaaa tatatgcact ctcatgttaa ttgcaacact gttcacaaca 34680 gccaagacag ggaataaatc taaatgtgca tcaacagatg aatggataaa gaaaatgtgg 34740 34800 catatacact caatagaata ctattcagcc attaaagaag aatgaaatcc tgtcatccca gcaacatgga tgaacctgga ggacattata tttaatgaaa taagtaaagc acaaaaagat aaacagtaca tgttctcact cagacatggg tgctaaaaag aaaatggggt cacagaatta 34920 gaaggggagg cttgggaaaa gttaatggat aaaaatttac agctatgtaa gaagaataag 34980 ttttagtgtt ctatagaact gtagggcgag tatagttacc aataacttat tgtacatgtt 35040 caaaaagcta gaagagattt tggatgttee cagcacaaag gaatgataaa tgtttgtgat gatggatate ctaattacee tgatteaate attacacatt gcatacatgt atcaaattat 35100 35160 cactctgtac ctcataaata tgtataatta ttacgtcaac aaaaaaagga aaaaaaagaa 35220 aattaagaca acccacataa tggaagaaat aaaatatctg caaattatat atatctgata 35280 35340 aatatttaat atttataata tataaagaac teetacaact caagaacaac aacaaaacaa cccaattcaa aaatgggtaa aagcctfgaa tatacactta tctaaagact atatacaatt 35400 ggccaataaa gacacgaaaa gatgctcaac atcactagtc atcagggaaa tataaatcaa 35460 aaccacaatg tagaatgtag acaccacttc atatgcacta ggatggctag aataaaaagg 35520 taataacaaa tgttggtaag gatgtgaaaa aatcagaaac ctcattcgct gctgttggga 35580 35640 atgtaaagtg atgcagccac tttggaaaac agtctggcag ctcctcaaat tattaaatac agagttaccg tatgacccag gaatatteet cetgggteta taaccaaaaa aatgaaaaca 35700 tatatccaca taaaaacttg tacatgggca tttatagcaa cattattcat aacagcaaag 35760 qtqqtaagaa cccatatgcc catcatctga tgaacaggta aataacatgc ggtattatcc 35820 atacactaga atattatetg cecatacaag gagtgacate cagetacatg etacaaggat 35880 35940 gaatetegga aacettatge taagtgaaag aageeagtea caaatgacea cagattatga ttccatgcat cggaaatgac cagaataggg aaatctatag agacagaaag tagattagtg 36000 gttgggtggg gctgggagga caggtagtac actactttcc cagaactact ggaacaaagt 36060 accacaaact ggggagetta aacatagaaa ttgattteet cacagttetg gagaetagga 36120 ctotagaatc aaggtstcag cagaactggt totttetgag ggccctgagg caaggtctg tcccaggcct ctotcottgg ctggcaggtg gccatottot ccctgcgtct tcacatcatc ttttctctgt gtgtgccat gtccaattt tgattaggcta attetgggtc attggccat gctatgcaca aagtgaagtc tacttccaaa agaagggaag agggaacact gactaggcta 36180 36240 36300 36360 36420 aacttatagt cattttaatg teegetttte etatgagatt gtgaacacac agaagtaggg tttttatcta cattgtgcaa agtttaataa gaaaaataga attcaagaga agcagttcaa 36480 tagcaggaat ttaatatggg aactaattac aaggtttagg gcaggactaa aaagccagtt gggatggtga gccaacccag agattagcaa cagtgggacc ccatctacct accacccatg 36600 aagctggaag gataaaggag gggctattat cagagtccac aagccagtgt cagagtcctt 36660 ggctggagct gggaccaccc tagagaccact gtgcaaagca gaaaaccaagg gggaaaaacc ctgacttctc ccttcctccc acctttcaat ctccactag tgcttcctac tagccatact 36720 36780

						36840
tggccagaga	cagtgacaag	gaacactgca	aaatgaagtt	tgtaggaatc	attitudetet	36900
atagtatet	atttatcttt	gtatctccag	tocctaatct	gtctctcaaa	aaaggaaagc	36960
aattgagaga	aactgaaaac	tccaattgaa	atgaaagaat	qgagaattac	tggactagaa	37020
anannanna a	asatttattc	cacatagagt	aaacaaqaat	qqatttataa	aggacgcgac	37080
gagaagagaa	ctataatcac	caaagatttg	ccagagaaat	taaaaaqtqg	taaactcagc	37140
gaatgaaaag	ccacaaccag	cadagaccog	gaaaacgttt	caagaaatga	caagatttga	37200
cacgetgtae	aacctgaagg	tacaatgtat	ctcaagacga	ttatatacct	accccatttt	37260
agtcaaattc	taagtgettt	tecagaatet	-ccaagacga	taaactaaca	tatotoctaa	37320
attaaataaa	atggaaactt	actaaacttt	ccccttgtat	-taaactaaca	attgetettt	37380
						37440
taatattctg	ctgacctcct	tttgctattt	aggatatttg	tatacacatc	acacgtaaat	37500
ttaatctata	gtttacatct	acgggcttat	actgttcttt	ttttcatttt	tttaaaattt	
		actoretet	atcadddtta	tttttaacttt	gtaaaatcag	37560
						37620
						37680
Laccaccatc	ttetesttee	tactatcaac	acagaaccca	atctcagett	tccaqctata	37740
agagtettte	Ligitatice	cgccaccage	teasasaggag	ctttgcatta	tectacetea	37800
ctctcacccc	atggaatttg	cagatgaagt	tcaaaaggac	cotostacca	gacatgccct	37860
ccctcttccc	ccttcattta	gacateacet	tcttctagaa	tegestes	gataggettt	37920
gctcccaacc	cctgctgccc	aattgtgtgc	tetecegtgt	eetggcetge	taccccccc	37980
agtaattgcc	tgctccctca	tetgteteee	cacccagaca	ttaagctgaa	tagactggat	38040
ttatatetta	tocatcacta	taatctcagc	acctagtacc	tagtaggtac	ttaccalgla	
ttcattagca	aaatgttatg	tataaccttq	caccttaaaa	acaagagaag	gaagacaaaa	38100
++>>atctta	agactatoot	ttagaacatg	gatcagaaac	tacaqtctqc	ageccaaate	38160
coccoccat	described and a contract of the contract of th	tottcattta	catacaacct	atagcagctt	tcacactaca	38220
cagaccaaac	taagagatta	caaccaaca	cacggccctg	caaagcctaa	aatatttact	38280
ggagcagagc	taagtagttc	agttttag	teectegttt	agaactettg	ttcatatqca	38340
ctatagctct	tcacagaaaa	agtttttaga	tttaatttt	tttqqqaaaa	aggaatgagc	38400
atttcactaa	accatagttt	tttgggtttg	tttggttttt	ecoggodddd	angeceated	38460
cgatccagaa	aaggttgaaa	agaatgaatc	attactgctg	aaayaacyty	cacacagtec	38520
gtcagtattc	tgctgccatg	ctgacaccca	tccaatagtg	tcatgagatg	cagcagccac	38580
tactgtgttc	tcaatgccga	gtccacccac	tccataacca	tgtccaagca	attitgggaa	38640
catcatcacc	atacttattt	atccttaagg	tattqcctca	catacagcag	tggetggtea	
tagantosa	tracactagt	ggccaggagg	tcaaqaqaat	qagtgaggac	aggtgggtag	38700
acourage accourage	ccctaccaac	agcaggaget	cacccctcag	tcactctage	caggactgaa	38760
atacttttca	ccctttcaag	agagactagg	aatctqqatt	tttatgtgaa	atattttgat	38820
testesstat	tatasaaaa	catotcaaaa	ggtaaaacta	agtaagttca	tggggcagat	38880
tactadatgt	ggttataga	ttaagggaattc	ttatccaaca	cagataccaa	ccaaaaagct	38940
tgactattca	ggctatagaa	ecauggacto	cactgtcgaa	acatcaacaa	ggggctaatg	39000
gacgtataac	atattaggag	adactatgtg	-acceptogaa	acaccaacata	aacaggcaac	39060
tctaaaatag	tctatattgg	attecagttg	aaacatgggg	aaaggacacg	casattcact	39120
ttatgtcaat	. ggaaactcaa	. aaagataaca	agcatatata	aaagcacccc	-aaataaaa	39180
agtaaacaga	. cagatgcaaa	taaaaagagg	gaaactgctg	cegggcacag	Lygottacac	39240
						39300
acatactac	taacatooto	r aaaccccqtc	tctactgaaa	acacaaaaaa	ttagccaggc	
						39360
						39420
atapatapp	ctccatctca	- aaaaatataa	. taataattat	aattataata	alaalaaala	39480
						39540
graaacaaa	. adddddgdgdg	astaccaca	tacaataact	cacqcctqta	ateccaccac	39600
Lycaaayacc	. agggccccgg	gacagooga	atceagagat	caagaccato	ctggccgaca	39660
tttgggagg	caaggeggge	. ggaccacgag	222222	tatatatata	tatattatta	39720
cagtgaaac	e eggiciciac	: Laaaagtaca	aaaaaatata	tactactac	naaggtagtg	39780
tattatatat	: atatatatca	gageerryge	aacccccgcg	tetteagtatat	gaaggtagtg	39840
gtgcagccac	ccttgacago	aatctggcag	tacttggtta	Lattaagtat	aggcacacac	39900
cacgaccagg	g cagtcctact	: cctgggtcta	aatcccaaag	aatteteaca	caagtccata	39960
aggagacato	tacgaggeto	: attcagcatt	: actgggagtg	ggaatcaacc	tgggtgtcca	40020
+ at acadaa	r accadatoda	caaaatgtgg	I tqqatalla	qaccayaacc	, accaageaac	
						40080
to make the make a make the	. hannantag:	+ dcacacaa	acadtataco	cataaccctt	gaataqcaca	40140
						40200
ggtttgaaci	, goodgegeet	tetteeteet	cccctcago	ctactcaaca	tgaagatgac	40260
acagcaagac		tooteccect	ccaaggaagt	aatgaaaagt	atattttctc	40320
aaggatgaag	y actilitates	a caacccaatt	, cottattat	agaatatgg	acataataca	40380
ttccttatga	a ttttctttat	cectagetta	a cattatticte	. taaataaaa	acataataca	40440
catcacacg	c aaaataaat	g ttaattgact	gtttatatta	. radaraa	ttccactcaa	40500
cagtaggct	g tcagtagtta	a agttttggga	a gtcaaaagtt	. atacacagai	tttcaactgt	40560
aceaaceet	agttcccct	acccctcat	tqttcacqqq	g tcaactgta	atacacaaaa	40560
artattatata	acctcatt;	a gaatagetgi	. ctataqqqa	, aayayaaty	a gagugggaca	
annaganat.	~ saraaataa:	- ccaacaaat	r cattaacaac	r caaaacaaca	a gaggggcttg	40680
astagaces:	- tgatgataa:	a gggctaaga:	a tgagaatata	a attaattca	1 LLCCLCacac	40740
ctgaggtct	a aaaccaagg	a aaggaagga	c caggogtqq	a ggctcacgc	c tgtaatccca	40800
2030333000		222 222		_		

				agtttgaggt	againstage	40860
gcactttggg	aggctgaggc	gggcggatca	caagattagg	agettgagat	cagcccggcc	40920
aacacagtga	aagcccatct	ctacaaaaaa	tacaagaatt	acccaggigi	ggrggcacar	40980
gcctgtagtt	agctactctg	gaggctgagg	caggagaatc	acttgaaccc	aggaggcgga	41040
	a magazata c	acaccattac	actccadcct	gggtgacaga	dtaadactct	
						41100
						41160
						41220
						41280
gaacccagac	atcagctgca	tgtgaaggag	tgactagaat	gaagaaaagg	ctgcttctta	41340
cagaacaaaa	gtggttcttt	ccgaaaacat	taataggcac	cagctctatg	catgtcaccc	41400
ccccccca	catggggtat	ataactatga	cttactgttc	attcctcaaq	gaattcccaa	41460
tgtagggaga	gattatacac	aatgagggaa	caaaaactat	ccaataaaac	cacqqaaaag	41520
		agtgatgaaa	aaccetataa	acadadetda	tagccattta	41580
aageeagtga	accaacatgg	agegaegaaa	trangatage	tccgtgggaa	agctggaaga	41640
gggaagaaag	atctctgagc	tagggggggga	accactacca	tctgtatatg	gctaattaaa	41700
gaagtggcag	ggattttta	theagatgatga	teeteetee	cctactatca	gracagaacc	41760
gaccatgtgt	ggatttttta	ttdagctctt	cogtgccacc	ctcatcca	ttacagataa	41820
caatctcaac	tttccagcta	tattgagcta	aacttcccac	cccatggaac	tecetetata	41880
agttcaaaag	gatccttgcc	ttttcaaaat	aattttgaat	ggttgagtag	ctttctccaa	41940
ctctctcact	gacaccctct	caaggetget	gageaegtge	catgetatgg	tettecceaa	42000
catcaggaaa	tgttctccac	tcagtttcac	cttaatacaa	atgtgttete		42060
aggcaaaaaa	attcatgacc	atctgactgg	gagaagtcat	ttctaggtaa	agegeeeace	42120
tttttctgag	gaacacagga	ggaaaatctt	acagaaaaga	gttaacacag	caggoctaag	42120
						42100
aataaatgaa	tgatagggtc	ttctgtattg	gccaggctag	tctcaaattc	ctggcttcaa	
						42300
aacaca sasc	tottattctt	aaaaagtctc	ataaaaaqca	tqqttaatcc	ttggctggca	42360
						42420
						42480
taatatataa	tagacaaaga	gggggtggat	daccadcccc	Caataaaaac	cccgggcgcc	42540
						42600
+ caaaaaaat t	aaggagatag	atcctgtgtg	actocactor	gagaggatgc	ttqqaagctt	42660
-to-a-to-cook	taatttaaac	ttaaccccat	gcacctttcc	ctttqctqat	tatactttqt	42720
gtgcctggcc	tgtaataaat	tacagecata	agtacaccac	atactaaatc	ttccaaqtqa	42780
atecttecac	ctgagcatgg	tacageegeg	ccccaacaca	gaaataaatt	ataaaagacc	42840
accaccagac	catggtggcc	cataccaata	atctcagcgc	tttgggaggc	cgaggcagga	42900
aaggactggg	agcccaaaag	ttassaatta	cactoagogo	tgactgcgcc	aatgcactct	42960
ggaccagtta	acagagcaag	accetatece	cagagacata	aactaaacac	atacttctgc	43020
aacctgggag	tcttaaaatt	accetgeece	caaaacaaca	ttttaaaaca	ctaaatcaaa	43080
cttccaagtg	aaaacaagag	taatggaatg	caactaaaat	atctaggaaa	tttctgaaaa	43140
agaaacctgg	ctcagaacca	cgccgacggc	ggaaaggata	gcccaggaaa	agettgggag	43200
gtaaaaagta	ctcagaacca	gattacctga	gcaaaccaca	aacacactto	taacaggaga	43260
gaggctgtta	tgcagaagga	aatggtaaca	ggtttccagg	gasagtagag	tctgaatgac	43320
tagaacagca	gaggtagaac	ctgacaaggu	gattacctgg	ggaactgcag	cccgaacgac	43380
caggactgtt	ggacccttcc	cctcacatgg	aatacacacg	CCacccagca	gcacaccaca	43440
gctcttcaac	aatcacagga	ggcacgctac	geetagtaag	acaggaaaaa	aggaaccccc	43500
						43560
gacactgaat	caacagaaca	caaacccaag	caaagataat	tactagagea	catagaagaa	43620
attattagat	attettagga	agacctaagg	ggacattata	. aaqaqcaagc	agitggtatg	43680
tgacgatctt	tgtgatatac	: caagaaataa	aaacacagga	. tgaagaccag	atagagaata	43740
atgctactat	ttgtgcaaaa	aaggagaaat	ggagaatctg	atteatatt	gettgtattt	43800
gratgaagaa	actttggaag	ratacataaqt	aactaacaac	aatggttacc	Lactiglaag	43860
acasassas.	+ +aadaddaca	agaatggtgg	gaacaccttt	tatatccada	actggtgggt	43920
tetteetet	r acttqqaqaa	taaaaccata	gaccctcqcc	qtqaqcqtaa	cagtttttaa	43920
aggggtgtgt	t tctggagttt	attacttata	r atgtttggat	gtqttcqqac	tttcttcctt	
						44040
tacacetett	aaaaaaaacac	: atctadadtt	dttcqttcct	. CCLYYLYayı	, cogeggeeee	44100
						44160
tagagagaga	a agragt gagg	: agtaataaga	. acccattcca	ı aacatcaaaa	i ggacaaacci	44220
tragragege	: ggaatgcgag	: cqcaqcacqt	: taccactctt	ggeteggge	geergeeree	44280
attatattat	- ctaaccacac	. ccatatcctc	r ctaattaata	: cattttacac	agageegaer	44340
		a gattagtaga	tttttcagag	r agetgattge	tccattttqa	44400
agagatacta	+ attaatacat	tracaatccc	: tdadctadad	: acaqqqcqcqc	. gactggtgta	44460
tttagagtgCtt	cttaggrades	cataaaggtt	ctcaagtcc	caccagacto	aggagcccag	44520
ataaattaa	, cccagccage	caacat caat	gccacaggt	gagetgeete	g ccagtcccgc	44580
ctggctccac	. ccaguggatt	, aggcarcage	taatcaata	gactgggcg	cgtggagcag	44640
geeetgege	. tgtattettt	agecorety	, cacaddadc	caggaggtg	gggtggctca	44700
ggggtggtg	, cgccayygag	, garagagaca	, ccccacacac	aggcagcta	a ggcccagcga	44760
ggcatggcg	g googcaggt	atgagegeeg	tactaaacc	ctcactgcct	ggggcgttg	44820
gaaatcggg	acaycaycu	, craggecoage	, caccaagee		. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

gaaccaacta	geeggeeget	cccaatacaa	aacccaccaa	gcccacgccc	accgggaact	44880
gggccggccg	cgcaagcacc	acatacaacc	ccaattccca	cocacacete	tecetecaca	44940
cacgerggee	egeaageace	gegtacagee	aggettagg	addddadaaa	aggactccca	45000
cctccctgca	aagctgaggg	agerggeree	agccccggcc	agcccagaaa	555555555	45060
cagtgcagcg	gtgggctgaa	gggctcctca	agcgcggcca	gagtgggcac	Laaggetgag	
						45120
						45180
CCCCCCCCCCC	tegetetetg	tegecearac	tageatagea	tagtaccate	ctggctcact	45240
tgagatggag	regererery	ccgcccagac	cagagagagaag	ongotosta:	atagetgage	45300
gcaagctccg	cetecegggt	tcacaccatt	ercergeere	aacctcccga	gcagccggga	45360
ctacaggcaa	tegecaceae	gcccagctaa	ttttttattt	tattttttt	ttagtagaag	
cadaatttca	ccatgttagc	cagatggtct	caatctcctq	acctcgtgat	ceateegeet	45420
eggagteet.	aagtgctggg	attacadacd	tgagggagtg	caccctacct	atcttaccta	45480
eggeececa	taaactttaa		agagtages	ageataataa	ctcacaccta	45540
tttcaaaagt	taaactttaa	gaagtagaaa	cccgcggcca	ggcgcggcgg	-t-caogooo	45600
taaccccagc	actttgggag	gccgaggcgg	geggateacg	aggicaggag	accgagacca	45660
haataattaa	cacactcass	ccccat cact	actaaaaata	caaaaaatta	qccqqqcqcq	
ataataaaca	ccaacaatcc	tcgctactgg	ggaggctgag	qcaqqaqaat	ggcgtgaacc	45720
geggegggea	agcttgcagt	gagccgagat	agtgccattg	ccttccagcc	tgggcgacag	45780
tgggaggcag	agettgeage	gageegagae	agegeodeeg	cccanasant	taaaaatatg	45840
agcgagactc	cacctcaaaa	aaaaaaaaa	aaaacayaya	cccggaaagc	caaaaaaaaaa	45900
ataatcaata	tttaaaaaca	ctcaagagat	gggctaaaga	gttgacggaa	Caaacccaaa	45960
tattagattg	gtgacctgca	aaaccagccc	aaqqaacatc	ccagaatgca	gcccataaag	
ataaagagag	catttccgct	aaacaaata	gtatggcagg	ggaattgcct	qagtccaaga	46020
acaaagagag	acattgaacc	agaganttac	agtogagge	tagacaacac	agcaatactc	46080
gttgcaggtc	acattgaacc	acaccaccyc	accccaggee	tetttaaaaa	ananantac	46140
tgtctcaaaa	aaaaaaaaa	ttaaattaaa	aaagacagaa	Lactigagag	aaaaaaacgc	46200
ttatttcaaq	aaacatgaaa	gataaatcaa	gatattctaa	ttcccaagta	agaataattc	
cadaadcada	aaatagaata	gagggaagga	aacactcaaa	acttctccag	tgccatagaa	46260
cagaagcaga	atctttagaa	tassacaasc	taccaaatgc	tgaggaggaa	gaacaaaaga	46320
atgigiacia	taagccagtg	cgaaacggac	caccaatage	tastaactat	aatcccagca	46380
gatccactct	taagccagtg	tggtgcccaa	gegeagegge	ccacgcccgc	aatcccagoa	46440
ctttgggagg	ccgaggcagg	tggatcacct	gaggtcagga	gtttgagate	agccaggcca	46500
acatootoaa	accetateta	tactaaaaat	acaaacatta	getgggtalg	grygrycaca	
tototaatoo	caactacttq	agagggtaag	acaggagaat	cacttgaaac	caggaggugg	46560
cccgcaaccc	gagccgagat	gotggggggg	teccarecta	agtgagagag	caagattcca	46620
aggttgtagt	gageegagat	catgccacac	teetagttee	attttagaac	accaaggaga	46680
tctcaaaaaa	aaaatccact	cctagacaaa	taatagttaa	attttagaac	accaaggaga	46740
aaqaaaaaaa	attgtaaagc	ttcagagaaa	ataaacatta	actacaaaga	aacgagagtc	
agacacatac	acttcttcct	agataccage	agataaagca	atatctccaa	aattcagaag	46800
attttaacat	agaatcctat	acceagtcaa	gaatattcac	atggaaaagt	qaaataaaaa	46860
geeetaacge	aacatgcaag	acttcacaaa	otttaccatt	cacagaatcc	ctgaaaacaa	46920
acattgttta	aacacgcaag	ggeccagaaa	geeedeedee	22242222	accestrato	46980
aaccaaataa	tcacttaagg	actcattaag	aaaacaaacy	aaataaaagc	accuaegacg	47040
-0000000000	+++aatataa	gacagaatta	aaatcatgat	aadattett	LLLYCLLIAC	47100
						47160
ccatggagag	aactaagggt		tacasattes	tttatcatca	ggaaaatcca	47220
atgtgtgaaa	aactaagggt	accadadag	Lycadaccca	0000000000	ttaggaagag	47280
aattaaaacc	acagtatcca	ccagaataac	taaaaggtaa	aayacayaaa	LLaccaagag	47340
++aacsaasa	tataaaacaa	ccacatatac	ttctqqqqua	aataaqttgg	Lycaaccygi	
actrasaact	gtttgctagt	atctactaaa	accgagcaca	tqcacagact	acaaccaagc	47400
eattageata	ccagatacac	actraacada	aatgcacaca	ctcactcaac	aaaaqacqtq	47460
agttttatt	ttcatgtact	t-et-ttest	antogtacaa	aaatocaaac	aaccaactgc	47520
tactagagtg	ttcatgtact	tactattcat	aatagteeaa	aaacgcaaac	acacaccast	47580
caatcaaagt	caaatgtata	tctatattag	ggatatatat	aatggcatat	acacagcaac	47640
nanaatnaaa	tgaaccagct	caacacaata	gttcatqcct	gtaatctcag	cactttgggc	
adat sadaca	- ggcagaticac	ttgaggtcac	r aaatttqaqa	. Ctaqcctggc	Caacacggcc	47700
99904499	cccactaaaa	acacaaaaat	tageegggga	tagtggttgc	aggeetgtaa	47760
addaccegee	tegggagget		anteettee	acccassacc	cagagataga	47820
ttecagetac	Legggagger	gggccggag	aucogeeege		etecatetes	47880
agtgagcgga	gatcgtgcca	ctgcactcca	i geetggaega	Lagageaage	Ccccgcccca	47940
aaaaaqqaaa	tcaaaaatat	aaaataagat	: gacaggaata	atccgcaaaa	gatcagtaat	
casastasat	ataaatgggg	taaagctacc	: tattaaaaqa	. caaaqattt	acacccataa	48000
ggataggatag	tatcasasas	arragagaga	taacagatgt	tagcaaggat	gtatggaaac	48060
ggatagetae	acgcattgct	agagagaga t	tassataatt	cadectetae	ggaaaacact	48120
tgaaattctc	acgeattget	ggryayaara	Laaaacggcc	cagoocoogo	thataattat	48180
atgctgggtc	atcaaaaaat	taaaaataga	agtactactt	gatecaacaa	LLCLACLLCL	
aaatstataa	· ccasataact	gaaagcagg	r ecttgaagag	atalliqual	acceatgate	48240
ataggaggat	 tattcataat 	agctatgate	r togaaccaac	: ataaatatco	: tttgataaat	48300
ataggaagaa	cassastata	atatatacat	tcaatggaat	attaattag	aataaaaatg	48360
atatggataa	guadaaugty	- beengaatat	, stassagatta	adddcatta	attaaatgaa	48420
aagaaaatto	tgacacatgo	: Lacaacatg	y acyaacette	ayyycactac	attaaatgaa	48480
ataarccart	tataaaaaga	caaatactat	: atgaggtact	: atattagata	ctcatgcaag	
ctacctasas	tagggaaatt	catagagaga	a aaaaqcaqaa	i taataatta	caggggctgc	48540
antestant	 acadadcttc 	: aattttqtaa	a gatgaaaaa	a ttctqqagau	tggttgcata	48600
ageata aggar	. cacacttan	actadage	tgtaaactta	a aaagtagta	a atggtaaaaa	48660
acaatgtgca	Lacaccidac	. accyyyyaa	ttttaggggg	atatttatt	a aaadacaaad	48720
taaaaataat	: aaataataaa	tettatgtt	a cereaceaca	a acacccatte	a aaagacaaag	48780
attaactaat	: taaacaaaat	: ccagccata	a yctaatggta	agagtaaca	a ttaaagaaga	
cacagaaaat	: tgaaaatcag	g tgactagaa	a aagatattco	: atataaatg	taacaaaaag	48840
		- '				

anagt acade	aatataaaga	gaatgaacaa	aaaaaaaatt	aaataagatg	gctcgtttat	48900
caagcacagc	tagaattgag	caagaagata	caagaattgt	gaacctttaa	gcacataaaa	48960
Leccaaaagg	Lacaattcat	ttaaagaaaa	atatatatta	aacatagaaa	tagtacaaaa	49020
cagcttcaaa	aatacaacat	LLaaayaaaa	terresta	tacatatas	cadatcaaac	49080
acccctacaa	gaatcataat	gggagtcttc	aatacaactc		angetaaaat	49140
						49200
						49260
						49320
a at at an ant	do at adapda	cacatggtga	aaccaaaatt	ctagaataca	gggagaataa	49380
						49440
aggeatttte	agatattaca	aaatgttcca	accgaccate	totatastac	aagaaggaat	49500
atgtacttga	gggagaagaa	aaatgttcca	aayaaaagca	estattanaa	tagaaaataa	49560
						49620
						49680
						49740
aacaaacgag	etaggeree	gaaattaatg	tratagaaaa	ataaaaaatc	aatagaatta	49800
aagtagaaag	ataaaaaaca	aaaagctggt	totttgaaag	gattaataaa	ataatcatta	49860
atcaataaat	cctggttaat	aaaagccggc	ctcccgaaag	andtactota	tcagaaagag	49920
agcaagtctg	atcaaaaaaa	aagagaaaag	graccaaaaa	aagtactgta	tagtatatag	49980
						50040
teator	taggatatat	taaatttcaa	taatottaat	gattttctag	qaaaacagaa	
aatattaaat	ttactttcaa	gaaacagaaa	aactgagaaa	aataaatqat	catgaaaaaa	50100
						50160
atgaaaaggt	aaccauacac	caaacttgag	ggaacagata	attettetat	tccagagcat	50220
agtergeage	Caageteege	ccaatttaat	agaagagaaa	agcctgatcc	ttgttatgaa	50280
agaaaatgat	ggaaagttte	CCaatttaat	cagagaggac	2002333000	tasataagat	50340
cacagataaa	aatggggtaa	actatatgcc	aaactcagat	accadaaccc	aattttaagaa	50400
						50460
22222222	taggaatgtg	accaccactt	atattaacaa	ttttaagacg	addatttata	50520
						50580
gaccccccaa	astacacac	gaatgctccc	taaaaccaag	cccaagacaa	agattcctat	50640
						50700
ttaacctcaa	tagtcaacac	Lycaycyaya	geautecatg	acctacttcc	aagagggaaa	50760
aaacatgaga	gacatctgtt	gtttaacaga	caataagate	acctactegg	tagaggcaaa	50820
						50880
						50940
						51000
						51060
						51120
agttgctggt	ggaraageee	gccaaccagc	gaagtgtata	ccacttatta	cataaactta	51180
aagagcactt	tcacaggaaa	attititie	gaactgtatg	agtgaaagtt	cataaactta	51240
						51300
aaaaaaaaa	aaaagcaagc	acataacact	aatttccttg	catgggcact	ggggaaggag	51360
tacacacaaa	ccttccaggt	gcactgcgcc	acaacaccc	agetgaceeg	ggatgegeag	51420
						51480
cectagecet	teteestest	. ctccggcoa	, cadcacccc	aagggagaga	agggagggtg	51540
gcgaagggct	teteggteet	Cogcaccacc	aggaggatag	ccacacacct	atcccactac	51600
cgggaggctc	ccgagaccca	ggageeggg	cegggegege	. ccgcgcacc	gtcccactgc	51660
ggcgagggct	: ggggtcgcct	ceagggeege	agetgteggg	agccaccegg	ctctcagtcc	51720
cgggtccctg	, cgacaaccct	: cgggcccgga	ggggaggagg	eggecacett	ccgctgccac	51780
ataggggggg	dateccaecc	rctccaaacca	ı dacaqqacac	qccaggacgi	, eccucaggg	
atagggagaga	r dacacdeda	· daddddaccc	addccccdc	gqcqaagac	, cagcacgccc	51840
+00000000000	r acastecest	decedeacas	a cadactacco	qaeeeeege	g Clagadagea	51900
cetagatag	decrecaca:	ctgaggggg	aagagccgg	caacaaaca	getggeggeg	51960
catecette	gaccacgege	-aataaata	acaccacca;	aacccccag	ggccacggct	52020
cggctagtac	tcaccggccc	egetggette	gegeegeege	accadedes	ccagccatcg	52080
ccgggcgct	actgatgete	: aggagaggg	a deegggggccc	geeggegee	ccagccatcg	52140
						52200
						52260
						52320
						52380
ccagcageti	- tagecteate	taaaaccat	a sadatadaa	ccagcagte	acattetege	52440
ctattcggt	t tttcctgca	: Laaaaccat	g aaggtgggg	gatatacta	- caacatasaa	52500
						52560
						52620
aggaggata	a santonnos.	a gotcaacat	e ecceteage	a tetteeeta	e eeleaeggel	52680
antantana	a agatacete.	a taaccaaaa	g ttagaaaga	a ccactgrat	Licityacaty	52740
						52800
gaagtggcc	. aayaccita	atracras		t. ccagggaga	a taaccaaccc	52860
cttgagggc	y igaayetea	a acyayyayy	a aggaaagga			

	+aaaaaaaaa	gtagaggggc	gageetagge	tagcggttct	cqaccaqqqc	52920
eggtaagttg	catactacac	geecegegta	catttgggga	gatctagaga	catttttggt	52980
tatastasta	cagaaattac	tactgttgcc	taagtgggta	gacacgaggg	tgctcctcaa	53040
retestaget	cgggagccgc	actgcccac	aaggaagaat.	gatccggccc	caaataagaa	53100
catcctacct	gaaggacagg	aacccctttg	ttctgagaag	agaggaggaa	agaataaaag	53160
accordage	ggttagtaat	ttggtagagg	aaacttgaag	acattttcac	tggaaaggaa	53220
aagtggggtg	aagccccggc	gtctgtaagg	accaccasac	caaataacaa	ctgatttcct	53280
gagaggaaga	taatgagagac	tagttataat	aaattcctaa	taaaaaccca	gtttatccct	53340
catattgaag	taatgagtee	ttttaaatat	actacttaat	tctatttact	aatattttat	53400
gcaataaact	tgtcttttt	tgcaaaaatg	actgcttgat	taattttctt	tttgaatgtc	53460
ttacaggctt	tgcattgata	atcaatgtta	teeteseste	ataaaaaatt	tagaaccgag	53520
taatgttgtt	tggtttcaga	cagaagttcg	agaccact	acaaaaaaca	atgagacccc	53580
gcaggaggag	tgcttgaggc	cagaagttcg	agaccagccc	tatttacttt	ttccttttac	53640
cccatctcta	caaaaaaaa	aaaagaaaaa	atattatta	aggtttgetc	atttcccagt	53700
tctgaacaat	ttaaggagca	ttaaaattat	the	atasatatt	taacccccage	53760
taaaaatgtt	cctcccagcc	tgatgctttc	cccggggagg	aattatteta	gagttaattt	53820
aaagtttctt	ctgtggcaat	tttattattt	acattttaaa	tagagatatt	caactatatt	53880
tgataaagca	tgtatttctt	aaacaaatt	account	cettetees	aatatottat	53940
tgcataaagt	tgaggaaagt	agtcttttgt	gaatettta	acceccea	thttcaaaaa	54000
tttgtgtatt	tttgcttctt	tattttgtta	acttttaaaa	gigialilli	cttttaaaga	54060
atcadctctt	aggtttatgt	rrrragttat	actddadctt		CLLLLaaaa	54120
tatttttct	cctttatttt	ttagacgtat	tttgatctaa	cgtaatcgga	agaaggcaaa	54180
ttagaatctt	ttgttactat	tgtgtttta	tttctcctta	tttctctgaa	geoetgettt	54240
ataaatagta	ccatgttatt	tgtgcataaa	tattcatttg	tettatatte	ttgggaatti	54300
tcccacttca	tcataaaatg	accttccttg	tctcatttaa	tgtgttcaaa	ctttgccctg	
aatttaactt	tatatatat	tttaccatcc	tactaaattt	tqtttqttac	cccaaacaac	54360 54420
ctttgctgtt	ttcgtctttt	ctgaaccctt	tattttaggt	aatcccttga	attagagcac	
taagttttgg	tttgtgatta	aatctgaaaa	tctttatctt	gccatagatg	agttgagccc	54480
+ a + + a a + a + a	acacctatat	tatactattt	catagecett	ttaateettt	LLLCactett	54540
	As he do do not be on the first	2++a+a++++	atatttcttc	tgataatttg	gaaggtttgt	54600
						54660
						54720
++a+++accc	cetetecetect	cctcacctaa	tataaataat	tttateette	LLLagracic	54780
actttttaa	ttaactacat	ttataaatat	ctttatcact	tgatttttaa	accagettig	54840
	tterrettert	2021212222	gatgttaatt	ataccatttc	cacqttaqta	54900
aatttataaa	atcatacatt	ctactatata	accataatcc	cacqtttgtt	ttagttccac	54960
						55020
aagggatttt	ataataaatt	atgatectge	tttagtttct	taaqaataat	ttatagagca	55080
						55140
cttgaagcca	gcagttcaag	accaccctga	gcaacatagt	gagaccttgt	ctctacaaaa	55200
	tttagccaga	cataataaca	tqtqcctata	quiculageta	cccaggaggc	55260
transassass	agattactag	addcccadaad	tttaaaacta	caqtqacctc	tgattgtgcc	55320
						55380
++atgaaaat	tatattccct	gagtttttca	tatttaaaaa	tatttqttqc	Ctttattctg	55440
						55500
atattataga	attgagtgtt	gctgtaatga	aaccaqaaqt	caqcctggtt	tatttttcct	55560
cacaaatcac	ataattacca	accadacacc	ataactcata	cctqtaatcc	Caacactttg	55620
adaddccaaa	acaddtadat	cacgaggtca	gaagattgag	accatcctgg	ctaacatggt	55680
						55740
						55800
						55860
						55920
atttatatatat	- daaatccada	aatctcacto	tratacattt	togaattatt	attetqqqcc	55980
						56040
agagagtete	 actoraatct 	cagettacto	caacctctqu	ctcacqqqqu	Caagcaaccc	56100
						56160
++++a+a+++	 ++antanana 	. cagggtttca	ccatattaac	: caqqctqqtc	ttgaacgcct	56220
andatasaat	 datccacctc 	: cctcagcctc	: ccaaaqtqct	; gggattacac	gegrgageea	56280
costacces	r cctcaattco	: fctttctatc	: tootaatiti	. Lulydagili	aaaacacccg	56340
ttataataaa	ttatttcadt	gttcttctaa	a gatgtgtaaa	qcaccctatt	. cccaggicag	56400
acceptett	- actaatgagg	· traactaatt	: cttcacaaqa	a detetadeti	. teleelgell	56460
aatotoaant	- acctetates	gcctccacci	: ggtttatgat	. ttqqaqttt	. Liggitting	56520
						56580
	· coccetatat	- ctcccaaatt	- taaacaatta	toctacctca	acctactdad	56640
taggtgggat	- tacaddcdcc	r foccaccaca	a cccqqctaa	. LLLLGLALL	. ccagcagaga	56700
						56760
antanagat.	- ccasantact	- gagattagag	r acataaacca	a ccacaccta	i cardarreda	56820
agttttaat	tgtagtttta	a ataaagata	g tgcttatgt!	tgtgtttctt	atatttcttg	56880
-5-50	3 3		_			

56940 gtactettgg gtaatttgta agateeceat atetacacaa gaagteeatt tteaattett 57000 getgtgtcae ttetggagge tggagtgeag tggegegate teaggteaet geaaceteeg 57060 tetecegggt teaageaatt eteetgeete ageeteeega gtagetggga ttacaggeae ctgccacttt ttaatttttt tagagacaga gtctcgcttt gttgaccagg ctggagtgcg gtggtgcaat catggctgac tataacctcc aaatcctggg ctcaagtgat cctcctgcct 57240 cagcetectg agtagetggg actacaggea catgceacca tgcccagtta attttaattt 57300 ttttgtagag acagggtete catatgttge ceaggetgge etectaetee tggceteaag 57360 taatcotcot acctcagoot occaaattac taggattata agcatgagoc accatgooca 57420 57480 gccttgttct actactttaa tttcatatgt taggtgacca tgtaattgat catccaaacc aggatactgt aagaatgaaa gaggctgaca gtagtatgat gctgggacta gcattgtgca 57540 ctgagattat ttctgggaaa gcaggagata cggtcaccct acttatagtg tgcttgtctt 57600 tggattgttg aatttggagt ttctatttgc aggcttattt caactgggca gccttgatcc 57660 57720 geoetgeeca geaatgetac egttetetee acegggtete tgggaeceet teagteacta tacttagete agttecceae ecteccaete cetaaaageg taaccaggaa teetgeetea 57780 ggtctactgc cgtcttccgt gggctgtttc agttcctatt acccagagtc aaactcccag 57840 cattecetae etgattecag acttggagte cagagettta acetetteag gecaaeteee 57900 cactttgcat ttctgtccct atatcttagt ccatggagat acatttcatg tctttgagtc 57960 tacttacaaa gtaaattttg ctgtttttta atttttttt tgagatggag tcttgccctg 58020 teacceagge Egtggtgeaa tgacgceate teggeteact gcaaceteeg ceteetgggt 58080 tcaagcgatt catctgcctc agcttccaa gtagctgtga ttacagacag gcaccaccac gcccagctaa tttttttat cttttagtag agacagggtt tcaccatgtt ggccaggctg 58140 58200 gtottgaatt cotgacotog tgatotgoco atotoggoot cocaaagtgo tgagattaca 58260 ggcgtgagcc actgtgccca gccaattttg cttttttat atttcattgc tatatgttta 58320 gaggataagt ttacagtgct atatgcattc ccaaatatta gaccaaaaaa atctccaaaa 58380 58440 aattagaaag aaaatccaaa aaatctcaaa aaataccaaa aagcaacaat ctcacagacc atactcactg acccccaata aaataaaatt agaaattaac cacaacttaa caaaataaag 58500 tactcaagtc agagaggaaa gaggaaataa acatcaaaat tacaaagtct aggeggtggc 58560 tcacgcctgt aatcccagca ctttgggagg ccaaggcggg cagatcacaa ggtcaggaat 58620 togagaccag cotggocaat atggtgaaac cocgtttoca ctaaaaatac aaaaattago 58680 58740 caggcatagt gatgtgtgcc tgtaatccag ccacttggga ggctgaggca ggagaatcac tgaacccagg gagacgaaga ttgcagtgag ccaaaatcgt gccactgcac ttcggcctgg 58800 gtgacaaagc gagactccat ctcaaaaaaa aaaaaattac aaactcttta gatagaaatt ttggtgtttt tttttgagac ggagteteac tetgtegeag aggetggagt geagtgggae 58920 tatgtcaget cacegeaace tecateteet ggattcaage aatteteetg teteageete ccaagtaget aggattacag gegeceacea ccagacecag etagttttta tattttagt 59040 agagatggtg titcaccatg ttggccaggc tggtctcaaa ctcctgacct caagtgatcc 59100 acctgettea geeteecaaa gtgeteagat tacaggegtg ageeacegea ceccacetag 59160 atagaaattt caacatgagg ccgggcacaa tggctcacgc ctgtaatctc agcacttcag 59220 gaggetgagg egtgggagga teaettggge ceaggagtte aggaceagea tgggtgaeag 59280 59340 ttcaacatga aaagtatete teaaaceett egagatgttg geaaaaageg acteaaagga 59400 aaatgtatta ctgtgtgtga atttgcttga aaataagaaa gaggccgggt gtggtggcta 59460 acacetgtaa teccaacact etgggagtee gaatcaagtg gatcatgagg teaggagate gagaceatee tggetaacat ggtgaaacee tgtetetaet aaaaatacaa aaaattaget 59520 59580 59640 aggegeggtg getcatgeet gtaateceag caetttggga ggetgaggea ggtggateae ctgaggtcag gggtttgaga ccagcctggc ctacatggtg aaacctcgtc tcttctacaa 59700 atacaaaaat tagetgggeg tggtggtggg tgeetgtaat cecagetact cagaggetga 59760 59820 ggcaggagaa tegettgaac eegggaggeg gaggttgegg tgageegaga tegeaceact acactccago ctgggcaaca gcctgggtga cacagtgaga ctccatctca aaaaatacaa 59880 aaaattaget gggtgtggtg geetgegeet gtagteeeag etaeeeggga ggetgaggea 59940 ggagaatgga gtgaacctgg gaggaggagc ttgcagtgag ccgagatece accactgcac 60000 60060 tocagootgg gogacagago aagactottg totcaaaaaa aagaaaaaaa aaggaaaaaa gaaccetgat aataaagaaa ccaaatgtte aacteteaaa geteggacae tttaaagaaa 60120 taattaataa aggcagaagt taaagggagg atgataaagc aattttttt gttggttttt 60180 ttgagatgga gtettgetet gteacceagg etggagtgea gtgatgegat ettggeteac 60240 tgcaacctct gcctcccggg ttcaagcaat tctcctgcct cagcctcctg agtagctggt actacaggtg cgcgccacct ggcccagcta atttttgtat ttttattaga gacggggttt 60360 caccatattt gttaggetgg teteaaacte etgateteag gtaatetgee eaceteggee 60420 tetcaaagtg etgggattac aggeaggege cacegegeet ggeetaaage aaaatattgg 60480 ttetgtgcaa aaggtcaata aaaagagcaa acgtttacaa actggagcca gcacccattc 60540 60600 ageteagtgt gtetggagaa aaaacaatet egetteagaa tteatgatta egeageeett titgetteet aaaaateeta etatgttget gitgaceatt etetetett etetetetet tgctttctct ccagaaaagc tattcagaca ttctcctctt tcctcaaacc tccaacactt 60720 cotcotcoat cottagecte agetgetgae etcaetteta atcattgaga aaccaggaga 60780 agcatttaag agtgaacete egecteeceg caegggeaaa accaeceaec caeagaattg 60840 60900 tgccccaatt ctgcgtcctc tcctctcacc atggatggac ggtccaggct ccgagccaaa

60960 gecaggeete eeetggaget etggateeae eacetgeage tteteaggea gggeeeeage ageteceetg etecettgta ecateaatee eteceeteae tgggteaete ecaacaatat 61020 61080 atatatttag tgatgtttet cccatgtggt aaaatcactt ageetetete eteececage tactatecta titgtttett tecattetet geaaaaette teaaageatt gtgtetatgt 61140 getgacteca tttatettet ecegttetet getgagteet teccacagae tetcacecca 61200 gttactccat gaaatgacct ctgcactgcc acatccaatg gtgaatgttc agttcttaat 61260 tttattcagt ctttcagcag catttgacct ggccgatcac tccctcttct taaaaatact 61320 61380 tttctcagcc aggcgtgatg gctcacacct gtaatcccaa cactttggga ggccaaggcg ggaggatcat gagagcccag gagttcaaga tcagcctggg caacatggca agaccctatc 61440 tetacaaaaa etaaaaagta gecagtgtga tggcatgcac etgtagteec atetaettag 61500 gaggetgagg cagtaggatg acttgageet gggaaatcaa ggetgeagtg agceatgatt 61560 gcaccactgc actccagcct gagtgacage gagaccctgt ctcaaaaaga caaaatagga aacttttctc agcatattcc tctgattctc ctgctgcttc tgtctgcaca gattcagtct 61620 61680 cetttgeegg ttetteetea teeteetgat etettgaeet tgaagtgeee cagagtacag 61740 totttttttt tttttttgag acgcagtotc gtctgtcacc caagetggag tgcaatggcg 61800 aggteteage teatgeaace tetgeeteet gggtteaage gatteteetg ceteageete 61860 61920 ccaagtagcc aggactacag gcacatgcca ccatgcccag caaattgttg tatttttagt agagacaggg ttttactata ttggccacgc tggtctcaaa ctcctgaact cgtgaaccac 61980 ccgcctcggc ctcccaaagt gctgagatta caggcatgag ccaccacac cggcccagag tacagtcttt agacggcctc tctacctata cttgctcccc tcataaactc ctcctgcctc 62040 62100 atggetttaa ataccategg tagaetgatg acteceatat ttetetttt tttttggaga 62160 62220 eggagteteg etcagtecee caggetggag tgeagtggeg egatetegge teactgeaag etceacetge caagtteaca ceatteteet aceteageet etceagtage tgggactaca 62280 ggcacccgcc accacgcctg gctaattttt ttgtattttt agtagagatg gggtttcacc 62340 62400 atgttagcca ggatggtctc gatctcctga cctcgtgatc cgcccatctc ggcctcccaa 62460 agtgctggga ttataggtgt gagccaccgt gcccagccga tgactcccat atttctatct cttgctgtgt gggagttctc ctcagaactc catactcata aatccaactc tcataaatag 62520 tateteaaat gggcaatatg eteaaaagte aatteetaet ttteteeeta aaettgettt 62580 cetgeagtet ceaceatett aatgteeaat etaacattag gaggeaaaaa etttgaagte 62640 attottgact ettetetatt acacacecta tecaatetti etgeagatee agtegacece 62700 caaatccagt tagctctcat catctcccct gttaccccct ggtccaggcc atcttcctct ctcacctgaa tcactgcagc attctcctca ctggtctctt tggttctgtt ttcactccac 62760 62820 cttagcatag tetecacaga geagteagag ggateetttt aaagtgtaat teccateetg tecetgetet geteaaaace etgtegtgat teeegtttta atetgteaga ttaaaageea 62880 62940 63000 gagtetttee agtgacetae atgatetgee tattateace teccaettet tteccettge teactecact ceagetetge agetgteett tetgttteet gaacageeca gattttgett 63060 63120 ctttagaacc tttgtatttg ctgtcccctc tgtctggaat gtttttccag gaagtcacct ggetetetee tgeactteet teetgaceae catgtttaaa aateaeteaa acacaettea 63180 ggccggacat ggtggctcac gcctgtaatc ccagcacttt gggaggccaa ggtgggtgga 63240 garagatat garagatto gagaccago togocaacat ggradaactt garagatat toacotgagg toaggagtto gagaccagoo togocaacat ggradaactto tactoagoag actgagocag gagaatcoct toacccaga aggacagoago gotycagogo gocaagatoo 63300 63360 63420 63480 cgccacaaca ccccagcctg ggtgacagag caagacccca tctcaaaaaa aaaaaaagaa aaaaaaatca cacaaacaca cttctcttca tattcctttt ccaagtttta tttttctcca 63540 gaatacttta cattgtttta atggaagttc tccgtttccc cccaactaga atggatactt 63600 63660 cetgeaggta ggeactetag tecteccate caagtactaa ceaggeteaa cectgettag 63720 cttctgagag caggggagat caggcctgtt cagggtggta tggcccagga attttgattc tgttttattc attgctgttc tgttgattct cttttgttcc tcctcctagt gctgagaaca 63780 ctacttgtac ataataagca ticaataaat atttgitgaa tgaatgacit gitgaatgaa ttaatctcag aaatgcagga ctggttctac attagaaaat ttttcaaggt cattctctgt 63840 63900 tgtcgtaaca cattaagaga ggaaaatttt gtactctaaa tcatttgata aaatacatac 63960 tgatttctgt tttcaaaaac tcttagtggc tgggcgaggt ggctcacatc tataatccca 64020 gcattttggg aggacgaggt gggcggatca cttgaggtca ggagtttgag accagcctgg 64080 ccatcatggt gaaaccctat ctctactgaa aatagaaaaa ttagccgggt gtggtggcgc 64140 atgeetgtag teccagetae etgggagget gaggeaggag aatggettga accegggagg 64200 64260 cggaggttgc agtgagccaa gatcatgcca ttgcactcca gcctgggtaa cagagtgaga ctccatctca aaagaaaact cttagtgagt ttaggaatcc aaggaagacc ctcaaactaa 64320 atagataatc tagctaccag aagccttcag taaaccttaa cactccatgg tgaaacatta 64380 gaaacattcc tactaaaaga caggctaaga atgcctgcaa tcttcacggc tagtccaaga 64440 agtcaaaaag aagaaatgag cgctgattta aaaaaataaa caaacaaaaa actaccgatg cagaggctgg cagcaaggac tgaaggactg tacagtactt gcctggagca ggcggatggc 64500 64560 64620 cacacccctg cgaagcctgc tcagctggct gggggacgct ccagtgtgtg agtggcagga tgcagggtac ttcctctgcc agggagttgc actggggaga tcctccccca ctcacacttt 64680 ggcagctggg gctttggaat gtgacttagc ttctgtcaaa gggtcaatcc accetttgat 64740 atatgatgca aaggcgaaca tatgatgcaa aggtgagaga acagcccaaa ttaggacttt 64800 taccacaget gtggaggtgg acagegacag tggtgggccc tggccagact tttcatgete 64860 aaaggtggtg gttgttcttc ctacttcttg tccctccagg gcttcctttg cctgtgtgct 64920

64980 gaacctgctt cttttaattt tttttaactt ttttaaattt ttaattgttt taattaaaac aaatttigaa aactgtotga acctgotttt gaaccotgot atgattigaa tgtttgtooc 65040 ctgccaaact gattitgaaa cttaatctcc aaagtggcaa taitgagatg gggctitaag 65100 cagtgactgg atcatgagag ctctgacctc atgagtggat taatggatta atgagttgtc 65160 atgggagtgg catcagtggc tttataagag gaagaattaa gacctgagct agcatggtcg 65220 ccccttcacc atttgatate ttacactgee taggggetet geagagagte cecaccaaca 65280 agaaggetet caccagatac ageteetcaa cettgtaett etcageetet gtaactgtaa gaaataaatg cotttecttt atgaattacc cagtetcaga tattetgtta taaacaatag 65400 aaaacgaact aaggcaaact ctcatgattc tactgccatg ccattccaat aaactccctt 65460 tatgcttaag agagccagag ttggccaggc gtggtgactc acgcctgtaa ttccagcact 65520 ttgggaggcc gaggcaggtg gatcacaagg tcaggagatc gagaccatcc tggctaacac 65580 65640 ggtgaaaccc cgtctctact aaaaatacaa aaaaattagc tgggcgtggt agtgggtgcc tgtagtccca gctactcggg aggctgaagc aggaggagaa tggcgtggac ccaggaggcg gagcttgcag tgagtcgaga tcgtgccact gcactccagc ctgggtgaca gaatgagact 65700 65760 ccgtctcaaa aaaaaagaga gccagagttt atttctgttg cttgcaacca agaaatctgg 65820 ctggtgcact gaagtttcca taaataatag caatttaaag actctttcca agccaggcaa 65880 tgcctagcct tgtgtagtcc ttgtggtaat acattcattc attcatttgt tcaaccaact 65940 gtgctccaga gactaagaat acaaaaatgg gggccgggtg tggtggctca cacctataat 66000 cctagcactt tgggaggccg aggcaggtag atcacctgag gtcaggagtt cgagaccaac 66060 ctggccaaaa tggtgaaacc cctactctac taaaaataca aaaaattagc tgggggtggt 66120 ggcggacacc tgtaatccca gctactcgtg agactgaggc aggagaatca cttgaacccg 66180 66240 ggaggcagag gttgcagtga gccgagatcg caccactgca ctccagcctg ggcaacaaga gcgaaactcc acctcgaaaa aaaaaaaaa aaaaaaagag ggccggggct gggcgcagtg 66300 getcaegeet gtaateeeag caetetggga ggecaaggea ggagaattae gaggteagea 66360 gatcgagacc agcctgacca acatggtgaa accccatctc tactaaaaat acaaaaatta 66420 66480 teegggegtg gtggegeaca cetetagtee cagetacttg ggaggetgag gcaggagaat cgcttgaacc cgggaggcag aggttgcagt gagccgaaat catgccactg cactccagcc 66540 66600 tgggtgacag agtgagactc cgtctcaaaa aaaaaataaa aaaaaaaaa gaattcaaaa attgtagagt tatagtgtgc ttctagttta gttgagagga catctgtcct tcaaggaagg 66660 66720 ctagaatcta taccctgagt ccttactgaa atcaatccag cagtcaaaac atgggaccaa cgatcacagc agtaagatag gaagagcacc tttgtacatt tagctcatgt tgagataagc 66780 cactgacaga gctgaaggaa gctcacagtt ctgggttcca tcctttggca tttaaaaaga 66840 aaaqtqctaa gaaaattcgg ttggtcacgg tggctcacgc ctgtaatccc aacactttga 66900 gaggccaagg caggcagatc acgaggtcag gagttcgaaa ccagcctggc caacatggtg 66960 67020 aaaccccgtc tctactaaaa acagaaaaat tagccgggca tggtggcgca tgcctataat cccagctact caggaggctg aggcaggaga attgcttgaa cccgggaggg ggaggttgca 67080 gegagtgaga geaggeeact geacteeage etgggagaea gageaagaet etgteteaaa 67140 67200 67260 ttcaggccag gccaggcctg gtggctcaca cctgtaatcc caacactttg ggaggctgaa 67320 gcgagacggt gccttagccc aggagtttga gaccagcctg agcaacatag cgagaccctg tototataaa aaaaaatttt tittiggoca gacgcagtgg cicacgcctg taatcccagc 67380 actttgggag gccgaggcag gtggatcacg aggtcaggag atggagacca tcctggctaa 67440 cacggtgaaa ccccatctct actaaaaaat acaaaaaatt aaccgggcgt ggtggcgggc 67500 gcctgtagtc ccagctactc gggaggctga ggcaggagaa tggcgtgaac ccgggaggcg 67560 67620 gagettgeag tgageegaga ttgegeeact geacteeaga etgggagaga gtgagaetee gteteaaaaa aaaaaaaaa aaaaaaaaa taattgteag gtgtgetgge atgeagetgt 67680 agtoctaget actegggagg etgaggtaag aagategett gageecagga gtteaagget 67740 67800 gcagtaatag tgcctctcac tctaccctgg gtgacaatga gaccctctct caaaaagaaa 67860 aaaagaaaag gaaggaagga agaagaaaaa aaaagaaaga aagaaaagag agagaagtto 67920 aaagaccaaa gggtcaggat cccaaaatag tttttatgtt ttatttattt atttacttat 67980 ttatttttga gacagtatgg ctctgtcgcc caggctggag tgcagtgatg cgattgcggc 68040 68100 tcactgcage etccaaactg ggctcaggtg gccctcccac ctcagectce cgagtagetg ggaccacagg cgcgtgccac catgcccagc taatttttta attctttgta gagatgaggt 68160 ctotatatgo tgoccaggot ggtotogago tootgggott aagocatoca coogcetggg 68220 68280 cctcccaaag tgctgggatt acagaagtga gccaccgcgc ctaatcgggt ggtttgtttg tttattgacg gggtctcgct gctgcccagg ctggagtgcc agtggctgtt cacaggtgca 68340 gtcctggagc attgcatcag ctcttgggct ctagcgatcc tccagagtag ctgcagctgg 68400 gattccagge gegceacege geggggetca gaatgggttt ttatattgag ggttatgetg ccacctagag gatatatgta gtaccgaact gtgtgegeag ggaggetgag gttgeagtga 68460 68520 68580 gccaagatga tgccagggca ctccagcgtg ggtgacagag caagatttca tctcaaaaaa aaaaaaaaaa aaaaaaaaaa aagaattgaa agtaaggtot tgaagagata tttgtgcctg 68640 tatggtcata gcagtattaa ctitgaccca ciagciaaaa cacaaaagca acaigtgtct gtcagcaggt gaacggataa acaaaatgtg gtatatatgt acaattgaat attattcagc 68760 68820 ctttaaaaag gaataaaagg ctggatgegg gggeteaege etgtaateet aacaetttgg gagactgagg tgggtggatc acccgaggtt aggagtttga gaacagcctg gccaacatgg 68880 tgaaacttca tototactaa aaatactaaa attagccggg catggtggca cttgtctgta 68940

69000 atccaagcta ctggggaggc taaggcagga gaattgcttg aactcaggag ccggaggttg cagtgageta agatggcace actgcactec agectgggca acagagtgag actecatete 69120 aaaacaaaca aacaaaaaat tattatttcc aaagaaacaa gaccctgggt ccatttccca gcccacacct gatgitgact cacaacaca agcitggitt gctatgagc tgcttcattt aattgicacc ttaacticac atcaccitca agtictggaa taactittig ctgaccittg 69180 69240 tgtgctgagc catctccatg tcgctcaacg tgcagtccct ctcactgcac tgagtcaata 69300 gccagacgtg gtctgactgc agggtcatcc ttggtggctt aggctgactc gggcatagca 69360 gggtgctctg agacctcacc gcatataggc tttgccccca ataaactcta tataatattc 69420 atattatgtg gtctgggtgt gtgtagcttt gcactgtctt ctcgtgacag tgccctcaac ctetttecca ggatttecte etetacetee teaagteeca etgetetgea aagaccaaaa 69540 gctgcagagt cccagctccc tcctttacac cccacgacgc agcctcctct ctcagaaccc 69600 tttaaacaga gtettttaet geagateeea agaacageea caeccetete teecaeceae teeagacaca eccaggtaat tatageacee agggtaaeta tgtagatgga gteeetggaa 69660 69720 catgtggata gtgcccctg ggagtatgca aaagcaacat tgctggcacc tgcagagaac 69780 agggtgacat ccaggaatca gagcatgggc ctctgggagg tagggatgtg gccaggcagg 69840 ctgccaaaaa ttggtagagc aaggccacag gatctttctg accttccttc caaacagagg 69900 ctcctgtact ggtgatccct gtgttgattg accactccct tcctgggggt cgtggtctct 69960 gtcccagttg cccggacttc tgtgagtgtc ctactgaggt ccttttcatg agaagcatgc 70020 tgtccttcca cctgctggga gcaagagtga caacttcaat actataatag cagtggcata 70080 cagagaagaa gaaagatgaa gtggcaagaa aaacaggctt ccaagcagga gtttttctat 70140 aaaaacaaaa acgtttacaa gcaaactttt tataaagggc tagatagtaa atattttagg 70200 ctttgagagc cacatagact tgtttgcagg gactcaatgt cgctattgta gtttgaaagc agccatcagg gttatgtaaa tgagtgagtc tgattttgtt tcagcaaaat tttatttacc 70260 70320 aaaacagaca atgagtgggc tggatttggc ccatgatcct tagtttgcca actcctgctt 70380 tgggctcacc cagatctgat tttgaattet ggctctgcta ctggttagct gcaggagctt ggaaggctct ctgagcctgt ttcctcatct gtaaaattaa agcaataatt tctaacactc 70440 70500 aagagtgtta octoacgoot gtaatoccag cactttggag gotgaggcag goggateace tgaggtcaga agttcaagac cagogtggco aacgtggcaa aaccotgtot ctactaaaaa 70560 70620 atacaaaaag tagccgggca tggtggcgcg catctgtaat cccagctact tgggaggctg 70680 aggcagggat actgctagaa cctgggaggt ggagcgtgca gtgagtggag atcacacete cacactecag cctggccgac agagcgagac tccatetcaa aaaaaaaaa aaaaagagtg 70740 70800 70860 ttagaaggtt ttgagataat gaataaaaga tgccttgtgt atactaagta ttcaacaact gatagctgca ttggtctaat tataacagtt tagaagcgat tgagtcaaca aatgctggat 70920 70980 ttgtcaggga ggacttccta tcaggaggta gatcttgggc tgagtcctga agcaaagata ggcattggat agaggagttg agagaacacc ctaggactgt tattattatt attcgacacg 71040 gagtetettg etetgteace caggetggag tgcagtggeg egatetegge teactgcaac 71100 ctctgcctcc caggitcaag cgattctcct gcctcctaag tagetgagac tacaggtgtg 71160 tgccaccaca cccggctaat ttttatattt ttagtagaga cagagtttca ccatgttggc 71220 catgotggte tegaacteet gaetteaggt gatecacceg ceteageete ceaaagtget 71280 ggaataacag atgtgageca cegeacecag cecagaacea tttttcaate ettggetetg 71340 cettttatta getgeaagat etcaggeaat ttatttaace tetceaaaga etcatttet 71400 cattcacaaa atgaggcaaa taataatatc tactatccca ggttgtcatg agaattaaat 71460 71520 gcaacatgac atttaatgaa atgagaagtc ccttggacat taactggcta aagtatgtgc tegacaagga tateatttta ggtggataet tageatetea gaactgatge teacaatgga 71580 71640 atatcattga aacgcattaa aattcatttt aaatgattgt aggtagtgag gcaattgaaa gaagaagaca agaggactga ttataatgct tcaggctcac tagtctcctt ttaggaggga 71700 aaaacaattt caagttaaat tttaggetet agatttttac ceetgetget cattagaate 71760 71820 acceagattg atgaaatcag agcecatetg aggetgtgtt tttcatetce agaatgagag ctgttgtggg gattaagttt ttgaaaaagt acatctaaca ggtgatcgaa aatgatagtg 71880 atattattgc agtgatggtc attattgttg ttattattat actgaaagag gcttcagttt 71940 totgatocat aaagtgaggg aattgcatga gaccattgot aagattoott otagototgt 72000 ttttttgttt ttgttttta gacagagtct ctgtcgccca ggctggagtg caatggcatg 72060 72120 atottggete actgcaacet cogceteceg ggttcaaatg atcetectgt etcageetee gaagtagetg ggactacagg cacacaccac catgeccage taacttttat atttttaata 72180 gaggtggggt treaccatat tggteagget ggteteaaac teetgacete aggtgateca 72240 cccgcctcgg cctcccaaca tgctgggatt acaggcatga gccactgtgc ccaacccctt 72300 ctagetttet tgateactga tictagggtt etetgetgaa atatatitga gacateetgg ataaaagate atgeaagage teccaatatg gtattaataa ttgattetgg aggettaget 72360 actoctgatg gattagacat gactcaactg cototottat gtgtacaaca caacaacaca accaagaaag gttattotgg cattocattt attcagttta tttacagcco ttacttcaag 72480 72540 72600 cagcacgtta aagatatggc cagggccggg tgcagtggct caagtctgta atcccaggac tttgggaggc caaggtgggc ggatcacaag gtcaggagtt tgagaatetg gcaattette 72660 agacttagaa gcaaccagct cgataacaca gtcttgtgtg ggctctccct ctgtccctcc 72720 ctcgettece teatttetea teectgeece tgagactgtg cacetteaca tagecetgee 72780 72840 atgagacett cateteagge tttgetttet ggggtaactg aggetaaaca etgagtggee ctaaaagagg attgggattt ggaagttaga ttattcacca gagaacagac tttgctgatg 72900 atcaggecca ggttgtaatt gttgaaaaaa agagaggatg catagtetta teteatetee 72960

tagtcaaagt	caacaccatg	ataaataaga	gtcaaatcct	gagatgtgaa	ttggggacat	73020
ttgagtggtt	aaccctgaga	agcttgcacc	ttcagacccc	tcaatacccc	tgctccccag	73080
		cagcacaggc				73140
		ctgtttctag				73200
		cctgctacag				73260
		tgggaggaac				73320
		ggtggaatat				73380
		caagatccag				73440
		acttggccta				73500
		aagaggtcag				73560
		ggagagggtt				73620
		aaagcaattt				73680
ccatagagca	gcgacatggg	ctgcttaact	gagtgttctt	atgattattt	cttgattcta	73740
		atttgtgagg				73800
		ttagaccata				73860
ttgtaaactg	tcatggccct	ggagggaatg	tcttttagca	tgttaatgta	ttataatgtg	73920
tataatgagc	agtgaggacg	gccagaggtc	gctttcatca	ccatcttggt	tttggtgggt	73980
		catcctgttt				74040
		cctcctgtga				74100
		ctgattccaa				74160
		aagccattgg				74220
ctgtgacagg	ctgggtggtg	gtaattgtct	gttggccagt	gtggactgtg	ggagatgcta	74280
ctactgtaag	atatgacaag	gtttctcttc	aaacaggctg	atccgcttct	tattctctaa	74340
		ctttcttctc				74400
		gctcacattc				74460
ggcgcggtgg	ctcatgcctg	taatcccagc	actttgggag	gccgaggcgg	gcggatcatg	74520
aggtcaggag	atcgagacca	tcctggctaa	cacggtgaaa	ccccgtctct	actaaaaatg	74580
		ggttgcaggt				74640
ggcaggagaa	tggcgtgaac	ctgggaggtg	gaggttgcaa	tgagccgaga	ttgtgccact	74700
gcactccagc	ctgggtgaca	gagcgagact	ccgtctcaaa	aaaaaaaaa	aaaaaaaaa	74760
		tgcctgtaat				74820 74880
		ggaagttgca				74940
		ctgtctcaaa				75000
aaagagcaca	gacagagtca	caggtatttg	cagtaggaag	ctgtcaggtt	agagtgcacg	75060
gaaatagaaa	gratatetta	cacttacage	acatettegt	ttgattagec	acatttaaaa	75120
		ctatttagta				75120
aagaateett	gateegteeg	gcatggtggc	ceaegeettt	aaccccagca	ccctgggagg	75240
		aaggtcagga acaaaaaaaa				75300
						75360
aggggag	atgggaggct	gaggcaggag actactgcac	tecageetee	acceaggagg	gagagtatet	75420
agccgagacc	acgccacgcc	ttgggcgtgg	tagatagaa	gcaacagage	aggactgtcc	75480
gagggtgagg	addadaactg	acctgggttc	tagaattaga	gaccageetg	agcaccctgg	75540
tassaccas	tetetaetae	aaatacaaaa	attagetege	gaccagcccg	gccaacacagg	75600
		tgaggcagga				75660
		tctgcactcc				75720
		ttgattgtct				75780
		tgattgtaag				75840
		aaggtgagat				75900
		cctgctagat				75960
aaadaggaga	ctaaccttta	tccccagcta	ctagacataa	tctctttaaa	ctcttgaaat	76020
		ttttgttttg				76080
		gctttggatc				76140
tagagagtag	aatcaaccac	atgggcagac	aacccaactt	acatgatgga	attccaataa	76200
agagaccag	cacaagggct	tgggtaagct	trectagtta	gcaatgctct	atactgggaa	76260
accepttete	actccatagg	gagaggacaa	ctggatattc	tcatttqqta	cctccctaaa	76320
		ccttgtctga				76380
		tgcagtggaa				76440
		gtctcggcct				76500
accacaccca	gctaattttt	ttgtattttt	agtagagagg	gggtttcacg	ttagccagga	76560
		catgttccgc				76620
		cagccccctt				76680
		tataacagct				76740
		ccttggggac				76800
gggtgctcat	gtgtgtacca	tgccctctaa	thttgtagth	aattaacttt	cacaacttta	76860
ttattaccgc	ttacactcaa	tgtttattca	catttatcca	cataccactt	attctagtgc	76920
cttqcatcaa	agactttcta	tctcatgtac	tttattctqc	ttgaagtaaa	tcctttagga	76980
_	-	_				

tattctttt	ttttttaaa	ctttgcacat	acatactttt	attttttatt	tatttttaat	77040
	ttgtgggtac					77100
						77160
gatataggta	tgcaatgtga	aacaagcaca	ccatggagaa	tggggtattt	accecceda	77220
	cttcaagtta					
acatttaatt	ttgtattgac	tagagtcact	ctgttgtgct	atcaaatata	atttttttt	77280
tttttgagac	agagtctcac	tcagtggccc	agactgaaag	tgcagtggca	caagctcggc	77340
tcacttcaat	ctctgcctcc	ctggttcaag	cgaatctcct	gcctcagcct	cccacatagc	77400
tgggattaca	ggcacacacc	accatgccca	gctaattttt	atatttttt	agtagagacg	77460
	atgttggcca					77520
traggetore	aaagtgctag	gattacaggc	atgagggagg	acacctggcc	aaaatagaat	77580
attetttaet	gaggtctgct	datascastt	tttttcttt	ttttaagact	gagteteget	77640
						77700
guigudagei	tgggctggag	tycaatayca	cgattettage	teactgeaac	CLCCaccicc	77760
cggattccag	caattctcct	geeteageet	cccaagtage	tgagagatta	caggcaccca	
	cggctaattt					77820
	gaactcctga					77880
gattacaagc	atgagccacc	acgcacagcc	aatttttcc	gtttttgtct	gaaatcttat	77940
tttgtgtcat	ctttgaaata	tatttttqat	ggatataaaa	ttqttqqttq	ataqttatta	78000
	tattattttg					78060
	ggttcactgc					78120
	tagctgggac					78180
						78240
tttgtagaga	tgaggctttg	CCacacccc	caggetggte	LCLAACCCCC	gagetetage	78300
	ccttggcctt					
	aatatttaat					78360
gctgtttact	tggcactctt	ttttttttt	ttttttttga	gacagagtct	tgccctgtcg	78420
cccaggctgg	agtgcagtgg	cgtgatcttg	gctcactgca	agctctgcct	cccgggttca	78480
caccattete	ctgcctcagc	ctccqqaqta	gctgggacta	aaggcgcccg	ccaccacqcc	78540
caactaattt	ttttgtattt	ttcgtagagt	tagaatttca	ccatattaac	caggatggtc	78600
	gacctcgtga					78660
atasaacsaac	gcgcccagcc	tettettet	tttttttaa	acconstatt	actetateat	78720
						78780
	gtacagtggc					78840
	gctgggatta					
	gggtttcacc					78900
	ccagcctccc					78960
actcctttga	aggtaatctg	cttcccctac	ccctagcaat	ttttaacaat	ttttcttcat	79020
ttttatttcc	tgaagttttg	ttattaataa	tetgtgtgca	gatttctttg	tatttcttt	79080
atttacaatt	catagtgatt	cttgaattag	tatattaatt	tctqttatca	ccacaggaaa	79140
	gttagctttt					79200
	ttgattaaaa					79260
aanaaaattt	gagaggctga	aggagataga	tanastanas	tanganatta	2202900000	79320
						79380
	ggtgaaaccc					
acacatttgt	agtcaggagg	ctgaggcagg	agaattgett	gaatccagga	ggtggaggtt	79440
gcagtgagct	gagatcccac	cactgcagtc	tggcctgggc	gacagagtga	gatgagaatc	79500
	aaaaaagtta					79560
agaatactat	tcattgattt	ttaaacaatg	ttagattaaa	ccattcactg	gatttgtgat	79620
aattaactta	ctgattttac	ctcactgatt	tqttqtaatt	aatacaactg	gtataaaaag	79680
	ggccgggcat					79740
	tcacctgagg					79800
catctttact						
	aaaaatacaa	aattagccgg	tegtggtggt	gcatgcctgt	aatcccagct	79860
cttcgggagg	aaaaatacaa ctgtggcagg	aattagccgg agaatcactt	tcgtggtggt gaacccggga	gcatgcctgt ggtggaggtt	aatcccagct gcagtgagcc	79860 79920
cttcgggagg gatatcgcgc	aaaaatacaa ctgtggcagg cattgcactc	aattagccgg agaatcactt cagcctgggc	tcgtggtggt gaacccggga aacaagagcg	gcatgcctgt ggtggaggtt aaactccgtc	aatcccagct gcagtgagcc taaaaaaaaa	79860 79920 79980
cttcgggagg gatatcgcgc aaagaaaaaa	aaaaatacaa ctgtggcagg cattgcactc aacacataaa	aattagccgg agaatcactt cagcctgggc acaaaacaac	tcgtggtggt gaacccggga aacaagagcg actgtgacgg	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa	aatcccagct gcagtgagcc taaaaaaaaa ttaggagcat	79860 79920 79980 80040
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata	aattagccgg agaatcactt cagcctgggc acaaaacaac aaattaatt	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa	aatcccagct gcagtgagcc taaaaaaaaa ttaggagcat aatgacttta	79860 79920 79980 80040 80100
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaat	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg	aatcccagct gcagtgagcc taaaaaaaaa ttaggagcat aatgacttta tattcagcct	79860 79920 79980 80040 80100 80160
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga tgaagttaat aatgtaatat	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct	togtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc	79860 79920 79980 80040 80100 80160 80220
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga tgaagttaat aatgtaatat	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct	togtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc	79860 79920 79980 80040 80100 80160
cttcgggagg gatatcgcgc aaagaaaaa aattaaaagga tgaagttaat aatgtaatat aaatttcaaa	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct acaatactct	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactac cacagctgcg ttactcatat cttccctaag	aatcccagct gcagtgagcc taaaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca	79860 79920 79980 80040 80100 80160 80220
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaata aatgtaatat aaatttcaaa ttttaatggg	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgattca	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt taaaattct acaatactct gaaggtaccc	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttccctaag tactgccaga	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca tatcattcac	79860 79920 79980 80040 80100 80160 80220 80280 80340
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga tgaagttaat aatgtaatat aaatttcaaa tttaatgg ccccatatac	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatt ggatgattca ctgccgaca	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct acaatactct gaaggtaccc gacatcccat	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg tttgggaccc	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttccctaag tactgccaga tactgccaga	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca tatcattcac tgtgggtgga	79860 79920 79980 80040 80160 80220 80280 80340 80400
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaat aatgtaatat aaatttcaaa ttttaatggg ccccatatac gagaaagata	aaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgattca ctgcccgaca ggagaaagtg	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct acaatactct gaaggtaccc gacatcccat gtataagcaa	tcgtggtggt gaacccgggg aacagaggg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg tttgggaccc atggctttgg	gcatgcctgt ggtggaggtt taaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttccctaag tactgccaga taggataaatg agtctgattg	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca tatcattcac tgtgggtgga acagcgattg	79860 79920 79980 80040 80100 80220 80280 80340 80460
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaat aatttcaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc	aaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgattca ctgccgaca ggagaaagtg tctacctct	aattagccgg agaatcactt cagcctgggc acaaaacaac aaattaatt aatgcagggt tttaaattct acaatactct gaaggtaccc gacatcccat gtataagcaa aacagcctca	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg tttgggacca atggctttgg tgatcctaca	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttcoctaag tactgccaga tggataaatg tggataaatg taagtttgattg	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca tatcattcac tgtgggtgga acagcgattg cgatcctcag	79860 79920 79980 80040 80160 80220 80280 80340 80440 80460 80520
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaat aaatttcaaa ttttaatgg ccccatatac gagaaagata aaatcctgt ggcacatct	aaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatta ctgccgaca ggagaaagtg tctacctctt gtaaattggg	aattagccgg agaatcactt cagcctgggc acaaaacaac aaaattaatt aatgcagggt tttaaattct acaatactct gaaggtaccc gacatcccat gtataagcaa aacagcctca ggttgcgatg	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tctttaact tagcagcaag gaagaatatg tttgggaccc atggctttgg atgetctaga	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttccctaag tactgccaga tggataaatg agtctgattg taagtaccc cacagggtct	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat aatgacttta tattcagcct gtggatcatc catataaaca tatcattcac tgtgggtgga acagcgattg cgatcctcag cttttcgggg	79860 79920 79980 80040 80100 80160 80220 80280 80340 80460 80520 80580
cttcgggagg gatatcgcgc aaagaaaaa aattaaagga tgaagttaat aaatttcaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc ggccacatct aagggcagga	aaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgattca ctgcccgaca ggagaaagtg tctacotctt gatatacttt	aattagccgg agaatcactt cagcctgggc acaaacaac aattaatt aatgcagggt tttaaattct gaaggtaccc gacatcccat gtataagcaa aacagcctca ggttgcgatt aagtgagcta	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg tttgggacc atggctttgg tgatcctaca gcagccatca gcagccatca gatacttaca	gcatgcctgt ggtggaggtt aaactccgtc tcccaaaaa tgtaaactaa ctccgtcgttactcatat cttccctaag tactgccaga tggataaatg agtctgattg taagttaccc acagggtcc agcattaat	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat tattcagcct gtggatcatc catataaaca tatcattcac tgtgggtgag acagcgattg cgatcctcag cttttcgggg acaaggagtg	79860 79920 79980 80040 80160 80220 80280 80340 80460 80520 80520 80580 80640
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga tgaagttaata aaatttcaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc ggccacatct aagggcagga cgcataataa	aaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgattca ctgccgaca ggagaaagtg tctacoctctt gtaaattggg attatggg attatggg attatggg	aattagccgg agaatcactt cagcctgggc acaaaacaac aaattaatt aatgcagggt tttaaattct gaaggtaccc gacatcccat gtataagcaa aacagcctca ggttgcgatg aagtgagcta aattagtgagcta	tcgtggtggt gaacceggga aacaagagcg actgtgaacg ttatcttaca ttagtttgc tcttttaact tagcagcaag gaagaatatg tttgggacc atggctttgg tgatcctaca gcagccatct gtaattgta	gcatgcctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat cttccctaag tactgccaga tggataaatg agtctgattg taagttaccc cacagggtct agcacttaat tgactgaggt	aatcccagct gcagtgagcc taaaaaaaa ttaggagcat tattcagcct gtggatcatc catataaaca tatcattcac tggggtgga acagcgattg cgatcctcag cttttcggg acaaggagg gtaggatgaga	79860 79920 79980 80040 80100 80220 80280 80340 80440 80520 80580 80640 80700
cttcgggagg gatatcgcgc aaagaaaaaa aattaaagga tgaagttaat aatgtaatat atttcaaa ttttaatggg ccccatatac gagaaagata aaatcctgtc ggccacatct aagggcagga cgcataataa gtcggggatt	aaaaatacaa ctgtggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt tgattgattca ctgcccgaca ggagaaagtg tctacctctt gtaaattggg attatggatt gtacttcata acggcgactt	aattagccgg agaatcactt cagcctgggc acaaaacaac acaacaac acaacacac tttaaattct gaaggtaccca gacatcccat gtataagcaa acaagctca agttgggtagag aattaggagta aattagtaggatta aatagagc	tcgtggtggt gaacccggga aacaagagcg actgtgacgg ttatcttaca attagtttgc tcttttaact tagcagcaag gaagaatatg tttgggaccc atggctttgg tgatcctaca gcagccatct gtaattgtaa gcgtgggagg	gcatgoctgt ggtggaggtt aaactcegtc ttcccaaaaa tgtaaactaa cacagctgcg ttactcatat tttccctaag tactgccaga tggataaatg agtctgattg taagttaccc cacagggtct agcacttaat tgactgaggt	aatcccagct gcagtgagcc taaaaaaaaa ttaggagcat aatgacttta tattcagcct catataaaac atcattcac tgtggatgga acagcgattg cgatcctcag ctttccggg gtatcctcag gtatgaggg gtatgcagacaaggggg gtatgcagca	79860 79920 79980 80040 80100 80160 80220 80340 804400 80520 80580 80580 80640 80760
cttcgggagg gatatcgcgaag gatatcgcgaaaaaaataaag taaagttaatat aaatttcaaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc ggccacatct aagggcagac cgcctaataa gtcgggaata actggggaat actggaagtc	aaaaatacaa ctptggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgatca ctgccgaca ggagaaagtg tctacctctt gtaaattggat attaggatt gtacttcata acggcgactt gagctgaggc	aattagccgg agaatcactt cagcctgggc acaaaacaac aaattaatt aatgcagggt tttaaattct gaaggtaccc gacatcccat gtataagcaa aacagcctca ggttgcgatg aagtaggcta aattaatgacg cagaattctct aattaatgacg	tcgtggtggt gaacccggga aacagagcg actgtgacgg ttatcttaca tcttttaca ttagcagcaag gaagaatatg ttttgggacc atggttttgg tgatcctaca gcagcattct gtaatctaca gcagtattgta gcattattca ggtgggcagg	gcatgctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa tactacatat ttccctaag tactgccaga tacttgattg taagttaccc cacagggtct agacttaat tgactgaggg gctcaaaggg gctcaaaggg	aatcocagct goagtgagoca taagagagaa taggagcat gtggatcatc gtggatcatc catataaaca tatcattcac tgtggytgga acagcgattg cgatcotcag cttttcggg gtatggagca gtatgagcagcag gtatgagcagcagcagcagcagcagcagcagagaggg gtatgagcagcagcagcagcagcagcaagcagaagagagag	79860 79920 79980 80040 80100 80220 80280 80340 80460 80520 80520 80520 80760 80760 80820
cttcgggagg gatatcgcgaag gatatcgcgaaaaaaataaag taaagttaatat aaatttcaaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc ggccacatct aagggcagac cgcctaataa gtcgggaata actggggaat actggaagtc	aaaaatacaa ctptggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgatca ctgccgaca ggagaaagtg tctacctctt gtaaattggat attaggatt gtacttcata acggcgactt gagctgaggc	aattagccgg agaatcactt cagcctgggc acaaaacaac aaattaatt aatgcagggt tttaaattct gaaggtaccc gacatcccat gtataagcaa aacagcctca ggttgcgatg aagtaggcta aattaatgacg cagaattctct aattaatgacg	tcgtggtggt gaacccggga aacagagcg actgtgacgg ttatcttaca tcttttaca ttagcagcaag gaagaatatg ttttgggacc atggttttgg tgatcctaca gcagcattct gtaatctaca gcagtattgta gcattattca ggtgggcagg	gcatgctgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa tactacatat ttccctaag tactgccaga tacttgattg taagttaccc cacagggtct agacttaat tgactgaggg gctcaaaggg gctcaaaggg	aatcocagct goagtgagoca taagagagaa taggagcat gtggatcatc gtggatcatc catataaaca tatcattcac tgtggytgga acagcgattg cgatcotcag cttttcggg gtatggagca gtatgagcagcag gtatgagcagcagcagcagcagcagcagcagagaggg gtatgagcagcagcagcagcagcagcaagcagaagagagag	79860 79920 79980 80040 80100 80160 80220 80340 804400 80520 80580 80580 80640 80760
cttoggagg gatatogcgc aagaaaaaa aattaaagga tgaagttaat aaatttcaaa ttttaatgg ccccatatac gagaaagata aaatcctgtc ggcacatct aaggcagga cgcataataa gtcgggatt actggaagtc aggctagaaga	aaaaatacaa ctottygcagg cattgcactc aacacataaa actcctgata tcagaaatac tgatgattaaatg tgatgattca tgccogaca ggagaaagtg tctacctctt gtaaattgg attaagttga tctactctt gaggtattgatt	aattagcogg agaatcactt cagcotgggc acaaataatc aatgcagggt tttaaattccat gaaggtaccc gacatcccat gattccat gattccat gattccat gattccat gattcagagt aatacct acatacct cat cataccat catacca	tcgtggtggt gaacccggga aacaagagg aacaagagg ttatcttaga ttatcttaga ttagtttgc gaagaatatg tttgggaccc atgggtttgg tgatccttag gcagcatgt gaatatgtag gcagcatct gtaattgta gcgagcagg cacagactgc gtgctccggc	gcatgcetgt ggtggaggtt aaactccgtc ttcccaaaaa tgtaaactaa cacagetgcg ttactcatat cttccctaag tggataaatg agtctgattg agtctgattg taagttaccc cacagggtct agcacttaat tgactgagg tctaaatgctcagg tccaaaggctcag	aatcocagct gcagtgagcc taaaaaaaaa taggacat taggagcat tattcagcct gtgggatcatc catataaaca tatcatcac tgtgggtgga acagggatga cttttcggg gtatcctcag gcaaggagg gtatgcagc agcaagtagagg gtatgcagc agcaaatcac agaatcagga	79860 79920 79980 80040 80100 80220 80280 80340 80460 80520 80520 80520 80760 80760 80820
cttoggagg gatatogogo aaagaaaata aattaaagga tgagttaat aaatttcaaa ttttaatggg cccatatac gagaaagata aaatcetgtc ggcacatct aagggagga gga tatggggagga tatggggggtt actggggatt actgggaagtc aggcttagag tcccgttgca	aaaaatacaa ctptggcagg cattgcactc aacacataaa actcctgata tcagaaatac tcttgttatt agattaaatg tgatgatca ctgccgaca ggagaaagtg tctacctctt gtaaattggat attaggatt gtacttcata acggcgactt gagctgaggc	aattagccgg agaatcactt cagcctgggc cacaaaacaac aaaattaatt aatgcaggt tttaaattct gaaggtaccc gacatcccat gtataagca aacacgctca aagttagcaa aagtgagcta aagtgagcta aagtagagca cagaatttct ggaacttaga	tegtegtegt gaacceggga aacaagageg actgtgacgg ttatettaca attagtteg tetttaact tagcagcaa gaagaatatg tttgggacce geagecatet gtaattgta gccattatca ggtgggaagg gtcattatca gtgggacagg gtcettecge gtcattatca	gcatgoctgt gagagagat aaactccqtc theccaaaaa tgtaaactaa cacagctgcg ttactcataa cttccctaa agtctgattg taagttacc cacagggtc agcacttaat tgactgaggt gctcaaaggc tcaaaggt tcaaaggt ctagactgagag tcaaactca	aatcocagot cagatgagoc taaaaaaaa taagagotta tatcagoctta tatcagoctta catataaaca tatcattcac tatcattcac tatcattcac tatcattcac cutticaggg acaaggaggg gtatgagot agcaaatcac agaatgagga tgggatctg	79860 79920 80040 80100 80160 80220 80340 80460 805520 80580 80640 80760 80760 80820 80880

aagggaacag gagaagggcg ctgcgctttc ttgctgatgc cctgtacttg ggcccctggt 81060 agacacagec acttgtcccc tcagcctgca gagaaatccc acgtagaccg cgcccgggtc 81120 cttggcttca gccaatctcc ctttggtggg ggtgggatgc acgatccaag gttttattgg 81180 ctacagacag eggggtgtgg teegecaaga acacagattg geteeegagg geatetegga 81240 tecetggtgg ggegeegete ageeteeegg tgeaggeeeg geegaggeea ggaggaageg 81300 gecagacege gtecattegg egecagetea eteeggaegt ceggageete tgecageget 81360 getteegtee agtgegeetg gaegegetgt cettaactgg agaaaggett cacettgaaa 81420 tecaggette atecetagtt agegtgtgae ettgageagt tgaetttatt ttteagtgee 81480 tagttttcca gataccagga ctgactccaa ggactattac tcatctggag ggtttagcac 81540 agraccgtcg catagtaaat ttccatgtca gttttggtta cetttcatgc acttgcaaac 81600 atgccatgct ctgaaacgaa ataggcacat ctttttttt ttttttta aggagtcttc 81660 ctctcgccca ggctggagtg cagtggcgcg atcttggctc actgcaacct ccacctcccg 81720 tgttcgagat tetcetgeet cageeteetg attagetggg actacaggea tgccacgacg 81780 cccagttaat ttttgtattt ttagtagaga cggggtttcg ccatcttggc caggctggtc 81840 taacteetga ceteaggtga tetgaetgee teageetete aaagtgttgg gattacagge 81900 ataagccact gcatctggcc agaaatgaaa taagtaaatc ttttaacctg ctctaacaat 81960 atagtgaaaa gaccatatta ttattagagc aggttaaggg atttgcctat ttcgggttct 82020 agttatagtc ttaaacttgg acattcttgt agaaagtaaa aagtttcctc ttcaaagttc 82080 cocttettgt taaagaatac atcataagtg ttagaagtaa tagtttattt taaagactaa 82140 ctttcttcaa gcctccttgc tttgtgctaa taactctttg ttaagcccta tcctatgtaa 82200 ctgttggaca tgctcacagg cacgttccag ttcacagcct atgccccttc cttatttgga 82260 82320 aatgttattg cttccttaaa cctttcggta agcaacttcc tctccttctt cgttcttcct tgcacttacc tatttagaaa gttttaggct attagcaaat cggctatcag tttaagagtg 82380 tgaggtcccg ctccagccaa tggatgcagg acatagcagt gaggacgacc caaatgcgta 82440 agggataaat atgtttgett tteetttgtt caggtgtget etegacateg tteeatetge 82500 gattgagcac cotttctgca gaaagtaaag attgccttgc tggagatctt ttgtctccgt 82560 getgactttt ettegtggea cegattatet atttetaaca attttggtat ttetaacatt 82620 ctgaacaate ttgggctagt tgtetettet gggcetgttt ceccatecgt cacatgataa actteattgg tttaaaaace ceagegaaca tttattgagt tactattace tteetgeeet 82680 82740 82800 ccccaacccc aaccccaggg agcagttaca acctcagecg ctgagegeac tegeegggtg ttaagaagca ccaaagacag ggaggcttga ttgattttgc tttgggagta gagggtcaga 82860 agattcacag gaaaatggca tttgagcaag gatgattcac tggagctagc ttttaaatac 82920 tggcgagget tttatgttgc agtcccttac aaagttgagc attcgcaggg actgcactcc 82980 83040 gaaataagec egetteeeet ttteattege taatgateca gggagetget ggtteegeat gcggcaggtt gtgccttttc ctaatcaggg ttctgcatcg cctcgaaccc gcaggccgtg 83100 gegggttete etgaggaage agggaetggg gtgeagggtg aagetgeteg tgeeggeeag 83160 83220 cgcctgtgag caaaactcaa acggaggagc aggaggggtc gagctggagc gtggcagggt tgaccctgcc ttttagaagg gcacaatttg aagggtaccc aggggccgga agccggggac 83280 ctaaggeeg cecegiteea getgetggga gggeteeege cecagggagt tagtitigea 83340 gagactgggt ctgcagcgct ccaccggggg ccggcgacag acgccacaaa acagctgcag 83400 83460 gaacggtggc tegetecagg cacccagggc cegggaaaga ggcgcgggta gcacgcgcgg gtcacgtggg cgatgcggg gtgcgccct gcacccggg gagggggatg gggaaaaggg gcggggccgg cgcttgacct cccgtgaagc ctagcgcggg gaaggaccgg aactccgggc 83520 83580 gggcggcttg ttgataatat ggcggctgga gctgcctggg catcccgagg aggcggtggg 83640 gcccactccc ggaagaaggg tcccttttcg cgctagtgca gcggcccctc tggacccgga 83700 agteegggee ggttgetgaa tgaggggage egggeeetee eegegeeagt eeeeegeac 83760 83820 ceteegteee gaccegggee cegecatgte ettetteegg eggaaaggta getgaggggg 83880 cgccggcggg gagtcaggcc gggcctcagg ggcggcggtg gggcaggtgg gcctgcgagg gettteecca aggeggeage aaggeettea gegageeteg aceteggege agatgeecee 83940 tgagtgcett getergetee gggactette tgggagggag aaggtggeet tettgegega ggteagagga gtattgtege getggtteag aagegattge taaageeeat agaagtteet 84000 84060 gcctgtttgg ttaagaacag ttcttaggtg ggggttagtt tttttgtgtt tctttgagga 84120 cogtggatca agatcaagga aatotottta gaacottatt atggaagtot gaagtttoca 84180 aatgitgagg gitttatgic taaaagcaac acgigaaaaa attgittict tcacccagtg 84240 ctgtetteca atttectett tggggggagg ggtagttaet getgttaeta aaataaaatt acttattget aaagtteece aacaggaaga ccactaettt tgatgaettt ggcaagtttg 84300 84360 ctaactactg gaaccctaac ttacaaacga actacttaca tttttgattt ccagttgtat 84420 tacctgccca atgtttacgt agaaacagct taattttgat tctgggtaac gttgttgcac 84480 ttcattaaaa atacatatcc gaagtgagca agtatgggtc tgtggacagc agtgattttt 84540 cetgtcaatt cetgttgett cagataaaat gtaccagaca gaggceggge geggttgete acgeetgtaa teccagcact ttgggagget tggegggtgg atcacetgag ategggagtt 84600 84660 caagaccago etgaccaaca tggagaaaco cogtgtotac taaaaataca aaattagcca 84720 gggtggtggc gcatgcctgt aatgccagct acttgggagg ctgaagcagg agaatcgctt 84780 gaacctggga ggeggaggtt geggtgagec gagatageac cattgeacte cagectggge 84840 aaaaagageg aaacteegte teaaaaaaaa agtaceagae agaaatgggt tttgtttet 84900 ttttttgttt tgagacggag tttcgctctt gttgcccagg ctcgagtgca atggcgcgat 84960 ctcagtctcg gctcactgca acctctgtct cccaggttta atcgattctc ctgcctcagc 85020 ctcccaagta gctgggatta cccatgcccc accatgcccg gctaattttt gtatttttag tagaaacggg gcttcaccat gttaggctgg tcttgaaccc ctgacctcaa gtgggcctcc 85080 caccteggee teccaaagtg ccaggattac aggeatgage caccgeggee agccagaaat 85200 gggttttgga aaaagcacta aacaaaatcg aacttggttt catatgacag ctctgctgct 85260 aactgtaaca ggggcagace agttaaccta cttttctgtc ttctgtcagc tgagaattag 85320 85380 atgattocca aaggoccatt gaactotgaa tgactttaaa tacttettet taagtgggta cacggttttg gtaactgatg ccaggtgatg aatgcatgaa agtgcttaat gaatgaaacc 85440 ggtaaaatag taggaggaag ctttattggt aaggcagggg tatacctaat agctctctaa 85500 tttattggta ttgaagtggt taacttttgt ttttttaagg ggggaaaaca ttctaagaat aatgaggcaa actgcatatt gcacaagaga ctgttgtctc tattcaacaa ataccttttg 85560 85620 agtgtccaga gtctgccagg tgctgtgcta ggccctcacg attgagtagt gaaccagaga atgtccctgc acccatggag cttattgtct actggggtag acagataata aataagcaaa caaatcttct ctcttctccc tttcgctcca tgtaagtgtg tgtgtatagg tgtatactta 85680 85740 85800 caagttgagt aaagtgttat gaaagattaa gaggagaaat gcattttggt tagatgttag aggactcagc aggtgacctt gaaacttaga gctgaaggat cagtaggagg taactagaga 85920 ggccagggaa tegeatgtte aaaggccagg aggcaagaaa gagcatggtg cccttcaaga 85980 gaggaaagaa ggctactgtg actggagcat agatgtaggc aagtgttggg tgattgagag 86040 86100 ctctacgggc catggttagg ttttattcct aatgccgaga tgccaaacat ggtggttcat atotgtaato coagtatttt aggaggooga ggoaggaata tagottgaac coaggagtto 86160 86220 aagaccagcc tgagcaacat gagacctgta caaaacattt aaaaaattgc tgggtatgat ggigcacaco tgiggtocca gciactoagg aggotgaggo agaaggatoa ciigagoota 86280 ggaggtggag gctacaatga gccatatttg agtcactaca ctccagcctg gatgacaaag 86340 tgagaccatg tgtcaaacaa aatacagaaa gaatattaat ttaaaatttt gaaagaggag 86400 tgatctgaac ttatatctta aaaagatcat tctagggcat ggtggctcat gcctgtaatc 86460 86520 aagggetttg ggaggetgag acaggaggat cacetgagge cagttegaga teaacetgta cagcatagag agactccatc tctacaaaaa gaaaaaataa atagctgggt gttgtgagtt 86580 attcaggagg ctgaagcaga aagatcactt gagcccagga gtttgagget gcagtaagct 86640 86700 ggtgcttttt ggaggctgga tgtggtaaga gtagaagctg gagatggtcc tgttagggat 86760 togattcaga ctttaaatac catcaatgca ttgagtccca aatttacatc actacgttgg 86820 atcettgece etgaatceag actggtatat ceaactttag gtteagtttg tatetetace 86880 tgaccaatat agaggtgtcc agtcttttgg cttccctagg ccacattgga agaagaattg 86940 tettgageca cacatagagt acactaaege taacaatage agatgageta aaaaaaaate 87000 gcaaaactta taatgtttta agaaagttta cgaatttgtg ttgggcacat tcagagccat 87060 87120 cetgggeege gggatggaca agettaatee agtagatace tteaacttae aatatetaaa attitatgee agatttagte attttaaace tgeteateag ttttteteaa gaagtagtat 87180 tttggctitt titctttict tttttttgag aiggagtttc getettateg itcaagetgg 87240 agtgcagtgg cggatcttgg ctcactgcaa cctccgcctc ctgggttcaa gtgattctcc 87300 87360 tgcctcagcc tcgcaagtag ctggaattac aggcatgcgc caccatgacc agctaatttt tggagacagg gittcaccat gitggicagg ciggititgi actorigace teaggigate tgccigete ggctcccaa aggciggata tacaggcig agcaccogt ccoggitiqa tittiggatt ittagtiga cagccaaaa cittagiaca tettigaaca tettetit 87420 87480 87540 87600 toctacteta tatotgatec atcagcaaat etgttaggte tacetcacae atategaaat cctaccacgt ctcaccatct gtgacaatta acaccctggt ctaggcagtc atctctgtta 87660 agattgagtg gttaaggatg teetetaagg agatgacatt caaatettag ettaaatgte 87720 aagagggagc tggttttata aagattgagg aggcagcatt attttgccat aggcttccat 87780 ttggtttcca ttccattctt gatacttatg gtatatattc aaaacaaatg cacagaaaca 87840 gacccaggta tattgggaat ttcggatata gagttcctag ttgggaaaag atagactgat 87900 ctgtaaatga tgctagttat ccatcatctg gcaaaaaata atttcctgcc tcctctcata 87960 tateteagat caacagaett tttetgttaa gggccaaate ataaatattt taggetttee 88020 agaccatatg gtttetgtea cacteteett tateettgaa gecatagaca atatgtaaac aaatgggeat ggetgtgeta egataaaact ttaettacaa aaactggtag tgggecagtt 88080 88140 dagacatga ygytetata autteaget ggagatgag cactigggg cagaattig gagacattig ggagattig gacaacatt gtgaaacct gtotetacta aaaatacaaa aaatagetgg gatggtggt gggtgtetat aatteaget actergagg ctaagacaca agaatacatt 88200 88260 88320 gaacccagga ggcagaggtt gcagtgagct gagatagcac cactgcactc cagccagggt 88380 gacggagtet taaagcaaaa caaaacaaaa ggtagtgggt tgtatttggc ccatgggetg 88440 tagtttgcca atccctgatg cagaaacaaa ttccaggtaa ataagagcct ggaatgttaa 88500 aaaaacaaaa cttgaagtca tgtagaagaa caggtagggg gaacaatcct gatctcagga 88560 taggaaggga tattgcttaa aataagacac aggaaaatat aatccatgtt gtgtaaattt 88620 88680 gactacgtta aaacttaaaa ctttcgccaa gcgcggtggc tcacgcctgt aataccagta etttgggagg ccgaggtgag cagatcacca ggtcaggaga ttgagaccat cctggctaac 88740 acggtgaaac cccgtctcta ctaaaaatac aaaacattag ccgggcgtgg tggcgggcgc 88800 88860 ctgtagtece agetaettgg gaggetgagg caggagaatg geetgaacee gggaggegaa gcttgcagtg agctgagate gcgccactge actccagcet gggcgacaga gtgagattec gtctcaaaaa aacaaaacaa aacaaagcaa aaaacctaaa actttcatac aataaagtat 88920 88980 89040 acctaagata cttctagaag agaagattta catccaggac gtgtatggaa tttctgcaag

taataagtaa aagacaaggg acatgaagag gcagttcaca aaagaggaag ccaaaatgac 89100 caataaacat gaaaggatgt ttaacctcaa aggaaacaag gaaatgaatt aaaaacatca 89160 aatgccattt caaaactagt aagttggcaa aattaaaaat accaaggatg agaatatgaa 89220 gcatggctat atgagtgcat ggaatggtac agtcactttc attaaaaatg cacataattt 89280 gttttttatt tatttttttg agacagtota tgtcgcccag gctagaatgc agtggcatga tctcggctca ccacaatctc tgcctcctgg gttcaagcaa ttctcctgcc tcagcctcct 89340 89400 gagtagetgg gattacagge acatgecaca acgeeeggtt aagttttgta tttttagtag 89460 agacagggtt ttgccatgtt ggccaggctg gtctcgaact cctgacctca ggtgagctgc 89520 ttcccaaagt gctgggatta gaggcgtgag ccaatgctcc tggctgaaaa aaatgcacat 89580 aatttgttac ctagcaattc catgtctaga ggcttatcct agagaaattc ttgcttatat 89640 gcataggaag acgtgtacta gaatgttcac tagttgaatg tttaagtgaa aattaggaaa 89700 89760 taaagtaaat gttcattaac aggaaaatga gtaaaggtat atttataaaa caattaagta gctaaaatga ataaactaga gctgcgtgaa tgaactagaa ctggttcaat agtcatgtca 89820 gattattgaa tgaatacagg tcagatatgt atagagtgtc atttgtgtaa ttaattttt 89880 ttttttttt gagatggagt ctcactctgt tgcccaggct ggagtgcagt ggcgtgatct 89940 cageteactg caacetecae etectgggtt aaagtgatte teetgeetea geeteeegag 90000 90060 tagttgggat tacaggcatg caccaccatg cocagctcat tttcctattt ttagtggcca cagggtttca ccatgttggc caggctggtc ttgaactcct gacctcaagt gttccaccca 90120 actiggeete ccaaagtget aggattacag gegtgageea cegtgeteag ccatttgegt 90180 gatttttaaa gatgtgcaga ataatgccat taaaaaaaat acacatacat gtatatatat 90240 90300 acacgtttgg ctgggtgtgg tggctcacac ctgtaatccc agcactttgg gaggctgagg 90360 caggaggatc acttgagccc aggtgtacaa gactagcctg ggcgagatag caagacccca tctcaacaac agaaaggata attaggtatg gtggcatgag aggatcactt gagcccagga gttcgagtgt tatcaggcca ctgcactcta gcctggacaa caaagcaaga ccgtgtctca 90420 90480 aaaaaataaa aataaaaagt atttgtatgt ggtcatagtc aaaaaacgta catggaagga 90540 90600 aaatgtottt atttatttat ttatttttt ttttttaaga cagagtottg ctctgtcacc caggotgggg tacagtggtg taatotcago toaccgcaat ctoggootco cgggttcaag 90660 cgattettet geeteageet tetaagtage tgggaetaca ggtaceegee accacaceet 90720 gctaattctt gtgttttcag tagagacagg gtttcaccat gttggcaagg ctggtctcga 90780 actoctgaco ttaagtgago caccogcott ggcctcccaa agtcctggga ttacaggtgt 90840 90900 gagccactgc gcttggccag gaaatatcta atttagtaag tatttatatc tgggaaagga 90960 agggtcaggt ggtgattcat aggaactcta aagtctatgt ataatactta gggggacaga aggaaataaa gcaaaatgct gatatttgat tgttgagttg tgtatatgtt agaagtataa 91020 cataggagat ctgattgata gtaggagaat gtttttaggt ggtaaaagtg gaaccgtggt 91080 91140 ggtttgtttt ggcagtagaa tcagttggtc atagtttgta tgtggaaggt aataaacaga ccatgttaag gatgacttcc ggaattttgg tctgagtagt gggtggatga cagtgtcatt 91200 catgagggaa gatgaagact gaggtaggaa caggtttggg agaagatgac atgttccctt 91260 ttagacaagt ggaattatgg aagatggcag gtaggtggtt agctatatga atttgagata 91320 aaagatttag gatggagata taaatttagg agtaacagcg tatctatggt attgtaagcc 91380 91440 ttaagaatgg gtaggatcag ccaggaaata cagatgtata tgcagaagag aggagtcaag gaagccaaga caagttaatg tttaaagtga gtgatgtagt ccatgggcag atgctgctga gagggctgca aacaccagtg accctacaac atttttaaat gtcgtcttcc tgacagcagt 91500 91560 91620 gatcagtacc tgcaacgatc ttatttattt ttttcatgtt agtctccaca cacttgaatg tagacttttt gaaggcaaaa tcattgcctt ttctgagctg ggagcatgtc tggcacatac 91680 caagcactca acagttgatg tattgacttc atccagatac tctgagggcg agttatttcc 91740 tgctactage ettteacett teaatgttta agageacaaa tacagagatg ggcacgtttt 91800 ggcatttott attttgataa cottttoctg gtaagatttt ttaatgttga aaaaaaaaaa 91860 caagaaaaga gggttaaaaa tagtcttatg tcagatcctg tgatagaatt cacacttggc 91920 ttaagetget gggeacette etatettgga tgteatatta gettatetae ageagaattt ttaetgtttt atgtagtaag gaageaatta tatgattatt ttacagaeaa attattettt 91980 92040 atcttttatt tttttagacg gagtctctct ttgtctccca ggctggagta cagtgtcgcg atctcggctc actgcaacct ccgcctcctg ggttcaagca attctctgcc tcagcctccc 92100 92160 92220 aagtagetgg gettacaggt gteegecace acacccaget cattgttttg tattttagt agagatgggg tttcaccatg ttggccaggc tggtcttgag ctactgacct caggtgatcc 92280 accegeettg geateceaaa gtgetggaat tacaggegtg agecacegtg eetggeeeag 92340 92400 acaaattatt atactctgag tgttagaggc ttaggatgtt ttcacttgat gctatgggag gaataagtaa taagatatga tacacaacca aagacctttc ttcactatgc ttctagtagc 92460 tagtactatg gatgacacat ggtaataata ttggttagca tttgtcctca atttactgtg 92520 ctagttactc ttctaagccc cttacaggta tatatttttt ttcatcaata atcctctaag 92580 gtagttttta ttattgacct aattttataa atcaagaaaa ttaagaccca gagaagtaag 92640 taacttgtcc aagatcacat ggcttataag tggtagagcc agaatttgac cccagatgtt 92700 qtgactacat tgtctctcca taagcaggtt caactctttt gactggatgc tgttccaagg 92760 teactteett agagaageet ttgetgacaa etaceeteet gtgeeeteet eeaaggetgt 92820 92880 ccattgttct agaactttga atactcatct tagaataaag ctggtctaat ttttacagtg ttatagaatg gatototgac tgcaaaagtt ggtcataatt atottttat gttotagtga 92940 aaggcaaaga acaagagaag acctcagatg tgaagtccat taaaggtaag ttctgccctt 93000 ggcagtccac tgcattaaaa agtgatgtgc tttgcatttg tgagttcttt aatcctgtta 93060

	tttggcatta					93120
	ctttaacctg					93180
tttttttt	tttttttgga	gacggagtct	tgctctgtta	cccaggctgg	agtgcagtgg	93240
cgcgatcttg	gctcactgca	agctctgtct	cccgggttca	caccattctc	ctgcctcagc	93300
ctccccagca	gctgggacta	caggtgcacg	gcgccacgcc	tggctaattt	tttgtatttt	93360 93420
	cagagtttca					93420
	teggeeteee					93540
	tttttttacc					93600
	gcctcagcct					93660
gctaattttt	gtattttag	tagagagagg	atttcaccat	attaaccaaa	ccaqtctcaa	93720
	tcaagtgatc					93780
gagccaccat	gcctggccat	aagtaggett	ttactgagcc	ttgtgtgtat	tggctatcct	93840
agtgattaca	gtgaaccagt	gcccttctta	ttaatcacac	atttaattgt	tccctaaaag	93900
	actttattta					93960
gtctgttaac	tgtaggaaag	cactgacact	tataaggctt	agttttctgt	catttatcca	94020
gaagtatggt	tgattacagt	ttttactttt	ttatttgaat	gaacaacctt	aatttaaaat	94080
atattttgtt	tattttttgt	tgggatcgat	acattgtcct	tgtttataga	ttagagcatg	94140
ctttttaaag	atgctgtatt	acteactgat	tttatttgtc	cagtgtacag	agattgaagt	94200 94260
gggaaaatta	taatggaaat	ctoctccata	gtcattacat	ttgaaatgtt	tttatet	94320
attacttaca	ctgtagattg ctgagtattt	attetatate	ctcaatttcc	tagagaagaa	cactaattat	94380
aacttaggca	agttgtaaaa	ttagggaaaa	aagtaaggta	ccttacagcc	tagtttagtt	94440
atttettate	taaagccagt	tagattccac	attagttcaa	actoccttct	ttgagcaaaa	94500
cttgattggc	agtgataaag	gcttaaagcc	cttctcaaqc	agagacctgt	aaaqactaqa	94560
tctgactgta	gtagaaggaa	ggaacttaga	tgtttcaggc	agtgagaaca	ccagtcttcc	94620
actctaaact	ttgccactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttgttga	atggggggat	tggcctagct	aatttctaaa	tctctactgg	gctaaaaaat	94740
	tactctgatt					94800
	tacagaagca					94860
	cttatacaca					94920 94980
	ttcttctgtt					95040
	tcctgccctc					95100
	aaaattcgga					95160
	agggatattt					95220
	tatatgttca					95280
tttatatatg	ttatatatgt	tattttatat	gcatagtaat	tttaaggtct	gagttttaaa	95340
ccaaaggtta	gagagtgatt	ttttagagtc	tagcaaacct	aagttgaaat	cctgcctgtt	95400
	tttactagct					95460
	ctaaaatgag					95520
aataatatcc	aaaaaaaaa	aaggtacata	gagaaactcg	tatagtgcct	ggtatatagt	95580
	ttggtagcta					95640
	agtgaagcac					95700 95760
ccgaagttta	gggaagactt gaatgagaga	ttatttatat	tetecet	agagagagatt	attatttaaa	95820
	gcaaaggggc					95880
atgaaggtat	agaaggctgt	aaagaccaga	aaagagaatt	gagagagag	aaggaggaag	95940
ccactgtagg	tttttgagca	agatattgat	gctgtaagta	tagtatttat	gaaaggttag	96000
tetggaagag	atttgcagga	tggagacccc	ggaagttttt	ttqttataat	acagaaagac	96060
	ggtgaggtgt					96120
gaaaagtcaa	caaatcttgg	caagtaaaca	gataacagtg	aaaaagaatg	ggaccaagat	96180
tttgagtttt	ggagactggt	ggattgaaca	gacagggaaa	ttgagaggag	aatcagatga	96240
	agttgatatt					96300
ggaatgctta	gtagcgagta	atcagtgata	caagaccaaa	gcccaggtca	aagacaagtc	96360
acagatacag	atcagggctt	tttcatctgc	tccacagagg	tgtaccctag	gagetgttge	96420
aaacagtcca	tgtggagggt	grgagtaaga	tgtttccctt	gaatttgcca	gaattacttt	96480 96540
cctgttgttg	ttgttgtttt atcgcgcagc	teactgagaca	gatteteget	cogettccca	tasttatast	96600
						96660
				accaagecea		20000
	cccaagtagc					96720
tttgtatttt	tagtagagat	ggggtttcac	catgttggcc	agactggtct	cgaactcctg	96720 96780
tttgtatttt gcctcgtgat	tagtagagat ctgcctgcct	ggggtttcac cagcctccaa	catgttggcc aagttctggg	agactggtct attacaggcg	cgaactcctg tgaaccactg	96780
fttgtatttt gcctcgtgat cacccggtcc	tagtagagat ctgcctgcct cttgttaagt	ggggtttcac cagcctccaa ttattttggt	catgttggcc aagttctggg gggaagcaaa	agactggtct attacaggcg ggaggtttca	cgaactcctg tgaaccactg gcttttaaaa	
tttgtatttt gcctcgtgat cacccggtcc agtttgaaaa	tagtagagat ctgcctgcct cttgttaagt ttattgctct	ggggtttcac cagcctccaa ttattttggt ggtaataatt	catgttggcc aagttctggg gggaagcaaa aaagatttga	agactggtct attacaggcg ggaggtttca gagtaaatat	cgaactcctg tgaaccactg gcttttaaaa gctttctagc	96780 96840 96900 96960
tttgtatttt gcctcgtgat cacccggtcc agtttgaaaa agaaagaata ctgacacact	tagtagagat ctgcctgcct cttgttaagt	ggggtttcac cagcctccaa ttattttggt ggtaataatt agatagcctc aaatgggtat	catgttggcc aagttctggg gggaagcaaa aaagatttga aagaagggga taaaagaatg	agactggtct attacaggcg ggaggtttca gagtaaatat gccaaagaag agagcaatga	cgaactcctg tgaaccactg gcttttaaaa gctttctagc caggctatat gcagatagaa	96780 96840 96900

tggtaaaaat aagttactag ttctaagaga gatgttaaga gggaccgggg aaagccttgt acaaatgagt tagtagcatt ttacattata tacatctaat taagaaacaa tgcgagagtc 97140 97200 tcaccattcc tatagactct tacttgtact tgtctgaaca cgaaaactgg cttttgttta 97260 taaataaget aaaaattatt ttgeteeaat tteteatgaa aataaaaata aacettettt 97320 taacattgaa aaaatagttt gaagacagtc actcttcatt tigtaattcc cacaactatt attgaatgac tgaaattatc titattctga agccaaaggg gtgatactga tatttcttca 97380 97440 97500 gactactaaa aatatatttt atgaattttt agtgtgcttt atctttttt gtttttttt 97560 ttgagatgga gtttcactcc cgttgctcag gctggagggc agtggtgcaa tctcagctca ctgcaacctt cgcctcccag attcaagcaa ttctcctgcc tcggtctccc aagtagctgg 97620 gattacaggc acctgccccc acacccagct aattttttgt atttttagta gagacagggt 97680 ttcaccatgt tggtcaggct ggtcttgaac tcctgacctc aggtgatcca cccaccttgg 97740 octoccaaag tactgogatt goaggoatga gocaccatgo ciggoctgag gaatattitt claggittoco cocacccaa goattiatto tgoaattitta gittigitoc taaagcaaga aaggittaag gattiaaaaa taatoogtat iittagaatgo iittoiggott igitaattit 97800 97860 97920 tatccacagt agaagttoto agagaatgat otocototit taatttaact tittggcaca 97980 qtattttgag aattataaat aatattagaa tgttttctgg ctgggtgtgg tggctcatgc 98040 98100 ctgtaatcct ggctacttgg gaggctgagg caggagaatc acttgaacat gggaggcaga ggttgcagtg agccgaggtc atgccactgc actccagcct gggtgacaga gcaagactct 98160 gtotgggaaa aaaaaaaaaa aaaaaaagag tgttttottt cotattttoo accaottgat 98220 taagttactt ttcctcttaa gtattttttg ctgagtatgc tgacttaaga gtaatgttac 98280 aaaatttaat ttttaaagtt ctctgaaagc ccctttatga gagttttagg ctatcaaatt 98340 gtgtttaatt cttaacaatt ttttgaaaaa ttatagette aatateegta catteeccae 98400 aaaaaagcac taaaaatcat gcettgctgg aggctgcagg accaagtcat gttgcaatca atgccatttc tgccaacatg gactcctttt caagtagcag gacagccaca ettaagaagc 98460 98520 agccaagcca catggaggcc getcattttg gtgacctggg taagtaacta tcatttttta 98580 ttaacttgta ttagaaggat ttgagtacaa tatgtgaaac ttctgtcata ggatacagaa 98640 ctatataatt ggaaagtgct ttggaaaaaa tgtatttaaa ataacagcta caagtataat 98700 gggtagctgt gttgtgttcc tgtaaatata gaatataaag catgcccagt agaaaaacaa 98760 98820 gcatttccag aagaaatata totgatcact aaatataaat atatgaaaaa gatgtotcac tttattactg agggaagtgc aaattaaaat aatcagttaa tgttctccta acacattagc 98880 atatttttta aagtttgaca atttgaatgt cagtgaagat gcagggaaat acccctccta tttagtgata atataatctg gtgaagactc tttggaaagc aatttggaaa tcagtataaa 98940 99000 atatgcatgt catttaggcc actetttcta agacctagcc ctcagatatg ctcattcata 99060 99120 tatgtatgta tgtatgttga aggctattca ttatagtatt gtttgtgata gcaaaaaatt 99180 atggacaaca tataaatatc tgttataggg aaataaccaa attgtggtat acgcatgctc 99240 tggagtataa tatagccatt tgtttctatt tatttatttt cttgagacag ggttttactc 99300 tgttgcccag gctggagtgc agtggtatga tcatggttca ctgcagcctt cacctcctgg 99360 gcacaagcca ttetetegee teageeteca gagttactag gaetgeagge atgtgteace 99420 acacccagat aattttttaa ttttttgtag agacagggtc tcactatgtt gcctaagctg 99480 gtotcaaact cotggootca agcaattoto coacacaggo otoccaaagt gotgggatta 99540 99600 ccaacgtgaa ccaccacacc tggttcagtg tagccattta gaaatctaaa aaagacgtgg 99660 gaaaatgtct aaggcatgtt taaatgtgag aaaagcaagt cacagtatgc atggtaaaat 99720 cogttatatt aaaataagtt cttccaaaac aaaaacatat gcaggagacc tttattttgt cagtatttct tacccaaatt tctgcactta gaaaattgca tgtcatgttg tcataagttg aaaaaaagat ccatgaacca atggacttct aataaaatca gtcctgcttt tgacatctct 99780 99840 ctctactttt gtgtatattc aaaccagagt gtcaatgtgt ttgtggggca cacttagcaa 99900 taatacatag cagacaaaat gcatatagct cagagagtaa aattgtaagt tttgctagat 99960 cactcataaa ttgctgatga gaatttaaaa tggtgcagat gctctggaaa acaggcagtt tctttctttc ttttttttt tctttttgag acagggtctc actctgttgc gcaggctgga 100020 100080 gtacagtggc gtgattacaa ctcactgcag cctcacctc ctcaggttca ggtgatctc cctcagtctc ctgagtagct gggactatag gcatgcacca ccacgcctgg ctaatttttg 100140 100200 100260 tattttttt tttttttt gtagagacgg ggtttegeca tgttteecag getggtetea aacteetgga ateaagegat ceaettgegt aggeeteeca aagtgetggg attaegggeg 100320 tgagctactg tgcctggcct aggcagttig titgtttgtt tgtttgtttg tttatttatt 100380 tgtagacgga gtctcacagg ctggagtgca gtggcccaat ttttggctca ctgcaacctc 100440 cgcctcccag gttcaagcta ttctcctgcc tcagcctcct gagtagctgg gatgacaggt gcctgccata atgcctggct gatttttgta tatttagtag atatggggtt tcaccatgtt 100500 100560 ggtcaggctg gttttgaact cctgacctca ggtgatcagc ccgcctcggc ctcccaaagt gctgggatta caggcatgag ccgtcatccc tggctggtgg tttcttatga cgtgaaacat 100680 gcaattacca tatgacctag cagttgcact ctgtatttat cccagataaa tgaaaactta 100740 cettecaata aaaacetgtg cacaaatgtt catageaget taatattgaa aaactggatg 100800 ttottcagca ggtgaatgaa ctggttcatt cataccatgg aataccattc agcaataaaa 1.00860 aggaacaaac tgttgataca tttaaccacc tggatgaata tcaagggaat tatgctgtca 1.00920 gacaaaaacc agtccctaaa gactacatat agtatgattc cgtttggata atattcttga 100980 aatagagaaa ttaagagaaa tgaaaagatt agtgtttgcc agatgttaga gacagggagg 101040 tgagaggggt aagtgggtgt agttataaaa gtgcaacatg agggatcttt gtgatgttga 101100

agttgtatct	tggcagtgga	tgcagaaatc	tcaatgtgat	aaaattacaa	agaactaaaa	101160
		aactggggaa				101220
tcagtatctt	agagtgatat	tgtactatag	ctttgcaaga	tgttaccatg	ggagaaacta	101280
aagtgtacaa	gggatctcta	ggtattatta	tttttttaga	gatggggttt	cactatgttc	101340
cccaggccgg	tcttgaactc	ctgggctcta	gtgatccgcc	tgccccagcc	tcctaaagta	101400
ctggaattac	aggcgtgagc	gaccatgcct	ggccctttca	gtattgtatc	ttagaacttc	101460
atgtgaatct	agcattatct	catagaattt	aattaaaaga	aattgtaaac	ctcacagaag	101520
atcagaattt	cctcaagttt	gtgatgttga	caaagatgaa	ctagttgaca	ctgacagtaa	101580
gactgaggat	gaagacacga	cgtgcttcaa	aaaaatgatt	tgaatatcaa	tggattaaga	101640
		atgaaaccct				101700
tgatcatgct	atgaaagcca	atttttaaaa	aaatttttg	tctttcctaa	caattagctt	101760
		gttaaatata				101820
		caaagctact				101880
		tatatccaca				101940
		atgcagtttg				102000
		gtttacatcc				102060
		gcttaataat				102120
		gcttttctgg				102180
		ggaactagta				102240
		gctcacgcct				102300
		gagtttgaga				102360
		tagctcagcg				102420
		atcgcttgaa				102480
		ccagcctagg				102540
		ttacatggtc				102600
		ttaataattt				102660
		ttgtagtttt				102720
		ccagttgttg				102780
		gctaattctt				102840
ggactaccag	actcaagaga	ccaaatcaag	cctttctaag	accettgaac	aagtcttgca	102900
cgacactatt	gteeteeett	acttcattca	attcatggaa	cttcggcgaa	tggagcattt	102960
ggtgaaattt	tggttagagg	ctgaaagttt	tcattcaaca	acttggtcgc	gaataagagc	103020
		agcagagctc				103080
		ttttaactga				103140
		ctcattcaga				103200 103260
		tttcccagga				103260
		accaagtttc				103320
		gtcccgcttc				1033440
		tcttgtgtgt				103440
		gaggaataaa				103560
		tttggagagt tctaagaagt				103620
						103620
thostosto	ggtgttaatt	cactgatttt ttattaatat	gacarcaaac	tattatteat	atageettat	103740
		ataagtgaca				103740
		aagacctttg				103860
		ctgtcgccca				103920
		gccattctcc				103980
		ggctaatttt				104040
		cgatctcctg				104100
		tgagccaccg				104160
		ggttaggtaa				104220
		gcacctgttt				104280
atactettaa	ttatcaccta	ggattttgat	tagacagcct	tcatattctt	tttcatctta	104340
		gggctaagtg				104400
		ctaatctgct				104460
		teetteeete				104520
		ctaattttta				104580
		tcctgacctc				104640
		atcaccacac				104700
		gcacacactt				104760
		ggagttttga				104820
		ttattgaatt				104880
		attcccactt				104940
		taattctgct				105000
		tcagactgtt				105060
		tttgtctgtg				105120
5.5	55.50	-33-9	33	3 3		

gttacttcag gtgttttgca ttttcttttg ccatgcacct ggggcctggg tcactaccct 105180 totggtacca ottaaaactg aatttttgto ttgggtgcto gtactgatco tgtatgagta 105240 caggittata cttactgtag aaatatggtg titgattatg gggtattgtc ccagatggtg ctggagtatt aatatgctct ctgttaaact taatgtgttg tccctgtaaa actccaaaat totgaattoc agaatactac tggccccaaa tgtttaagat aagggcactg cotgtatttg 105420 tttctgcctc ccactatttt ccttagttta acacaaactc acctttttaa aaaacatttt gagagaattc agtattggga agagtitcta acctgtttct ggaaatggaa gtccaaagtc 105540 tgtttctgta attgttttt ttttgagatg gagtctcact ctgtcaccca ggctggagtg caatgacgta eteteagete actgeaacet ceaceteeeg ggtteaageg attetettge ctcagccccc tgagtagctg ggattacagg tgcccaccac catgcctggc tgatttttgt 105720 atttttagaa gagatggggt ttcgccatgt tggccaggct ggtcttgaac tcctgacttt gtgatetgcc cacctcagcc tcccaaagtg ctaggattat gtttctgtaa ttgtaataca 105840 tttattgttt ttagaaactg tctttgcttt agtggtaatt ttcaataaaa atagaaatag 105900 cagtggagtt attaaaagag cattagttac atttttccct ttttcattat cttcaaatat tatatatagt aagtttgacc tttttaaaat gtatacttgt atcagtttta acacatacat 105960 106020 agattcctgt aactgtcacc actataaggg taaagaacag ttagttcctt cacctttgaa 106080 gtcaagcccc acctctatcc caacacttgg caaccgctga tctttctccg tctcaatagc 106140 tttgcctttt ctctttttt ttcttatttt tttttttgag acagcgtctt gctctgtcgc 106200 ccgagctgga gtgcagtgag gcaatctcgg ctcactgcaa cctccgcctc ctgggttcaa 106260 geagttetee tgeettagee tecetagtag etgggattat aggeaegeae caccacacee 106320 ggctgatttt tttgtatttt tagtagaaat ggggttteac catgttggcc aggctggtct caaactcttg acctcaagtg atccacctgc ctcggcctcc caaagtgctg ggattacagg 106380 106440 cgtgagccac tgtgcccaat caggactttt tttttttaaa tttacattca acttgtcatt 106500 tttttcttgt atggattgtg ccttcagagt cacacctaag agccctttgc ctaagcaaag 106560 greatgaaga titteteata tgttteettt taaaagtatt gtggttggee aggtgeeatg 106680 gettatgeet gtaateteag eactttgaga agetgaggtg ggeagattae gaggteagga gatcgagacc atcctggcta atgcggtgaa accccatctc tactaaaaat acaaaaaaa 106740 aaaaaaatta gccgggcgtg gtggcgggca cctgtagtcc cagctacttg agaggttgag 106800 gcaggagaat agtgtgaacc cgggaggtgg agcttgcagt gagccgagat cgcgccactg 106860 cactocagos tgggcaacas agtgagacts catetcaaaa aaaaaaaaa agtattatgg 106920 ttttacactt tacgtttaga tatatatctt ttttgagtta atgtcgtata agtatgaggg 106980 ttacgtcaga ttttttgttt tttgtttatt tttacatatg gatgtctagt tgttctaata ccatttgttg aaaagacaac ctttactcca ttgaattgcc tttgtacttt tgccatattt 107040 107100 gtctaggcct gtttttggac tcctttttct gtttcatgat gtgtgtgtct attcctttgt 107160 taataccaca tggtcttaat tactgtatag taagtcttaa aattgggtaa tgctggcctt 107220 ataaaacgaa tigggaagtt tttatttttä ctcttatttc cattitctag aagagattgt 107280 gtagaattgg tgtcatttct tctttagata tttggttgaa ttgggaagtg atgccatctg 107340 ggcctagggt titgtttttt gtgtgtgaga cagagtctca cttctgtcac ccaggttgga 107400 gtgcagtggt gagatettgg ettactgcaa ectetgeete ecaggttcaa gttateetee 107460 tgcctcagcc tcccaaatag ctgggaftac aagcgtgtgc caccatgccc gactaatttt 107520 tgtattttta atgcagacag ggtttcacca tgttagccaa gctggtctcg aacttgtgac 107580 ctcaagtgat tagcccacct tggcctccca aagtgttagg attatagatg tgagccaccg 107640 tgcctggcag gggcctaggg ttttcttttt cagagtattt taaactatga attcagatta 107700 titaatagat ataggactat ttaagttatc tgittettet tgagtgaatt tttactgtag 107760 tttatggcct ttgagtaatt aattgtattg aattgtcaaa tttatgagcg tgtaattatt 107820 tatagcattt egggtttgta gtggtatece tettttatte etggtgttgg caattgtgte 107880 ttgtttttct ttgtcagatt gtatagggat ttattagtct tttcaaagaa ctagcttttg 107940 ttttgatttt tetgttgttt tgttttcaat tttattgatt ttctgctctt tattattct 108000 tttctattat ttctgcttgc tttgggttta ttttactctt ttttttttct ccaagttgct 108060 taaagtagaa acttagattt ctggtttgag acctttcttt tctaagataa gcatttaata 108120 ctgtaaattt ccttctaacc actgctttag ttacaccccc acaaattctg gtattttgaa 108180 ctgagcacaa atgaaatgtt ctaatttccc ttgaatctta ttcttttacc aatgaattat 108240 ttagaaatat gttatttagt ttgcaagcaa ttggagactt ttttcctgtt atttttctac 108300 catttatttc tcatttcatt atattatggt cagagaatat attttgaatg atttcattta ttaattttta aaaataacat taaaaaaattt tttaaaatgt gaatatacca catacagtat 108420 aaagattgta cattctgttt ttggacagtt ttctataaat gtcaagttga tttagttggt 108480 taatgatggt gttcagtttt tctttattct tgctgatact ttgtatgcag ttatatcact ttattactca gaagagtgtt gaactttcca actacaattt ttttttccaa ttttactttc agetetatet ggttttgett catgtatttt gaggetetgt tgttaggtgt gtacacatte aggatgatat cttctgggtg aattgcctgt tttatcatta tgtaattccc tctttatggt 108720 aattitoott gitotaagat cagaaatato tgitgiocaa titatataga cactgoagot ticatitgat tagigotigo atggoatato tititocati tititactit tgatotacot 108780 108840 ttataattct atttaaaggg ggcttcttgt aggcagcata tagttgggta gtgttattta 108900 tttatttatt tatttattta tttatttatt tattgagaca gagttttgct ettgttgccc aagetggagt geagtggtge aateetgget taccacaace tecaceteet gggttgcagt 109020 gatteteetg ceteageete ceaagtaget gggattacag geaegegeae eatgeetgge tgattittg tattittagt agaaaeggat titteaceatg ttageeagge tegtettgaa 109140

ctcctgacct	caddtdatcc	acctacttta	geeteecaaa	gtgctgggat	tacaggcgtg	109200
agggagtgga	cccaactasa	tcatqttatt	tttaatcttt	tctcacaata	cagggttttt	109260
attaataaat	ttaattattt	taatataaat	tttagtataa	ttatttacat	LaaaLyLaac	109320
tattacecta	agatattat	aatototaaa	tataattatt	ggtattaata	taattatatt	109380
		atttaaattt	agattaccag	tttagtatat.	atttttctat	109440
ttctccctct	ttgatttccc	cttttttqct	tttttttt	ttttaattct	tattttttt	109500
tagtatttgt	tgatcattct	taggtatttc	ttqqaqaqqq	qqatttggca	gggccacagg	109560
acaataqttq	agggaaggt.c	agcagataaa	catqtqaaca	aggtctctgg	ttttcctaga	109620
cacaccaccc	tacaaccttc	tacaatattt	atatccctag	gtacttgaga	ttagggagtg	109680
atastasata	ttaacqaqca	tactaccttc	aagcatctgt	ttaacaaaqc	acatettgea	109740
annagatte.	+aaa+++aac	catasataat	aataggagat	gtttcagaga	acaaqqqqqıı	109800
agaggt aagg	ttatagatta	acadcatccc	aaqqcaqaaq	aatttttctt	agtacagaac	109860
						109920
tttcttttcc	ccacatttcc	cccttttcta	ttcqacaaaa	ctgccatcgt	catcatggcc	109980
catteteast	gagetgttgg	gtacacctcc	cagacggggt	qqcaqctggg	cagaggggct	110040
cctcacttcc	cadatogggc	agccgggcag	aggcgcccc	cacctcccag	acggggcagt	110100
aaccaaacaa	aggcgccccc	cacctccctc	ccqqatqqqq	cggctggccg	ggcgggggct	110160
gagggggggg	ctccctccca	aacaaaacaa	ctaaccaaac	qqqqqctqac	ccccacctc	110220
cctcccacat	aggacaacta	accaaacaaa	aactaccccc	cacctccctc	ccggacgggg	110280
						110340
teeteactte	transcoord	caaccaaaca	gagacgetee	tcacctccca	gatggggtgg	110400
caat caaaca	gagagagtcc	tcagttccca	gacgggglcg	cyyccyyyca	gaggegeeee	110460 110520
tcccatccca	gacggggcgg	cggggcagag	gtggtcccca	catctcagac	gatgggctgc	110520
cadacadada	cactcctcac	ttcctagacg	agatagcagc	cqqqaaqagg	Egelecteac	110580
ttcccagacg	aaacaaccaa	tcagagggg	tcctcacatc	ccagacgatg	ggcggcragg	110700
cagagacgct	cctcacttcc	cadacadadr	qqcqqccqqq	cagaggccgc	aaccccggca	110760
ctttgggagg	ccaaggcagg	cggctgggaa	gtggaggttg	tagggagctg	agateaegee	110780
actgcactcc	agcctgggca	acattgagca	ttgagtgagc	gagactccgt	etgeaaceec	110820
						110940
						111000
gtgcgcctgc	aatcccaggc	actctgcagg	ctgaggcagg	agaatcaggc	agggaggttg	111060
cantragreer	agatagagaga	agtacagtcc	agectequel	LLCacaactt	tggtggcatc	111120
agagggagac	cggggagagg	gagaggaga	cgagggagag	ettettet	tttttaaat	111180
ggattatttg	aatttttcct	taaatttatt	tatettaett	actuactuac	tacacccage	111240
gattctcctg	ccacagetee	caagtagetg	ggactgcagg	attgagagag	ctaatettaa	111300
taatttttt	gtatttttag tcaagtgatc	tagagacagg	getteeceat	actogcougg	ttacaggcgt	111360
actcttgacc	gccctgcctt	tatetageete	ttatatatta	agtgctgggu	tgtatcttt	111420
gagccaccat	ttttagtggc	tttttagaat	ettecatates	agetectigat	cacagtgtac	111480
tatgtaggct	tattttgtaa	etterratea	actacaacac	acttaaccac	cataaaaata	111540
tcacatttaa	tgaggttaaa	cttcaagtgg	aatytagaaa	testessast	ttaataacac	111600
gaactaggga	tyaggitaaa	++++++++	gagagagagt	ctctctttct	gttaccaggc	111660
egttttttt	tggcgtgatc	ttagataaat	gagacagage	cetectagat	tcaagtgttt	111720
tggagtgcag	aggegegate	ataactaaa	ttacaggtgg	gcgccaccat	gcccagctaa	111780
etectgeete	tttagtaga	accepttcac	tatattaaca	aggatggtct	cgatttcttg	111840
						111900
acceptget	acticttees	tatttttt	acattgcact	ttttctcttt	teettetagg	111960
						112020
cttctttaaa	++++++++c	ctattattca	gcttcgaaaa	, tttctattca	tergrettea	112080
aattcactco	ttctttccca	tratttccat	tctqttattq	aqtetttqta	, grgaartita	112140
22t+++a++	attatatt	ttagttctaa	aattttctt	ttttqtqtat	gtcttatact	112200
ttactcctaa	aactcttatt	tatttcagga	. gtgatcttat	: ttcttagagc	atggttttag	112260
+ aggt agt t	aaatttatt	tatcatccca	gcatatgtgt	cctcttqatt	. quellities	112320
ttataaaata	atgggatttt	ctaattettt	atatqacaat	: taattttgga	ttgtatcttg	112380
gagagtttga	cttacqttac	atgattctga	ı atcttqttta	a aatcctgtgg	aaaatatiga	112440
ageteteage	++aacaacca	gttgacctac	r ttaggttcag	, tccacaaatt	: ctaagcagca	112500
+ + at at caac	+ctaattcca	tcatcagttc	: agttttgtat	: cttatctqct	: tatgtgcctt	112560
tetatateca	atctaggacc	tagccaatag	r tcaqqtccca	a aaqcctttgt	acacttttag	112620
a a d c a d d d d c c	atgcacaccc	ageteacgae	r taaccccaa	agtgcacata	caactcgacg	112680
ttttcatgg	ctccttctt	tetataatat	: ccctqacacc	ttctgccttc	: taagaacctc	112740
cotttatocc	 tttcctattc 	r totagotaga	a agtcaggg	tttagattc	CLALACILLA	112800
acacacttcc	tataactate	traacctctc	r taaccacaa	ttettettet	: tgggactgca	112860
atttatatat	tragaaagta	ggattcttg0	adctdctdt	attqctqctq	tggctgctct	112920
astactacct	· gagaagtcgaa	ggagagaaa	r daacaaaaca	i adalaalile	ggggatttc	112980
						113040
ctatattaa	acttcttctt	totocatcto	atatacaati	tcaqctttt	g agreeaggee	113100
aggaggtgct	ggacaaactt	gtcaggagt	a cggaggtac	gcaagttct	g attacttttc	113160
	-	_				

trantroacc	tocttccaag	tecttqqatq	catttgtcca	ttgttttgag	ttgcattcca	113220
taggagagag	agaagagtgt	gettatttca	tcttgacata	Cttattayya	LLLCacacca	113280
cgggagagae	tantattata	tatattaatt	tgctgttttc	cctttagcaa	gcacattagg	113340
aaccaacgga	Lyacacccc		gtttctgtca	taattattaa	tacttgactt	113400
aaaataacac	tttaacaccc	geetttggtg	gettetgeta	-aacttataa	castasactt	113460
tttttttt	tttgagacgg	agteteaete	tgtcctttga	ggcaccgccc	antttaatat	113520
ttggtaaagc	atcaataatt	ttatctttca	tccacacaag	CEECACCALA	aaccegacge	113580
ttattcttcc	attttagcag	aattcatgtt	gctccaatag	gggctgtctt	caaactgatg	
++++ataatt	att satacet	cagagtagat	cctgttcaga	tacqttataa	caggttaata	113640
tasatttatt	ttaatataaa	agtactttga	aattcatgca	tagttttttc	atcatatgca	113700
++++aca+ac	ctttgaacac	ccccatgtaa	ctctcctt	ccacaaacca	aacaatgaaa	113760
	at eat ago og	+++atttac	aataggaact	cacagtgatc	taagccctgc	113820
aagcaccttt	grgarggaag	tectaccege	caagttgctt	tttaattttt	gaagttctct	113880
tattcatgaa	tataattcat	tactggagtt	Caagetgeet	tteggeett	tatateteea	113940
tetteeettg	caggtataga	acaagatgca	gtgaatactt	-taccadaca	agetaageag	114000
gatgctgcta	aaccaatacc	aattacagaa	gcaatgagaa	atgacatcat	aggcaagcag	114060
tgcttgaaac	tatggcaaaa	aaaaaatgac	aaaaaatgca	cagaactgac	aatttttcgtt	
attractacr	ataattttt	cttaacatgg	aatttagcag	ttcccttcct	aatttgttt	114120
atasatett	tttatatccc	attatagete	actttaaaaq	tttctcggcl	geatteggtg	114180
agagggtgtt	tacctagacc	agat gggct.g	cagtgtagcg	ggtgctcagg	cetgeecget	114240
cgagggcccc	cacaccaaca	agaagggaag	ctaaccggca	cagaccaccg	gatggactgg	114300
getgageage	egggeeggeg	ggcggccacg	gcgggacaga	aacttctccc	gttggaagtc	114360
ccggcagccc	cgcaccagtg	cacgaagtgg	gcgggacaga	aacccccggg	ccaagagtet	114420
cagtgaggct	aaaagccggt	accaaagtct	ctaggcatca	gggetgeage	ccaagageee	114480
cacgaccagt	gggcaactgg	atggccagac	aggtgtctca	gragrageer	eccegcecca	114540
gagacttcatc	ccacttctca	aragacetaa	catccctqqq	Caccetygat	gcccacccgc	
attadccada	gccatcacat	agcetataac	ttqcclltll	Ligitaging	accycyccac	114600
agagagtata	atttctctctct	catttggcac	agctggaggt	qcaaqqaqqa	gggcagcctc	114660
acacagogoc	ggagtttgg	gtaactttat	tcttctgaat	aaagacaatt	tgctaacctt	114720
atguecague	ccageceac	agettetet	atatgttgga	cccaaattct	taggetttaa	114780
aaaaaaaaaa	aaaaaaaaa	agettettet	atagtacaca	tttattaaac	actcactgtg	114840
cctgaataac	aatgacagca	agatcaataa	acagcacaca	thetecoatto	tasagaagtt	114900
tcccagacaa	tattccaagc	actttttatg	gatagactca	LLLLaacttc	caaagaaccc	114960
tgtgggataa	atacagttat	tttatagatg	aagaaactga	agcacagaga	agttaagtgc	115020
acattaacta	ctatactata	gcagtgtttt	tcatactgta	qqttqqqacc	ageettetet	115080
						115140
atatatatat	atatatatat	aatatatata	tatataaaat	atatatatat	aladadalala	115200
t-t-t-t-actac	tototacata	tatactatat	attatatatt	agtatatata	ctaatatata	115260
tgtattagta	tacacycaca	atatatatat	atactagaat	aaaaaaatca	aagtatctca	115320
atatacatat	Lagrargratu	t	attttaatta	tatatacato	tatgtatgtg	115380
gagtagtaag	gacaaacatt	Cagaaaaac	gettecacca	anatagtttg	aaagctttta	115440
tatgctgatt	caacaaatat	atttcttata	ggttatagca	aaacagcccg	aaagctttta	115500
ctatatttta	traggaagag	cttaggtgaa	cotatattca	Cayataaaay	aggicacica	115560
++co++coo+	aaatattaca	ttctcataaq	tcctaatatt	atqtatttt	attetteaaa	
asanttanta	tttataattt	atgaaataag	acatqttctt	gcacttttag	cagatetgte	115620
accentattaa	acttctttaa	tccttagtgt	aaatacttta	cactcactca	ctgctgggga	115680
andenna e c	cctattaatc	tcagctgtgt	ttcttaaatt	ggcccactgt	accttccagt	115740
tageaagace	gagatagata	tcatattaac	tccattttcc	ttttcttct	cccacacaga	115800
Lagoration	ggggcccacg	teaagetggt	agetattaat	ggcttatccc	tatctgcttg	115860
tacctataac	ggctataaca	Laggeergge	ggccgccggc	gettattat	gatttgaggt	115920
tatttaaggg	gtactgtttc	actgagtttt	gergacagar	guigecaega	gatttgaggt	115980
tttctgtgtt	gttgctctat	ttttatgtgg	gaatttgcta	Ctatcatcat	ccctagacca	116040
gcttttccta	. gtaatacaac	: agggatgttc	tgactgatta	gagtttgeet	gtttgaagaa	
						116100
tataastaas	aannaannac	r titcaagtca	aataaaacac	: ttaaaatqaa	accacactge	116160
aactctctt	cttttactta	ı agcttaatca	aattaatqat	galytaatt	cargaaggaa	116220
agetettete	aaggatgaag	ttgataacat	tttgtgatca	aagaatttga	gaaaacctct	116280
aagcccccc	atotastas	atattttagg	atottaatta	cctatatago	tttaggcaag	116340
atcccagugu	CLACCACCAC	. acattettage	testates	attatttato	tectettgea	116400
tcatttttcc	teettgaged	Coattottae	ccccgcccac	attaccogo	gccttcactt	116460
gttggactat	: tttaatatag	g ctgtccttca	agtgagttt	, gtttaaagge	gccttcactt	116520
tagctcttac	: tgtgtaccca	a ctttgcatag	tcttgtttta	a aatgtaated	ttggattttt	116580
agtattacta	actaattact	- gt.t.t.t.at.gt	: gaggatttac	aqtqatccac	aatctatact	
tacactacct	cetteatett	: ccacaaatqt	: ttgaagtggt	: agaattttta	aaaactttga	116640
aggtagaggt	gacagaattt	. actaataatt	: tqqaaqtqaq	g tggtatgaga	i gggaaaaaaa	116700
grantanagra	 atdactdcat 	- tttttattt	ı tttatttatt	; tqtttttgag	acggagtete	116760
yyaataaay	acgactgcat	, cactagada	atcttaact	accoccaacct	ccgcctcctg	116820
actotogeca	ggccggagcg	, caycyycycy	, caagtaggt	r ggactacag	gegetegeeac	116880
ggttcaagcg	acteceetge	ctcaycctcc	. caaycaycto	gaaatttaa	catattaccc	116940
cacgcctgg	taatttttt	ttttgtattt	tagtagaaa	ggggtttcac	cgtgttggcc	117000
aggatggtct	ccatctcct	g acctcatgat	ctactcacct	. rådeereee	a aagtgctgag	117060
attacadaca	tatatataa	r catataaagt	: gtgttatag	c atacaaacag	gtatatatat	
assestace	r tecacacag	- tgataggaat	. gaggcagtag	g tgaaqqagaa	a gulgalglag	117120
gagagggaa	agttgttac	a ggaaagaagt	ctggaggcag	g aagggatgaa	a ttccagtgct	117180
3~3~3339~		33 33				

cacatagaag a	attaattaaa	taggaggaag	gagaatttat	ctagagtcac	aggaaagaat	117240
gcagtacacg	acceccaea	cadataaatt	gaaagatgtg	agagatgatg	gaaataattt	117300
tetgattget	ggtagagatg	caggegagee	adasadassa	tecteageaa	agagaataga	117360
agaggtgtta	CCLALACTCC	caaggaagca	testataga	22222222	ctcagtttct	117420
agaggtgtta :	aatatttgag	aaaggagarg	Lactytagaa	andadadada	aatttttcc	117480
ccttctgaac	tctcacaaaa	cagaaccctt	ccatgacter	agetgegg	ggccccccc	117540
ctgtcagcta	ccaattctgc	agatgattgt	tcagtgaaca	ccaactgggt	greereaag	117600
tranttrant :	totoacacto	tttacctqqa	gatagcatca	qattcctacag	accgaggacc	
atataggaga	agactgcctc	cacttcagat	accaatctca	agtacaagtt	gtggcctgtg	117660
attetesates .	accttctata	aattggagtt	cccacactcc	CCTCCTT999	ttcaataaat	117720
ttaataaaaa	ageteteaga	actcagggaa	atgctttaca	tatatttacc	catttattat	117780
	200000000	cadattdaac	aggcagatgg	aagagatgca	tgggcaaggt	117840
						117900
atgggagagg	ggcacagage		ccccattctg	teettttaaa	tttttataa	117960
ctacagattt	agetatteag	aageeeeee	ccccaccccg	tastasaata	aacettcace	118020
agacttcatt	atataggcat	gattgatcat	tggctattgg	cgaccagccc	attetecatt	118080
cccctcatcc	cgggaggttg	gtgggtaggg	ctgaaagtcc	caaacgtgta	accongecte	118140
aatattata.	gtgattaggg	ctcatcctaa	adctctttad	addccacage	cacaagecae	118200
-tasttaggg	++02222022	tccagagatt	ccatgaattt	taddcdctdt	atquiaagaa	
a at a a a t a a a	aacceattac	aatgtctcag	acctataatc	ccaqcacttt	gggaggctga	118260
aaceaaaaaa	tcatttcaga	ccatgagatc	aaaaccaqcc	LggtCaacat	agrgagaccc	118320
aattacaaaa	aatttaaaaa	ttaaccaaac	gtaatagete	Ligitiguag	Lectagetae	118380
teegeegggt	gaggatgagt	asaccetans.	gttgaaggca	gcagtgagcc	atgatcqtqc	118440
ccagaaggcc	gaggaccacc	aggeeetgga	accttgtctc	agaagaaaa	ggaaaaaaaa	118500
cactgactcc	ggerrgggrg	terantettt	cacagtatca	cagatttata	ttgtctagga	118560
aaaactgggc	aaagactaaa	Laacatattt	Cacagcacca	cagacccgca	aggtaggat	118620
aagtgaatgt	aaacagacca	ggacactagt	atgatecett	ggtttcatga	aggeceace	118680
aaagtcatga	acacaaagtg	agactaggca	tcatgttata	Eggetteec	agccatgett	118740
aacaqctagc	taaatagcta	attgtttcgc	tgcagtttat	tttagcagtt	CCCCaccca	
gcacatttca	tottttaaaa	tttctaccaa	taacatttta	ataaactttt	ttacagataa	118800
cttcacaaat	ccataatttt	ttaaqttaca	atcccagaaa	Lagaallyct	Cattgaaagg	118860
atatattatt	++++222011	atgctagaaa	ctgccaaatt	gccttcagaa	aaaggtgttt	118920
at at access	taacactagt	gttagttttc	ttataccctt	qctcaagtat	acatattatt	118980
						119040
addadadadg	cogggccage	tatatattt	cacgttggtc	attttatgtt	tattcctttq	119100
tttgattact	agregagrace	tacgeceee	tttggaacat	ttcttagtag	tttataagag	119160
tggattgtca	tgtcctttgc	catttttt	aactgtcatg	catactacaa	atcttttttc	119220
ctcttggtat	tttaatgata	graacetttt	aactgccatg	tetatagaaa	ttaaatttta	119280
tgtttgtttg	cctttgtatt	ttgtttttgg	agggtttcta	tgtataggaa	ttatatttta	119340
tattattass	tcttttgatt	totactttta	catatgtact	tcaaaaqact	LLCCaccca	119400
						119460
tatactatta	actcccaagt	tgattcacaa	gtgtgtatac	atagtttgaa	tttagtggca	
atttaattat	ttacaacttc	ttttgcagca	aggatttqtq	qaqaaqacgg	acaggeggae	119520
						119580
and the second second second second	ttananttat.	acatectada	- daatttdddt	tcattgttag	gaatgggctt	119640
						119700
tatteageta	addacadage	aattaacaat	ttcttttaaa	tataaattat	gtgaactctt	119760
	++++aa++++	castattast	atttcctaac	ttaaaataat	ttattttaa	119820
addattttta	- t-t-	tanttanata	tgtagtgatt	atgactatta	gaattggttt	119880
ttctgaaata	atttggggag	tgattgagtt	cgtagtgatt	tttattaatt	aggetttaag	119940
atttatttaa	ataatgcatg	cecteagatg	getetectaa	ganatagata	cagaggtttt	120000
						120060
ttagatttat	tactgctatg	tgcccttaaa	aaaaatctat	Cattette	accedacacc	120120
tatcagaaga	gtgctctgtg	taagacgtgg	ttaggcatag	tgecagtett	gaaggaagee	120180
						120180
ttaaatataa	aaaaaaact	acaaagtcat	: aaaaaqqtqq	gagagattac	atacaggiaa	
aggaatgagg	aatracacca	tagagagtaa	. aataatatta	acctaggcct	ttaagataca	120300
atagggagag	tatooaaaga	gtatatttt	: cccacttaaa	CLCLLLCCLL	ggttgttcc	120360
						120420
	agagattgaa	atactascas	ataaaatat	ttacctqct	gacattetet	120480
Lugiaaaca	ccagacegaa	tattatata	aggtaaagto	tocatttctt	ttcacactct	120540
tetgtgagte	agecerett	Lacticecce	aggedddgee	tatatataa	aaataacaca	120600
attcgagcat	Lecageetet	adctaccadi	getggggee	agattattt	tgatggcaag	120660
gaagagccaa	gtcatttcca	aaaagatgta	tcattgtttc	tetattacat	andtetact+	120720
agtaatttaa	tastatatta	gagagaacat	: gaaaattcaa	i tqtattaaai	, aactictaatt	120720
++mamaaamm	taattaaact	actgcatgta	agagagtgca	i tqtttttaai	Lattiggage	120780
+ > + + + + + 2 2 2 2	ccacagaatt	tgaaacttg	: ttccaqtqca	i taaattycay	accagacete	
Seanchean	aaaagtagta	aatttttct	tatqctcatc	: atttttact	tagicacity	120900
ataggattgg	ccagtgaaga	agcatttgca	a acadacaato	aqtatattaa	i collectigag	120960
ggatagagtt	tagtataatg	ctctttatta	a ggcttcaaca	ı aqtqaaatta	i ttttgttgga	121020
2244232443	ctattaagta	_ daaadaddal	. teccagtete	acaaaqcaqu	: aatttagaca	121080
atacattata	cctctttaca	agaatacag	r tactcagttc	atttqtili	Cactecett	121140
tatttag	aagettaaa	caacaattt	tttaggttaa	tatotectea	a tggaatggtg	121200
cettegetat	aaytttaaat	. caacaactt	5 50000990000		22 22-2	

gaatgatca	gatataaaat	atttggtttg	gttagtttac	tctttatatg	tttgctggca	121260
gaaacgacca	aatccagttt	antataattt	fractictagt	tcactaaaaq	tttgcatcca	121320
aggaaccaca	tagtgtttgt	ttcttcttaa	ctttttttc	gtctaaaaga	atactttaaa	121380
getgtgtagg	ctcaaatgac	t-t-cettaa	tananaatat	taacacaaca	agtagatett	121440
acttttcaat	ctcaaatgac	tgtaacttgc	Lgacaggege	tetegattaga	agoagaterr	121500
tttgttttt	gcttatgacc	tgtattttaa	tatttgaget	tatagattag	agaccgcgag	121560
agaaatetet	ttatagtctt	attttccctt	atatatttt	LCLLCCLage	acacggaaaa	121620
agaggatgga	gtgaatatct	tacaattctc	gttggcagca	gataacttcc	agicicagci	
						121680
						121740
						121800
tttgtggaaa	gcttttatat	aatattata	aagetttaga	ggttcttaga	acaaaagttt	121860
cataaaagct	getttatat	b-tet-cect	aageeeeggg	acastaataa	tattcaagga	121920
ctgctgggaa	aggggaggtg	tatgtggggt	aaacaggacg	gcaacggcgg	tttactaccc	121980
gtgtttccca	gaagagagat	tttgtttgga	teccaaayaa	agaagggaac	tergeracte	122040
aqaqaaggca	gaaaacaaca	ttctaggcaa	aggcattggc	ccagaagcca	tggaaacgta	122100
ggggaaagtg	gcactttcaa	gaaacttgag	tttagataat	caaaggagtg	gggaataaat	122160
+ 2 + 2 + 2 + 2 / 2	+t+ctgtata	aatctgctca	aacacattat	taattaqttt	LLLattagtt	122220
ttaaataaaa	atgagaggat	ggaaacatca	tacagtaaac	aaaattgaaa	atatctggtc	122280
tttactgaaa	tgagcttgtg	acceactcta	taacqtatqq	tattcttttc	atttaacttt	122340
aggcagatga	taaaaaaagt	anttagtagt	caacacacat	ggctcactcc	totaatcaca	122400
tcttactctg	taaaaaaagt	aattegtggt	cyggcacygc	ggcccacccc	accadected	122460
acactttgag	aggcagaggc	aggtgaatcg	cttgageeea	ggaacttgag	tastageeta	122520
						122580
traggartar	agtgaggtgt	gatccactgt	actccaccct	qqqcaqggca	gtagagtgag	122640
accetatete	caaaaaaaaa	aaaaacaaca	aaqqtaattt	gttatttgta	teettaagea	122700
acceegeeee	gggtaacttg	gggatagaga	aaagtccaca	gatgttaggg	tttgaagaca	122760
aatgetaaag	ctaggccagt	ggttcctgaa	cattagtctg	tagactetta	ctaggetate	122820
ctaatagtat	tcacctgaga	ageteetgaa	aataggtttt	caggetggtt	acaataacte	122880
tgcataggaa	teacetgaga	gertattaaa	aacaggcccc	gattagttga	aatceaacat	122940
acgcctataa	tcccagcact	ttgggaggct	gaggeaggeg	gattacttga	agecaggege	123000
tcaagaccag	cctggccaac	atggtaaaac	cccgtctcta	Ctadadatac	aayaaccagc	123060
						123120
atcasacca	agaggtagag	attacaataa	gcggagatca	tqccactgca	ctccaggctg	
						123180
agart agat a	acacctotaa	teccageact	ttaaaaaaacc	aaqqcaqqca	gateactiga	123240
agt angaget	ttgagaactg	cctaaccaac	atagtgaaac	cttatctcta	CLagadacta	123300
ggccaggagc	actgggcatt	ttaacaata	cctataatcc	cagctactag	agaagetgag	123360
Caaaaaacca	tgcttgaacc	ccgacgggcg	aggactacat	ctcaaaaaaa	aaaaaaaaa	123420
gcaggagaat	tgcttgaacc	egggaggeag	aggactgeac	cagatttaaa	atataaccaa	123480
aaaggtttcc	agtccccctg	teteagaaat	Lougattery	caggeeegag	ttaggggatat	123540
gaatctttat	ttttagaaga	cataccagat	aattetgata	aatagccagt	ttagggatgt	123600
agtctaattt	tectattttg	caagtaagga	aaataaggcc	cagagaggta	atgattttct	123660
tagaatattt	attctggtac	agtatgtttg	tagaaggtat	tacytaayaa	acaccgccac	123720
						123780
atactac	, aggaget at ta	acceacttac	tcaatacaac	ataqqaqatt	cacattttgt	123840
caageegegg	ctgatttaaa	aggagagttt	tetttttt	cttcttttt	attttttgag	123900
tacaaaaatg	getetgteac	aggagageee	ataceataea	accatctcac	ctcactgcaa	123960
atggagtctt	getetgteac	ccaggccaga	, gegeagegae	testesetas	ctgggattac	124020
cctccacctc	ctgggttcaa	geggetetee	tgccccagcc	at a coccaga	catttcacca	124080
						124140
tgttggccag	geeggtettg	aactcctgac	: ctcaagtgat	ccacccacca	. etgeeteeda	124200
aagtgctgg	attataggcg	tgagccactg	tgcccagcct	gettgtttt	gtatcatata	
tatacatast	· cataatcato	cattatcaac	: ctttqtattu	ctqtcaqqac	acayaaacca	124260
++agagtgct	+ddaadadad	cottttttt	: tttctcqcat	: ttaatqcttt	ttttggtatt	124320
entttenta	tcagcttacc	aaaacattac	ctgcattata	ccccatcaac	gtagaaatct	124380
	aatattggtt	actccctttc	cacaccgagt	catcagtaac	tcctgttcta	124440
ttgtgttate	tcatatgcat	attactcacc	catalogas	attttattt	gaatttgtac	124500
tccaaatag	j toatatgoat	Ctageteace	testatata	. ttatttatt	ctatacatac	124560
atgtttacto	ctgatgcctt	gtagttatga	Ligargrant	. ccacccacc	esettaattt	124620
aagttctcag	ctegettttt	agggaaaatg	g accatgicti	cettteeta	. adatttttt	124680
						124740
agtaaggate	attaccaca:	agatagaaag	r gtagcaagtt	: qacccaacta	i tetetgggga	124800
						124860
tacagasta	atraartagr	cttqtataaq	attetetaga	a qqaqqtqctq	aaagttgctt	124920
Lgcaggetea	a tggaatttga	ttttacttc	r detatcttt	taccataggi	acttctccct	124980
atacttgct	a catcctctt	cottactic	tattateca	ttagaaatt	aatccaatat	125040
ccaagccac	a catectette	yattiyatga	a cyccycacy	- coattacat	, addcctddac	125100
ctgcaggga	a ggtgggccac	tccccaactg	, ittcacaact	- transport	aggeetggae	125160
aaccatgga	g aaggtaacco	: agaacttcaa	a acgtatcaaa	ı ctacaayaaç	tttattggt	125220
agaactcat	a aaatataagg	g tgggaaaac	c aagcagaata	a gcacagtgg	a aattgaagca	123220

atccagcaaa	gtgattaaga	acagaggeet	tgagtctggc	ctggtatgta	cagtcacgtg	125280
acacataaca	++++artraa	cagtggactg	catatacaat	ggtcctqtac	yattataaty	125340
ccacacaaca	ggtagtgcaa	taataacaaa	anttanaaaa	aataaatttt	aataaqtaaa	125400
gateaaaget	ggragracaa	caacaacaaa		annannana.	222222tta	125460
aaagaaaaaa	gaaaaactaa	aaagataaaa	gaataaccaa	gaacaaaaca	t-atantest	125520
taatggaggt	gaaaaatctc	f.gf.f.gcctca	tatttactqt	actatactt	caaccaccac	125580
+++adadtdc	tecttetact	tactaagaaa	acadttaact	gtaaaacagc	ttcagacagg	
tecttcadda	ggtttccaga	aggaggcatt	gttatcaaag	gagatgacgg	ctccatgcgt	125640
tttttttagga	ctgaagacct	taggaggaaaa	caadatotoo	aggtgaaaga	aagtgttatt	125700
gttaetgeee	Cigaagacci	cccagcggga	t - t - c - c - c - c - c - c - c -	tttatattaa	tttttaacaa	125760
gatgatcctg	accetgtgta	ggettagget	aatgtgggtg	LLLGLCLLAG	CCCCCaacaa	125820
acaaatttaa	aaagaaaaaa	aaaattaaaa	atagaaaaaa	gcttataaaa	taaggatata	
atragagatat	ttttgtacag	ctatatatat	ttqtqtttta	agctgttatg	acaacagagt	125880
annanaatta	aaaaaagtaa	aacanttaaa	aagttacagt	aagctaattt	attattaaag	125940
caaaaagcta	taaataaatt	tagtatagg	taagetetaca	gtgtaagtct	acagtagtgt	126000
aaaaaaattt	LadaLadaLL	Lagiglagee	taagegeaca	tegetasete	accesasacs	126060
acaataatgt	gctaggcctt	cacattcact	taccactcac	Legelgaete	acceagagea	126120
ageteccagec	ttgcaagete	cattcatggt	aaqtqcccta	tacagatgta	CCatttttta	
tottttatac	totattttta	ctataccttt	tctqtatttq	tqtttaaata	cacaaattet	126180
tegasttaas	atagtggcct	accatattca	ttatagtaac	atgtgataca	ggtttgtagc	126240
Laccactgea	taggttgtac	catatacca	aggggtgtag	taggggatag	catctaggtt	126300
ccaaaagcaa	taggittgtat	Catatageca	aggggcgcag	-astonaga	aattetett	126360
tgtataagta	cactctgtga	tgttagcaca	atggcaagca	geecaacgga	aaccccgccc	126420
attgattgat	tgattgattg	attgattgag	acagagtttc	actccattgt	ccaggctgga	
ataceattac	acadtettag	cacactgcaa	cttctqcctc	ccaqqttcaa	ccaattatcc	126480
tagatasta	tcccaagtag	ctgggattac	aggcaggcac	caccatacct	ggctaatttt	126540
Lyccccaccc	tagagacagg	atttangant	tttaacceaa	ctattetea	actectgace	126600
tgtattttag	tagagacagg	greccaccac	cccggccagg	tteecoogu	gaggtaggat	126660
ttaagtgatc	tgcctgcttt	ggcctccgaa	agtgetggga	LLacaggeac	gagccaccac	126720
gcctgggcag	taactgaaat	tctctaatgc	cattttcctt	atctgtaaag	tgacgataat	
atacacattt	acctcaaagt	tactttgatg	attaaaqtaa	quidatytat	ataaaatata	126780
tattaacata	gtacctgaca	catggtaagg	atcaaaaaat	gttaactact	tttattacta	126840
Lattaatata	gtatttttaa	ataattagag	acceptatica	aaaattagct	gggcgtagtg	126900
ttattattac	gtatttttaa	ataattagag	ageageacea	agaggattac	atgaggetag	126960
gcatgcacct	atagttccag	ctactcagga	ggctgaagct	ggaggartgc	atgageergg	127020
gaattaaagg	ctgcagtgag	ccgtgttcat	gcccctgcac	tccagccttg	grgacagage	
aggacctat	cttgaacaat	taaagaaggc	attatqccqc	aacgttagct	tagaaatgat	127080
agagatatat	caccagtaac	totcaacagg	attggaaccc	tagttttggg	tattatgatc	127140
ccacacacac	attaatagct	tattaataat	aaaggattaa	ctagggaggg	cgactcacat	127200
acaaggtatt	actaataget	Lattaataat	taagegeegg	acctggggggg	aggagtttga	127260
ctgtaatccc	agcactttgg	gaggeegagg	Lygglygatt	accegaggee	4994900034	127320
gaccagcctg	accaacatgg	agaaacccca	tctctactaa	aaatacaaaa	LLageeggge	
ataataataa	atgcctgtaa	teccagetae	ttaggagget	qaqqcaqqaa	aatetettga	127380
accedddadd	cagaggttgc	agtgagctga	gatcqcacca	ttgcactcca	geetgggeaa	127440
accegggagg	actccgtctc	asasatataa	ttataataaa	taaataaaag	taaaqtattq	127500
Caagagcaaa	atgatttatt		agtagagaga	atttttccad	gaatttcaga	127560
atgtttgtga	atgatttatt	Cttctaatga	accagaggag	acceccag	acttaattaa	127620
gccagtgagg	ttatgttgct	tgtatgtgtc	atgtgtatcc	aggigaaaaa	acctaactaa	127680
accctattat	ataataccat	acataaaaac	tgaattttag	gaatactgaa	gaatgacata	
tagaagtgaa	atcattaaat	agctagtagt	. aaacaqaata	qaqtqtcagc	tgttacccaa	127740
tastastast	attttcacga	ttaaaattaa	accttttctg	attttaaagg	aaaagttcag	127800
Lyatyataat	tataaagaat	ctagaattttc	accontaataa	aattaaaatg	cagagagaaa	127860
atctgtatca	tataaagaat	gradatttt	agggtaataa	adttadadts	2++++22022	127920
aatgcaaaaa	tagttcttac	tagatgtgtg	taigtaagga	acctagacta	accccaagaa	127980
cactqtcaac	accetggtag	ttaggtagga	. aaaaagacat	gaatgattca	LLCaacaaaa	
actttgagta	tttctatact	agatggtagt	gttacaqtqq	taaacaaaat	aaatgtgttt	128040
						128100
	ctagcacttt	adaadatcaa	aacaaataaa	tcacctgage	tcaggagttc	128160
geotgtaate	tggccaacat	ggaagacege	catatatat	asastacaa	aaattaactg	128220
aagaccagct	tggccaacat	ggcgaaaccc	. cgccccacc		gagaatgagt	128280
ggtgtggtgg	ggacacctg	taatcccagc	: Lactegggag	gergaggeag	gagaaccacc	128340
tgaacctggg	agacagaggt	tccagtgagt	: cgagatcatg	ccactgcatt	ccageceggg	
ddacaaaad	gaaaatacgt	ctcaaaaaaa	caaaaacaaa	. caacaaaggc	: acgtattaaa	128400
toggangets	aatatttaca	aattatacto	aataagttct	catqtttatt	atttqcttgt	128460
Lacyaccaca	acttttcctt	aattaaatta	raaatataaa	taataaacat	gagaactcat	128520
ccagttaca	accentice a	cycagaacco		totatagaat	tagggattta	128580
tcagtataat	taataattat	taaatgtaaa	taaaaacacc	Latytacaat	caggeaccea	128640
+++aamaa+t	- atttqaaaaa	aaaacaatgt	. ggaaacagat	. attitiyatai	, actigctaging	
attraaattr	r ataatottct	tttgaagagt	aaadtqacca	l Latatattac	agecaaaace	128700
taactcacc	atcacacacac	tagtgagtta	tcttaaggaa	atcagtttga	aagtaaaatc	128760
caacccagc	annaget+	22C2+++2+0	ataaacceca	aaaat.cgagt	ttcaaattat	128820
aatatatgc	a caaayacttt	advactuati	aaaccaga	atttatatata	tactttcctc	128880
atcctatgg	a ctattttctg	r ctaaaaagta	ı ıtaatatcaa	cottacytae	tactttcgtg	128940
acaaatatt	tgggggagaa	aacccaacaa	a aattacatgo	: actgtaattt	tttttttt	
+++++++++	n dacadtette	r ctccagcgt0	: caddctdda	tqcaqtqqt	, caatetegge	129000
tractoraa	- ctccatctcc	: caggttcaag	r caattctcct	: qcctcaggc	e teeegagtag	129060
atagastts	a aggggggtga	caccatocci	agctaattt	tatagtttt	agtagagatg	129120
ccgggacta	aggogocoac	. caccacgcc	- deactoctor	tctcaagtg	tecgtetgee	129180
gggtttcat	atgttggcca	ggctggtCtt	t gaactcottgg	, coccaagege	ttatgcatta	
teggeetee	t agagtgctga	ı yattacaggı	Lytaagccact	. geacceage	ttatgcatta	

	ttgtaaactg	tacaaaccca	taatacttqt	agtacaacaa	gaagtaaaaa	129300
taattttaat	aggtagttaa	cacaaaggga	cadtadaatt	ataggtaaaa	tttatttatt	129360
catttgttat	aggragicaa	taccigcaac	atttaaaata	atactttca	tetetateag	129420
taaaacagtt	ttagttggat	ttgatttcaa	-t-t-at-at-a	acgettteea	tastatasta	129480
gtctttttgc	ctggcttttt	gtccagcaat	Cilialiaia	aacacccgaa	tectectet	129540
cattcggttc	gaggagatga	atttctgggc	gggaacgigi	egergaerge	teeggetee	129600
gttggccctc	ctgatgagtc	tcacccaggg	agttctgaca	getetgegte	ccaggcactg	129660
agamet agt 2	++ >+++ <+ > >	attttaagtt	gtggaaaaaa	aagataaaaq	ccaqqcacag	129720
						129780
						129840
						129900
						129960
gaarcgerrg	acaaagtgag	actatatata	222222222	aaaaaagaga	gaaataaaat	130020
agcctgggtg	actatcttct	actgracec	tttataataa	cttasaatat	actgtattgt	130080
tagcctactt	actatettet	aatcaaagca	ettetetta	aatatataa	tatttctctt	130140
aaagtatcat	getgtttcat	ttaggccatt	actoracting	aacccgcggc	tatacatatt	130200
aataaatcaa	gtaatatgga	atatattcat	agcctctgaa	gageretta	tytaagtatt	130260
tatttagggat	actttttata	aaataagtga	atgaattett	aggicticett		130320
ttattaaaaa	agget ct cct	cactacaacc	tagaaattct	qqqctcaaat	aattecaceea	
agagagagata	ctgaatagct	gggactagag	gcatgcacca	ccacqccugg	CLaattigaa	130380
						130440
accedacede	tracgaggto	gggagatgga	gaccagcctg	gccaacgtgg	tgaaaccccg	130500
tototactaa	aaatacaaaa	attagctggt	tatqqtqqcu	Catgeetgta	accccagcca	130560
						130620
cccgggaggc	actgcactcc	taastaatas	cagagtgaga	ctccatctca	aaaaaaattt	130680
agateaegee	tgatggagtc	ttgcatggcga	actcaaacta	gtcttgaacc	cctgacctca	130740
tttttttaaa	gcttcagcct	Ligitigações	tetetetet a	3303030300	gtcttgctat	130800
aatgccgcct	gcttcagcct	aagtttett	treesessts	aagagacagg	gacatataa	130860
gttggccagg	gtagtctcaa	actcctggct	ccaagcagtc	ctcccaccct	ggcccccttt	130920
agtgctggga	ttacaggcgt	gaaccactac	ctataatgii	gigitteact	thankettt	130980
						131040
tggagtgctt	tcatatgtta	aaccatacct	gattctcctc	aaaatcacac	aaagtagaat	131100
						131160
						131220
						131280
						131340
+cccattttc	atttttaat	ataggttaga	atqtcttqqt		cccccccg	131400
						131460
ateggaggat	cataactcac	tacaacctcc	acctcccqqq	ttcaagcaat	teteetgeet	131520
atggcacgat	agtagctggg	attacaccca	totocooggg	cacctggcta	atttttgtgt	131580
cagetteets	gaaggggttt	accadaged	atcadactaa	tattgaactg	ctgacctcat	131640
ttttagtaga	gaaggggttt	Caccacgccg	gccaggccgg	gastgaacce	ctgcacctgg	131700
gatccaccts	cctcggcctc	ccaaagtgct	gggattgcag	aggregate	cataaaatat	131760
ctgaatgtct	tgtttttgat	taggcactta	agaaaggccc	aggiaciaac	taaaattaa	131820
atttttatac	cttttgttga	tactatatat	atagaaaact	geacttatea	caaccccaga	131880
						131940
						132000
caccaddata	agctactatics	tgacttttga	togcatagat	Laguattact	Lgcccccgcc	132060
000+++000	· catacaatto	agtggttttt	atatootcac	agagttaggt	aaccattacc	132120
						132180
atacacact	ccaccagccc	tagggaggga	. ctaqtctact	ttttatctct	atagagacaa	132240
tagatttgct	- tattctggac	atttcataaa	. catqqaaccc	talattalgi	. ggttttttgt	132300
tagacccgc	ctttcactta	gcatcatgtg	ttcaaaagag	catcatqtta	tccatgtttg	132360
Lgecaactg	gaattttatt	geteattate	gccaaatato	ccattgcaac	gatttatgac	132420
gcatgtate	g aattgtacco	teetttetee	gottatatas	taatoctact	grgaccattt	132480
attttattt	ttttgtgtg	Lectrotege	tatttattat	tttaaattto	addtagagtc	132540
gtgtacaagi	ttttgtgtg	acacaggeee	. cccccccgcc	acetasetas	agentetate	132600
ttgctctgt	gcccaggctc	gagtgcagtg	geacaatete	ggctcactgc	atogggg	132660
tcctgggtt	c aagcagttct	cctgcctcag	cetecegagi	. accegggact	ataggcacgc	132720
200200200	- ccacctaatt	ffffagtaga	i datddddtii	. caccatgits	gccagcccgg	132720
						132780
agggataag	- cactatocco	· aactataatt	: ttcatttctt	: ttqttqtata	i tacataggag	132840
acasasacc.	t ocaccatttt	- gcaatcccac	: cagcagtgta	a tqaqttttac	, agetteteta	132960
astttatt.	α gaacttatta	+ctatttaa	: tatttttaa	i aatgatagt	_ accedacau	133020
						133080
						133140
						133200
agatag	a castaatat	atctcagct	actgcaacc	cogcetect	g tgttcaagtg	133260
ggctggagt	a caacggegeg	gucucaguu				

attctcctgc		agagt aggt g	coattacatt	traggracet	accadcatac	133320
cgggctgatt	eteageetee	cgagtagetg	agarttta.c	catattaacc	aggetggtca	133380
cgggctgatt '	tttgtatttt	tactagigac	agggtttcac	catgetaget	aggetgggaa	133440
caaactcctg	acctcaggtg	atctgcctgc	ctaggettee	Caaaguguug	ggattacagg	133500
catagaccat	tagacccaac	ctagattttc	ETTTTTCLLL	LLLLLLLLya	gaaggagccc	133560
tectagatte	aagcgatttt	cctgcctcag	cctccccaqt	agctgggatt	acaggtgeet	133620
accaccacac	ccacctaact	tttgtatttt	ttttagagac	agggtttcac	catgttggcc	133680
aggetggtet	e-agecuace	actaractar	tecacetece	tragectece	gaagtgctgg	133740
gattaccggc	caactcccga	ccccaggcga	****	ttatattacc	caggetggte	133800
gattaccggc	atgagetace	aggeeeagee	aatttttttta	ccacactgtc	aggetage	133860
tcaaactcct	gggttcaagt	gateeteetg	cettggeete	ccaaagtgtg	gggagcacag	133920
gcgtgagcca	ccttgctcag	cccctttgcc	catttttaaa	ttagattgcc	tttttatatt	133980
and the second section in the section is	attanttata	tagattatat	ttcctctacc.	ttttaaaaaa	adtaddriri	134040
						134100
						134160
						134220
ctgtttgtag	Cigaataget	agggccatag	acacacatta	totcasacto	taggeteaaa	134280
ctgtttgtag	agacagatet	tactgractg	cccaageegg	coccadacco	caggerance	134340
gtgattctcc	cacctctgcc	teccagagtg	etgggattae	aggigigage	tacacgcaac	134400
ctgtcttttc	actattaata	gtgtcttcct	gcttcagcct	cccgagtagc	tgggattaca	
adda adda ad	accataccta	gctaattttt	ttgcattttt	agtagagaca	gtgtttcacc	134460
						134520
agardataa	gattacaggc.	gtgagccact	gcacccggcc	aaaatattqc	CTTCTTaaca	134580
gtattgtctt	gaccacaggo	aacatggatg	tatcttcatq	tatttatqtq	ttctttcatt	134640
gtattgtett	CLAALLIGLG	aacacggacg	agestttaas	eteettagat	catttattcc	134700
tcagcagaat	tttgtagttt	tcagagtaga	agectttcac	-tttttatta	tttcattttc	134760
tatgttttaa	gttcttttcg	attccattat	aaatagaatt	getteettaa	t-thancoot	134820
agattgtttg	atgagagagc	atagaaatac	aagtgatttt	tacatgttga	tettgeaact	134880
						134940
						135000
agggaaagct	ttgagtagaa	tcatttaata	tgatgttagg	tatagatttt	caataaatqc	135060
agggaaaget	cccagcccca	ttecctatea	ttcctcattt	tttaaggett	tttttttt	135120
cttttttcag	attcaggaar	LLCCCLacca	-t-ttette	tatataggeta	taaatgatgg	135180
ttaaatcatg	aaagggtgtt	gaatattgtc	atgttette	tgtattagta	taaatgatcc	135240
tatggatttt	gggttttatt	ctgttgatgt	gaaatattaa	ttgattttca	gatgttaaac	135300
caacettaca	tacctgagat	gaateteact	taatcataat	gtataatett	ttcaatatgc	
						135360
atttacactc	tatcacaaat	gaattgacca	taaatqtqaq	agtgtatttg	Lgggttettg	135420
att tacatec	atteggaage	tagacataca	tecatetata	tatatatat	tatgccagta	135480
attetetee	attecaaaga	ttgatttata	ataaatttta	aaatcagaaa	gtataaatga	135540
ccatactete	ttgattacta	ctgettegta	geattagttg	adacouguan	cctctttatt	135600
gattttggta	tetgagtaae	agreereata	gaattagttg	ggaaacaccc	cctctttatt	135660
ctggtccctc	tttcttttt	gtttaactgt	gtatettgga	gattgtteet	teteaacaca	135720
aattatttta	tttacttaac	ctattactta	atcaaqqaca	ttaaqcttgt	ttatgtettt	135780
tattttaaac	aatgctgcag	tgaataatct	tgtatataag	tcattttcca	tcaatataag	135840
tatatatata	actgoogtas	tagaagtgga	atttctaggt	caacctatgo	ctctgtattt	135900
concuerded	accyaacctt	+++++c++c+	adadatada	agtaggaggt	agaatgetgg	135960
cacaaaaata	ccaattetgg	ttttttttgt	ggaggtgggg	agoussassi	agettettt	136020
aggagaactt	gctgtactca	getggetagt	Cattttagaa	aggetteet	agettettt	136080
tgtcatatgg	cctcaccaag	aatcaaaaac	attectattt	. accetytaaa	catggggctt	136140
tactacccaa	gatacatatt	tctggatgta	tgacagettt	tcatattgaa	gaaataatgc	136200
tataaataca	gcacatttgt	tagaacttag	qttqttaaqa	algittiate	aacccacaca	
ttatacattt	tattttattt	tatttttag	tttttqatac	: agagtette	; telgiogodo	136260
aggccagcgt	gragtagtag	aatcttggct	cactgcgacc	tccatctcct	gggctcaagt	136320
aggccagcgc	tetergeete	cacactact	atouttacac	gratgcacca	ccatgcccgg	136380
gattettatg	tettageeee	agageage	tttcaccata	ttgaccatgo	tggcctcgaa	136440
ctaattttt	tallittagt	ayaaactggg	gestesses	atactagaet	ccttgtattg	136500
ctcttggcct	caagtgatcg	geetgeetea	geeteedaaa	guyuuyyyat	ccttgtattg	136560
ggtaaaagat	gaatattgag	ggctgcatgg	f tggctcatac	etgraarce	agcactttct	136620
gagactgagg	taggaggagt	cctagaaccc	aggaggglu	qqctqcagtq	ageegegace	
agaggettag	acttcaacct	aggaattata	gacttcaat	: actqtqccc	gcatgtacat	136680
+++aatatta	tactttcctc	: ttttagctat	agtatgaggt	tacatttcag	g agtcattgtt	136740
attangents	ttaatagtga	tgaggttgag	tgaaagttac	ttctatttc	aacactgaag	136800
griaageate	ccaacaytya	. cgaggccgag	, -gaaagooat	gattgtttc	a tatacttcta	136860
aaaattttgt	acaaatctgt	. cacaccccaa	, goodaggact	gtattagaaa	actgaaaaat	136920
attttacaat	ttctattgta	grccagtgtg	g aaaaaagcca	ycarradaa)	actgaaaaat	136980
tttgatgaag	cgataattgt	ggatgegge	a agtetggate	: cagaatetti	atatcaacgg	
agatatacca	ord agort ta	actication	: adaattttt	1 Caaququaa	Laacttegea	137040
+ <++++===+	tttttaatta	aattttacat	tttttttaa	i iciallati	a tatgeceaga	137100
	agagtatag=	atataatata	r ataattaaai	: ataaaqqct	e tqqaqtqact	137160
+ aat aaat t	tastattaaa	 tctdccatti 	. attadcadco	detaacete	Liggialitica	137220
attent	atataaaat	r adaataata	agtgaaaag	toccaacat	c atttactctg	137280
guttetteat	. ccgcadaacg	, agaacaaca		3	_	

ggctgcataa ctgatacttg gaaaaagtat tcctttgagt ttaagaatta agttggttat tcattttagc ttgtaataaa aagatagtga ttcataggat atgccactta ctgaaattta 137400 ccacagatcc aatcataaaa tcactttctc ttccctaaag atagcttgat taacatgtaa aggtgtgtaa aggcttgatt acactaccct gatccgtacc ccagttccca gcagcaccat 137520 gaaaaaggga tttcaacata tttaattact ttcagtagaa agtaacagtg gtaggccagg 137580 cgcagtggct cacacctgta atcccagcac tttgggaggc cgaggtgggc ggatcacgag 137640 gtcaggagat tgagaccatc ctggctaaca cgatgaaacc ccgtctctac taaaaataca 137700 aaaaattagc cgggcatggt ggcaggcacc tgtagtccca gctacttggg aggctgagac 137760 aggagaatigg cgigagcceg ggaggcggag cttgcagtga gcttagattg tgccattgca ctccagcctg cgcagtggag cgagactctt gtctcaaaaa aaaagaaagt aacagtggta 137820 137880 ttgggagact gaggagccta gaaagtactt gaaggaagta aaaggtttgt ttgaccacat 137940 138000 tgtatttgga aagccagctt tttcagctgt gtcagctttg tgtagtgatt tttagttctt cttttagaaa ataacggaca aggccgggca cggtggctca cgcctgtaat cccaccactt 138060 tgggaggccg agacgggcgg attacctgat ctcaggagtt cgagaccagc ctgggcaaca 138120 tggtgaaacc ccgtctctac taaaatacaa aaagttagcc gggcgtggtg gcgtgtgcct 138180 gtagtcccag ctactccgga ggctgaggca ggagaattgc ttgaacccgg gaggcggagg 138240 138300 ttgcagtgag ccaagatcac accattgcac tgcagcctgc gcgacagagt aagactctgt ctcaaaaaat aataataaaa taaaaaagaa tggacagtaa acctaaatga gttcattccc 138360 aaagatgatg ttattettaa gggatggtte atttatttaa gacettacat aaagtetate 138420 aattgcgtga tttttcactt ctgtaattgt gtgtatgtat aatgtaaata tatatgtttt 138480 tgttitgtit tggttitttg agacggagte tegetetgtt geteaggetg gaatgeagtg gtgcaatete agetetetge aacetetgte teccaggtte aagegtitet tetgeeteat 138540 cctcccaagt agctgggact acaggcacgt gccaccacgc ccggctaatt ttttgtattt ttagtagaga tggggtttca ccgtgttagc caggatggtc tcaatctcct gacctcgtga 138660 138720 tecaccegee tiggettece anagigttge tattacagge atgagecace acacceagea 138780 138840 tgtatttttt aaatgtataa aatgaagcag aaaagagaaa tgataatttt tcttcatctt gaaagattat etteaceagg egeagtgget cacaettgta ateceageae tttgggagge 138900 cteggeagge ggeteacttg agttegaaac cageetggee gacatggtga aacteegtet 138960 ctactaaaaa taaataaata aagatggttt taatatatgt tttagtttta tgattttagc 139020 atotttotga aatttttoto aaggoaagta aatttgtato agttggtata ttggtaccca 139080 totatgaaat aacttattag gaagatatot otaaaataag atcactttgo otaaaataaa 139140 ctgatatatt gatgttcaca gaatttttct tttaaccgac ttgataaatg cattattctt 139200 gacgtcaagt gatcaacctt cctcagcctc ccaaagtgct gggattacac acatgagcca ccgcacctgg cattattctt ataaaaggtt aaatttctag ttaagtttaa tgtcctcttt 139260 139320 139380 gticatgtac cattgettat tttetteet tectacteae agtaateatt ettatggtat gcacttttgt ttgcttattt ttatgtaatt gatattacgc tccattctgt acgttgtact ttcattcaca gtgagttttg gacattccta tgttcatcta tacagactta cttcattta 139440 139500 actacactgt agtattccgt atgtaatatt tactataact catcactgta gcagagcatc 139560 tcatagtgta tgtattactg ttttgccatt ttggtatcaa tgagtattta agtcatttgc 139620 agtttttccc tcttataccc agtattacag aggatctctt tttatatgct tctttgtacc 139680 139740 teactatgtt geceaggetg gteteaaact cetaggetea ageaateett ceatettgge 139800 ctcccaaagt gctggggtta caggcatgag ccaccatgcc tggcctacat tttaaatttt 139860 gatagetett acaatttact ttgtaaagta tetgeateat tttatgttet caccagtett 139920 taataagaat acttcatact tttggctgga cacagtggct cacgcctgta atcccagcac 139980 tttgggaggc cgaggcgggc agatcaagag atcgagacca ccctggccaa tatggtgaaa 140040 ccctgtctct actaaaaata caaaaattag ctgggcgtgg tggcgcaccc gtagtcccag 140100 ctactcgaga ggctgagaca ggagaatcac ttgaacccgg gaggtggagg ttgcagtgaa cttagatcac accatgcac tccagcctag caacagagtg agactctgt ctaaaaaaaa aaaagaatac ttcagactta attrittitc cagtcttaag tgtttgctaa tgagattgag 140160 140220 140280 tttcttttgg tatgtctctt gattgttcag gttttttctt ttatgaattg actgttcatc tcttttcac attattctg ttgggtgatt ttattagtga cttgttaaaa ttctgtatat 140340 140400 140460 tttttcagca tgacacttca ttattcaaaa aaaaaaaaa attctctatg tttctcgata ctaatcattg gttggtaata ccttaaaaat aagaccctta ctgtattttt tgctttttt 140520 tttttttttt tttttttt tttgagatag agtcttgctc tgttgcccag gctggagtgc 140580 aatggtatga teteggetet cageteactg caactgcaac etetacetee etgittcaag 140640 caatteteet geettageet cecaagtage tgggattaca ggcatecace accaeaccea 140700 gctaattitt gtattittag tagagcagg gtttcaccat gttggccagg etggtotcaa actactggcc teagtgatc egcetgcct ggcatcocaa agtactggg ttacaggcat gagccacagt gcctagcac tttttgcttt ttaactttg tttatagtac tatagttta 140760 140820 140880 140940 gtataaacag atgtatgtat acacacaact atggctttat aatatgtttc agtcattgtt 141000 agagcaaggc ctaccttttg ggtgcttctt ttacaaaatt gtcttggcta ttcttgtgcc ttttttctta tttgtgaatt ttagaattgt gaattacctg ttgactcacc atgttttgta 141060 aactgaggat tttgaatgga attgcactca attaaagatt atcttgcttt ctgtgcagca 141120 141180 atgttttatt tcaaataatc cctactttaa attacttagg atagctataa attgtgtttc tggctttcta gatttagatg aaacgcttta aattgattgt tttctcctaa atttaaaact 141240 141300 gattgttaga agttaaagtc ttctgttcat tcttatttag gaagatgaca tttggaagag

tcagtgactt ggggcaattc atccgagaat ctgagcctga acctgatgta aggaaatcaa 141360 aaggtttgtg gtgtttttat acttcatatt aagcctttac tcacattagt gattgactgt 141420 aagtcaaaga ccacttaagg tttaaactgt ttattttgta aagtaaccac tgtatctttc 141480 141540 acettgtgtt tatagteaga agtaagtaea agggetteet gtagteacat etttatgeaa totoctotga atcaaaagtt agtgaacttg ctttgccact ccagaaggca catgaatatg 141600 aaaaagcatt gtctattttc ttatttaatg gcaaaatacc cgacctaagt tggacttaat gtttgagacc gtttatttta ttaaattata ttttttetet tttettttt ttttttgaga 141720 cagticitge tetgteacec agaceggagt geagtggtet gacegeacet caetgeaace 141780 totgottoot aggitcaago gattitootg cotcatooto otgagtagot gggactacaa 141840 141900 gtgcgcacca ccacacctgg ctaatttttg tatttttagc agagatgagg tttcaccacg ttggctaggc tggtctcata ctcctgacct caagcaatcc atccgccttg gcttcccaaa 141960 gtgctgggat tacaagtgtg agccaccatg cctggcctta ttaaattatt tttattaaat 142020 ttcctcaaga ttgatgaaag taatgaaata taaaagtaat gaaatatatg tggaaaatag 142080 actggattaa gaaaatgtgg cacatataca ccatggatac tatgcagcca taaaaaagga 142140 142200 tgagttcatg tcctttgtag ggacatggat gaagctggaa accatcattc tgagcaaact gtotcaagga tagaaaacca aacaccgcat getotcactc ataggtggga attgaacaat 142260 gagaacactt ggacacaggg tggggaacat cacacgctgg ggcctgtcgt ggggtggggg gctgggggag gaatagcatt aggagatata cctaatataa atgacgagtt aatgggtgca 142320 142380 gcacaccaac atggtacatg tatacatatg taacaaagct gcacgttgtg cacatgtacc 142440 142500 ctagaactta aagtataata aatttaaaaa aaataaatat atgtggaaaa tattaatagg tcaaaattca aattgttcat ttaatcagaa gagtagttta gtcaaatcca agggttagac 142560 aacagaaatc ttttttgtca agtgcattct ttgtgactga tttcattttc ttcctggttt 142620 acacaggaag atttcagaaa caaatgtgga tccgtgacag atggtatcta gaagttttta 142680 gtttggttga attgacagta ttttattgag taaaagatac taatttttgt aagaagaaaa 142740 attcaatttt gataagtatg tttaagatta agagctattg gccaggcgct gtggctcatg cctgtaatcc tagcactttg ggaagctgga gcaggtgggt cacgaggtca agagattgag 142800 142860 accatectgg ccaacatggt gaaaccetgt etetactaaa ttagecagge gtggtggcac 142920 atgcctgtgc acccgcctcc gggtttaagc gatcctactg cctcaggctc ctgagtagct gggattacag gcgccatggc taatttttgc atttttagta gagacagggt ttcactacat 142980 143040 tggccagget ggtctggtct caaactcctg acctcaggtg atctgcccgc cttagcctcc 143100 caaagtgctg ggattacagg catgattcac catgtctggc catttatctt atttctttt 143160 ttttttttttttttttttttttgtttga gacggagtet tgctgtgtcg cccagagetg gagtgcaatg 143220 gtgcgatete ageteactge aacetetgee teetgggtte aageaattet cetgeeteag 143280 tettecaagt agetgggatt acaggegegt gecaccacat ctagetaatt tttgtatttt 143340 tagtagagac agggtttcac catgttggcc aggctggtct cggaactcet gacctcgtaa 143400 143460 tetgeccace teggectece aaagtgetga gattacaagt gtgagecact gtgeccagee atcitatttt ctitcttttt ttttgtcggg tgggaggggg acagagtcta gctctgtcgc 143520 caggettgge teactgeaac etetgeeece caggttetag caattattet geeteageet 143580 cccaagtagc tgggattata ggcacctgcc accacgcctg gctaattttt tgttattttt 143640 143700 agtagagatg gggttttgct atgttgacca tgctggcctc aagtgatccg cccaccttgg cctcccaaag tactgggctt acaggcgtga gcttgtattg ggtaaaagaa caatattggg ggctgcatgg tggttcatac ctgtaatctg agcactttgt gagactgaga tggaaggagt 143760 143820 gttggagccc aggagggtga ggctgcggct gcagtgaatt gtgatcacgc cattgcactt 143880 143940 ccacctaggt aatggagcaa gaccatgtct ctaaaaaaca aaacacaatt tttttaagga atactgggaa gaggtcagtg gtggttttag aacagaggaa gtgccagatg acctttgtga 144000 ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aaggataatg 144060 144120 gggtctcctc cccagtatta atagaaaatc tetgagctgt tttttttttgt ttgtttgttt tgttttttt teetgagatg gagtetetet etgteggeea ggetggagtg etgtggegeg 144180 atettggete actgeaaget etgecteeca ggtteacace attetectge eteageetee caagtagetg ggactacagg tgtecaccac caegeecage taattttttg ttatttttag 144240 144300 tagagatggg gtttcaccat gtcagccagg atggtctcga tctcctgacc tcgtgatccg ctcgcctctg ccttgcaaag tgctggagtt acaggcgtga gccaccgtgc ctggcctggt 144360 144420 ttttttgttg ttgttattta titatttatt tatitattt ttgagacaga ctctcgctct 144480 gtcgcccggg ctggagtgta gtggcacgat gtcggctcac tgcaagctct gcctgccagg 144540 144600 ttcaagccat tctcctgcct cagcctcctg agtagcaggg accacaggeg ctcgccacca cgcccggcta attttttgta tttttagaag agacggggtt tcaccgcatt agccaggatg 144660 gtotogatot cotgatgtog tgatcogoco acctoggoct cocaaagtgo tgggattaca 144720 ggtgtgagec accgtgcctg gcctgatttt ttttttttt taatctggtc tcatacctct 144780 gacageteat gaagaagtge teetgettea tatgtatatg tgttagcata gtgttaacat agcataggtg tteggtgttt geagtttetg tttgttttat atgaattaag gtgtattatg 144840 144900 agcagttgaa gatatatagg aaattttttc ccaaaccact atctctgctc gttctattca 144960 145020 ttcagtctgt ttatgttatt ccttcattca ttcattttat agaacagtgg agtgcctact gtatgcatet attgttetgg gteetgggga agaaaacaaa gtteetgett teatggaact tacattatat tggeggagae agtaacagae aaacaaatgt ageetgtgta catgtgttae 145080 145140 atgaaaagca gggtaggggg ctgggagaga gtagtaggga gtgctatttt cgaggtggtt 145200 gtcaggaaag gcctcactga ggaggtggca ttttgagtag acctgagege ageggggggg 145260 taagcccagg cagcatgtgg aggaagagtg ttcttggtga aaggaacaag gatagaggcc 145320

					ggaatggagt	145380
cgaagctaga	gagctcagca	tgatcaagga	acagcaagcc	cegratager		145440
anace sected	atgaggagta	gaaggtgagt	gagttgggag	gtcaccagag	accarggcaa	
	at at asaaas	cacattggaa	attagagcag	ggaaatgatg	qqatttatgt	145500
+++a++++a	++++atattt	agtgtttta	agggattgct	ctatcaqcta	LLLggaaaac	145560
Legerer	gcttcaagaa	agagaaraa	gaaacaacat	tettaccata	gtcatagtct	145620
ttagtgtagg	tgatggtggt	-terestroga	ataataataa	aagaccagto	cagtt.cgggt	145680
aagtaaggga	tgatggtggt	gtggattagg	ctggtagtgg	aagaccagcc	at at as satt	145740
tgtatttgaa	ggtagaggca	aaaagattat	atttctacca	gcaagcccar	Clatgaagee	145800
a attatatta	+tastttaat	tgagacatgc	ccacataaac	Laalaaalag	gaacttccgc	
						145860
ageteggeta	ttttttggtg	atataggagg	ctagagattg	aatttattca	cccaaaaggc	145920
adgecaagea	ttactatgtg	ccarreacta	tactaaatac	caaggatgta	aataaqaqqq	145980
actigagiga	gtctgtttta	etaggaatta	attactttt	aatgaccctg	acttattaaq	146040
egtagtetea	atcctacaga	cccagcccg	teststatastt	tactaattat	attatttage	146100
catatcagtt	atcctacaga	atgtttaatc	LLCLGLACLL	ecceggeege	tettestest	146160
ttatttctct	ttccttgaca	tttcttgtaa	actggaagtt	acacccacag	tttanaaaaa	146220
tcgtgttaca	cattttagat	tagaacacat	catgtgttgt	atatggtgtt	LLLGaaagee	146280
						146340
						146400
-therestat	ggctttctgt	tacatttaga	atgaaatcta	acctctttqc	tgttacctgt	146460
CEECCCCCGC	tgctggcctc	tatcacctta	ctttgaacca	ctcctttcat	ggactgagct	146520
ggatgteect	tatcttttat	tattattatta	agetteette	actttgagtg	cctctgcagt	146580
ctcattggac	tatcttttat	Louising	aagcccccc	taccagagaga	attecteett	146640
tgctatttca	tggctgtggc	aagccctgcc	atggetttea	Lycaaggacg	gtteesteet	146700
ctcatctcaa	tattatctct	tcagagaggg	accttcccaa	ctccgatgat	Cladadiccc	146760
						146820
						146880
						146940
aggcacacac	caagctcctg	ccacasacas	tecacatete	tcagcctccc	aaagtattgg	147000
aggerggrer	gtgagccact	cegeaugeau	tattttctta	ttcactatct	aaaattatct	147060
gattatagga	tttacatact	t-tt-to-	ttatttata	actagacata	gtgcctcaca	147120
tgttcattta	tttacatact	Lgcccacage	Laccacca	acttacaca	aggacttcaa	147180
cctgtaatct	caatactttg	ggaggctggg	ttggagaatt	ggttgagece	aggaccccaa	147240
gaccagcctg	ggcaacaaag	tgagaccctg	tctataaaaa	attgtttaaa	aattagetgg	147300
gggggggggg	aattaaaaca	acggtgaggg	atgattgtgc	cactgcactc	tageetagtg	147360
						147420
	-tataaaaaaa	agagettata	tatactattt	ggcactatat	ttcctgattc	147480
						147540
tgaaaccacg	tttcatttgg	gattatctga	gtggtaagat	tacggattat	atttatgtaa	147600
tacttaagaa	ttttttaaac	ttaattaaaa	tttgccacac	tgacatagac	actaaqtttt	147660
gaaaaaatca	ttttttaaac	Liggingee	agagggatt	ctcttctcaa	tecceaaata	147720
cttagccaga	. ttacttccga	ggatactcac	agaggccacc		tccccaaata	147780
attgatattt	cttagcactt	tcaagctaat	gcaattetta	gatgatgtat	ctgtgtatat	147840
catatcctca	ttctacaaat	gtagaaattg	aagtctgggc	acagtggctc	tcacctgtaa	147900
+ at an accord	++aaaaaaacc	aaddcdadcd	gatcactgag	qacaaqaqıı	aayaccagcc	
taaaaaaaat	antesearch	tgcctctatt	aaaaatacaa	. caattayyyt	. cgggcgcgggc	147960
aaataaaaaa	. tataatccca	acacattaga	aggccaaggc	aggcagatca	. cdaggtcagg	148020
agt t ggaggag	catectaget	aacacaqtqa	aaccccatct	. ctactaaaaa	Lacadadac	148080
agetegagae	. tacteeggee	cacttateat	cccagctate	gaaaaactaa	ggcaggtgaa	148140
Lagocaggoa	tggtggtacg	gaattacee	taaactaaaa	ttgcaccgct	gaactccagc	148200
tecettgaac	cegggaggeg	gaggeegeaa	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	aaaaacaatt	agccaggcgt	148260
ctggtcaaca	gagggagaci	Cigicicado	- attactacacac	aactasaaa	ddadaatcac	148320
ggtggcgggt	: acgagtacct	gtaateccag	CLactaggga	ggccgaggg	ggagaatcac	148380
ttaaacccag	g gaggtggagt	. ttgcagcggg	ctgataatgo	accactacat	tccagcctgg	148440
agaagagagt	- raractctqt	cttaaaaaaa	ı aaaaaaada	i ayaaayaaat	, cgaggaacge	
						148500
+++aattcac	- pataccacct	tgacaatggt	: ttqtttacac	treddereed	Cittottetge	148560
atttactatac	- ttccttattc	adddcadct	g daaaqaatti	. LUALUALUL	CLagocolaca	148620
cottttaattt	- cacttttcaa	accttgataa	i tagagcacac	aqqaaaaqac	: Lgagtttttt	148680
gccccaacc	gagtettgat	ctatogcccs	aactaaaata	cagtgacaco	atctcagctg	148740
ttttttgaga	- cagtettget	gattassac	attetecte	agecteteg	a gtagctgaga	148800
gttgcaacci	etgeeteece	ggcccaagc	tettatatat	ttatttatt	traffffff	148860
ttacaggca	gtgtcaccac	geccagera	Littlegett	t-getteget	ttgtttttt	148920
						148980
terangetet	- atataataa	r ttcaagcaat	. tettetacet	: cadcctcccc	agtagetggg	149940
as at a tat to	~ accadacta	r fcf.cgaacto	ctdatctcac	a didarciaci	_ cgccccagcc	149100
						149160
++ andanta	+ taattaaaci	- ggtctcaaa	: ttctgacct	aaqtqatti	g coogeoccag	149220
						149280
CCCCCddd	t tatasastt	- toadaacoo	- aagcaagata	a acttaagaa	g ttacattaaa	149340
aaaagagcc	Liciyayatti	. cyayaayyy			•	

atcatctago	agacagtgta	acaagaagga	attqtaaaat	qatqttatga	gcacgtgccc	149400
						149460
tantanataa	cttacatgtc	attttaagga	acttagactg	actcccatca	tqtagacatc	149520
agagatttat	+++++++++	+++++++++	ttttttttt	tttqtqacaq	agttligete	149580
agagaccccc	ggctggagtg	caatggcgtg	atctcggctc	accacaacct	ccacctccca	149640
ctgttgttga	atteteetge	ctcaggogog	caagtageta	ggattacagc	catgcaccac	149700
ggttcaagca	taattttgta	tttttagtee	agacggggtt	totocatott	ataactaatc	149760
cacgeetgge	gacctcaggt	getagtaga	cctcaccac	ccaaagttct	gaaattacag	149820
tegaacteet	ccgcgcccag	gatecttcccg	totagecae	attataacca	gatgetttte	149880
gcgtgagcca	gaatgagaat	CCCagagact	tecaaacaga	taacataaaa	gacaccagtc	149940
cctgtcagta	gaatgagaat	gaartggagg	Lyggagagac	cogcacgagg	atteacteat	150000
agccagtgga	attagctggt	aatgttgata	ggagaagaaa	aagacccaaa	attetaage	150060
ggtagcaaga	attagaggga	aggreggatt	tatgatatgt	-ctaaggccga	ttttaacata	150120
gaaatttggt	ggcagatttc	atgtgtaaat	tgggaaggta	gattgagttt	pagagagagat	150180
ggttttctaa	catgtcaata	gagtgactct	gcaggggggc	ctgacgagag	aacagegeac	150240
ggggtgattc	aacagccagt	tgagccttca	tgcagagcat	LLaacactgt	gaccccgcag	150300
actctggttg	gcagtaaaat	ttcattaaac	caatatttaa	accettaggt	aataataaaa	150360
attraccca	a add at ccad	gttttgtatt	ttttatqaat	teaquialig	aactaaacag	150420
						150420
tgagcatgtt	caaattatta	aataaaaaag	taagetgtgt	atttcattca	Lagadataga	150540
ggctggccta	cttcggatga	ttctcagcat	gtgattacag	atgtgggctt	atacatccta	150600
gggagttaag	acatacteta	acttagatag	agtagagete	tttqaaactc	EECLELCACC	150660
carctarttt	atatagacta	gagaactaga	atgtagcagc	atactctgtc	ttagaageee	
++++atataca	apactaatct	agaaggtttg	aaaacataac	aaatqtqttq	gtgtctccca	150720
- to make a dealer assessed	awattattaa	ccaaragrat	tatectggtt	adddtttddt	ttaattttal	150780
						150840
						150900
atttaceeat	tagatoctct	gttatgtaag	caatataatc	agillitati	aacycaacac	150960
						151020
	as the atache	ataataataa	tagtggtttt	++++++++++++++++++++++++++++++++++++++	tttgagttgg	151080
						151140
tactcccaaa	ttcaagcaat.	tcttctqcct	cadectecte	agtagetggg	accacaggea	151200
cotootacca	tacctaacta	atttttatta	ttttagtaga	gacaggtttc	accargregg	151260
agaggatgat	cttcaactct	taacctcagg	tgaatcaccc	acctcqqcct	cccaaagugu	151320
tagaattaga	ggcatgaacc	accatggcca	gccaaataag	agcattttta	atgtadadii	151380
-tantana	tatacattca	attttatctt	totttactac	gatccatgtt	Ctcacaagct	151440
atgaagaaat	agatacaaga	aaatactgat	gaggtaaatc	ctacctttag	gataaaaaga	151500
+++ata+++	taantoccac	cctcatgtaa	ataaaattta	aaattttttt	LLLLLLagg	151560
teegette	aagcagcatg	gcacatttat	gttctcttac	ccagaatgta	ccaagaaagg	151620
ataataatt	cttaacatct	aacaattgcc	tagtagtage	agtgaaggta	tcttcagtca	151680
gradicecce	ccactgaagg	atatacatoo	attcaagttt	ccatcagcca	gcaggcatca	151740
gaggeragge	tgtagatcaa	agactcaaat	attteettee	ccactggcag	ttttacttca	151800
graarcagre	gettgetttt	ttaataatta	attaadtaca	ttgagagatg	ggaggtgaaa	151860
agragragas	gttttattt	caccatctaa	tatgaaagta	attcaatatt	aggtatccag	151920
aaaygaaaa	tggaagacag	gaccacccaa	attaatatta	atagggagag	aataacccaa	151980
tagttgacac	: tggaagacag : acatgggaat	ggaacgacac	tccaaataad	tagaaattat	gtgcgtaagc	152040
gttttttcgt	gagcactgag	tatatacata	tccatacatg	taatgaataa	ccattatcac	152100
catttgttaa	: tattttcttt	acgegeace	agaccoact	tagaagatta	ctaaaatgat	152160
cagtttaaat	attatgcagc	aggeteagge	tgatcaacco	ttagagaaat	ctacaaaggt	152220
agtcagtgac	tegttttgtg	toongtoo	agtettatt	tccaddtata	aaaataaaaa	152280
aaggatgact	gggtttett	gagtttgaac	. agtattatta	tataggagatt	accttcttat	152340
agaacataag	g gggtttett g tagaaaattg	gcccccgaag	tannaga	atttacatat	attogacaat	152400
cataagcaac	tagaaaattg	acaaactaaa	esasacaaca	tagtettect	deseggaaaa	152460
gggcaataca	gggaaaccat	ggaaaccaaa	cagageeeag	etgttaatge	aggactttgg	152520
gttaaatato	aaagttcagg	ceaggigeag	e eggettaege	gaggagggt	decasesta	152580
gaggccaagg	g cgggtgaatc	acttgaggt	ayyaycccaa	gaccagcccg	atttaaaaag	152640
tgaaaccct	tcttagccgg	gtgtggtgg	aggeacetgt	. aattttaatt	. accegggagg	152700
ctgaggcag	gagaatcgctt	gaaccaggga	a ggcggaggu	gcagcgagcc	tassattas	152760
cactgcact	cagcetgggc	gacgagcgaa	accccatttt	aaaaaaaaa	agetageeea	152820
gagagetea	a tttgagtaga	agttgtagga	a taaggtage	gaaaayayyo	agetgeedag	152880
aaagaaagc	gtagagatat	. ttagagagat	teccatggat	. ecttggccta	a ggagtgattt	152940
gtatatgtgt	t ggggtgaaaa	cgcatgtgt	caggtagaga	acccccaga	aattagtagg	153000
atasstast:	t actagaacat	agggctaaga	a aaaqttcat	quidayaayya	LCLGGCCaga	153060
at agragada	~ ttagtaatac	: acaaqqcati	: qqqtaqtqt	: LLCacagage	, ccacgcccca	153120
ctactgaag	a taaattagto	: ctagagtaca	a aqcacctqaa	a ccaagtttca	a aagcaaattt	153120
ttassaaat	c apattaccta	acaactgcat	t dccaaaacaa	a aggcctaaco	ctetttacag	153240
taacacaac	a aaattcagca	cttcacagte	g taaaqttaqa	a atgtctgac	g tccaggctgg	153240
acaceataa	c tratgertat	· aat.cccagc	a ctttqqqaq	r ccqaqqcaq	g tagatgatet	153360
gaggtcagg	a gttcaagaco	agcctggct	a acatggtgca	a accccgtcto	tattaaaaat	193360

acaaaaactt agccaggcat ggtggccggc acctgtgatc ccggctactt gggaggctga 153420 ggcaggagaa ttgcctgaac ccaggaggtg aaggttgcag tgagccgaga tcgcaccact gcactctggt ctgggcaaaa agagcaaaac tcaggctcaa aaaaaaaaa gaatgtctga egteaateae aaattaccaa geatgacatg aagttgacet ataaccagga gaaaaeteaa 153600 totatagaaa cagacccaga tgtgagaaag atgatgaatt tagcagacaa agaccatcaa 153660 gtggctattt taaatattaa aaatatgttc aagtggccag gtgcagtggc tcatgcctgt 153780 aatcccagca ctttgggagg ccaaggtggg taggagttca agaccagctt ggccaatatg gtgaaacccc ttotctacta aaaatacaaa aaaattagct gggcatggtg gcaggtgcct atagtcccag ctatatggga ggctgaggca caagaatcac ttgaacccgg gaggtggagg 153900 ttgaggttgc agtaagccga gattgtgcca cttgtactcc agcctggaca acagagtgag 153960 actotytoto aaaaaaaaaa aaaaaaaagt taaagaaaac aagagtataa tgagaaaaat 154020 gcaaaatagt tttaaaagaa ccaaatggaa tttcttaaaa taaaaaatac cagaaatggg 154080 ggccgggcgt ggtagctcac gtctataatc ccagcacttt gtgggggctg aggcagcag atcacctgag atcggtagtt caaggccagc ctgaccaaca tggagaaacc tcatctctac 154140 154200 taaaaataca aaattagctg ggcgtggtgg cgcattgcct gtaatcccag ctacttggga ggctgaggca ggagaattgc ttgaacccgg gaggcagagg ttgcggtgag ctgagattgc 154260 154320 154380 accagtgcac tccagcttgg gccacaagag tgaaactccg tctcaaaaaa aaaacaaaaa aaaacagtag actcgaagaa ctagctgagt ttttctttac tttaggcagt aagtgtgacc 154440 ttttgcaggt gactacttta gttcctcatg tcctcattag tagatcagag aaattcgaca 154500 ccaaaacccc aaaagaaaaa ccccttctaa teetcattec atgattttat gaatgeatga agtoctaggo otgogaagga atacteatto tetttateet gtgttgatac etetetgett 154620 caacetecaa etegacattt geetatagga tgtaettgga catteageat aaactaeete acaccattac tgaattgett catgtgcaca tgteccatge cacaataceg gggacettgt 154740 cttccgtgat atttgtccgc agtgctgtga ctacaggagg gagtcagtga atgtctgcat 154800 gtgtgtcttt accatccctc ttgaatatgc tctagggtta attcctagaa gtagaattac 154860 tctattgaaa attggcaata tttttcattc taatatctat tgccaacatg ggaaagcaag 154920 tctggatgcc agtccttgtt atatgcccct tgggtaagtt acgtaacctc tttaagcttc 154980 tgttcactca tattttaaca aggaaaatta caatatttta cctcacaaaa ttgtagtcag 155040 cttctggctg tcttaaactc tggtatatag taaacactaa gtgttggtgt ccatccttaa 155160 tttcagttat gactcaaaac ttgagataaa ggaaatctgc ttgtgaaaaa taagagaact tttttccctt ggttggattc ttcaacacag ccaatgaaaa cagcactata tttctgatct 155280 gtcactgttg tttccaggag agaatgggag acaatcctag acttccacca taatgcagtt 155340 acctgtagge ataattgatg cacatgatgt tcacacagtg agagtcttaa agatacaaaa 155400 tggtattgtt tacattacta gaaaattatt agttttccaa tggcaataac ccatttatga 155460 gagtgtttta geetaetgga atagacaggg accacateet etgggaagea gataagcata 155520 gaactgatac ttgatgcaca ctcgtagtgg taactcatcc ctaatcagca ttgtaaagca 155580 ggtgccagag gtggtttgct ttgtccttcc aaagcaggtg agtcagcccc accgagagcc ggsgattagag ysgstagat stystette magaaagg agtagataat aggcagttt gagtggcag gtggtgctag cagcttcagc ggaacagggt gaggttaat tatgcagtct tottgacagc ggcattaatt tggacggaa ctgcacagtc atgggtcaag tttcagtgac ttcctccttc otctgatgg agtatatag 155700 155760 155820 teetgagatg cactatactt aaaaccatte teteceetge taacagaagg gtgtgaatet 155880 ggtttacttt gagcattagg atttgcccct ttggaattct gcactccagt tacttaactt tecetteaga atacatgtgg aaagaaagaa agaaatageg atgaeteeae ttttgeecet 156000 gtggcacctt gaacaaagca gttcttccca aattatactt ttttttttt taaataaggt gagcaggatg actggggaga gagaaacatt tgactttgac tgcctccccc attctttgct 156120 gtgagctgga aagtgtgcag ttggtcgtct ttcttctcct ttctttagga tagtaagaga ctcactcact geacttetge teagttgget tetgeategg gateacacag ccatcageag 156240 gactgcccag ttggtgagca cactccattg accacgtggc gccagcgctt cctcaatgca catgattgag aggaaagaaa gttctcttag atgttactgc ttttgctcag actttgcaaa 156360 aaaaaaaata tatatatata tgtataaata tataattatt aatcactttt gtccttgaga 156420 aagtottgaa tgaacagaga atttattoca ttgcaatatt tgattgtata gaggcacact 156480 gtitcatoga cagaagaago aaaaaggott tgigtaagtt titggiacta igiaccacct 156540 ctgttattct tttaaagctg aagtattcat gtacttaaac catattatat ttaattgtgt 156600 ttgattttaa aatatatat tatgaattot atttaaaatt gtgtcaactt totgotttca 156660 gggcatttat ggctcttctg ttgaaatata ttgatctttc caaatatttt catttgcttt 156720 ctaaaaaccc agaacatgag ccactactgg actttgcctt gtgtttgaag tgtatggcat 156780 aaacccaagg titttattag tcatctatgc tgtgattaat tcatttigti citttaacaa 156840 aatatttcca tccacttcac attgcttcaa tctttaacag aaaagcaata taaaggttat 156900 agaataaaat gtggttttgg gcaactcttg ctgcctctgc atgttttgga ataacaattt ctacaagact ctaggctgtt taaactagtg ctttcagtta agataaattc taatcatttc 156960 157080 tttgtatata cattttgtgc ttctgagcta gagatgccaa gtagttgtaa actgcttata aagagaatag cagcaaattt gagactegge taetttttte tgeeccaeet getttgagae 157140 acagaagegg agtgtggeee gaaattatta geeagattta atatttgate taaagtaggt 157200 cettgtacte attttaaagt tggaatttga tteetecaae attgagcace caccatgtte 157260 caggetetgt geattgtgee cacaaaataa gatteeetgg tggagttttt atgggtteaa 157320 157380 ataatcagtt gaacaccctt catctttatc atgttgttga cattgacaca aattgtttaa

aaagaaaaga	tattagagag	aaagtggtac	ctttgtaact	tgatgtgtct	tcatcattcg	157440
gtaagatttg	atgaaagtaa	aaagcaaatg	tcagccaaat	ccagtgaaca	gcaataaaac	157500
agggagtaac	tttttataac	tttttctact	tggatttcaa	cattcagtag	agcttttcga	157560
		ctggaggttt				157620
		agtacaaact				157680
		tgacctctct				157740
		ttctacacag				157800
		ggacctgggt				157860
		tggggccggg				157920
		ggatcacttg				157980
		actaaaaata				158040
		gtggctgaga				158100
		cgtgtcactg				158160
		agaaaaagaa				158220
		gcccaagatg				158280
		aaactccatc				158340 158400
cggcgacggg	cacctataat	cctagctcct	egggaggetg	gggcaggaga	accaettgaa	158460
		gtgagccaag				158520
		aaaaaaaaga				158520
		ccaaggcagg cctgtctcta				158640
		agctactagg				158700
		agccaagatc				158760
atgaaggegga	ctctcaaaaa	aaaaaaqaat	tttaaccaaa	tacaataaca	catacctata	158820
		caaagtgggc				158880
gt.ccggccaa	tatggcgaaa	ccctgtctct	tactaaaaaa	aatacaaaaa	ttagccaggt	158940
		aggetgagge				159000
		gtgccactgc				159060
		ggggaaggag				159120
		caggagccag				159180
		ataaccctga				159240
		ttaatctgtc				159300
ttttttgaga	tggagtttcg	ctcttgttgc	ccaggctgga	gtgcaatggc	acgatctcgg	159360
ctcaccacaa	cctccacctc	ccaggttcaa	gtgattctgc	tgcctcagcc	tcctgagtaa	159420
ctgggattac	aggcatgcgc	caccacacct	ggctaatttt	gtatttttag	tagagacggg	159480
		ctggtctcga				159540
ggcctcccaa	agtgctggga	ttacaggcgt	aagccatggt	acccggtctg	ttttttgatt	159600
		gagtttttt				159660
		taatgattat				159720
		tctttagtaa				159780
		atggagctaa				159840 159900
ractgaggee	caggaagggg	agaagtccct	ggettgtgag	atgatcacca	gaagattata	159960
aggetttta	agracteres	catgettete taaacccaga	agatecettee	tttttaatta	gaagattata	160020
		aatttttaca			attctatata	160020
		tgtaaaaccc				160140
		ctctccgggt			agcccctctg	160200
		gtgcagagta			tctgggcagg	160260
		caataaagga				160320
		gagggttgct				160380
		actttatgta				160440
		tcagaatgtc				160500
tgcctaaagg	tgacagtgca	teteetteee	caccccaccc	ctcataccac	tgaagcacct	160560
		gggcaaggag				160620
gagctgggat	ttaccaagaa	gcaaatgaga	gacgaggatt	gcaacaactg	tgccatttcc	160680
ccagcttcag	ctgactcctg	tatattgact	gtgccttcag	actcatccgt	aagtgacccc	160740
		acagtaagaa				160800
		cacttcttc				160860
		taattatgta				160920
		gcactgttta				160980
		ctattgaaga				161040
		cagtggctca				161100
		aggagatcga				161160
		aaaaattagc				161220
gctacttggg	aggctgaggc	aggagaatgg	tgtgaaccca	ggaggcgaag	attgcagtga	161280 161340
gccyayargg	ctactactyca	ctccagcctg tgattcaaga	tagacettta	agggggtgtgt	ttaggteteg	161400
auaaaacatg	coggragett	cyaricaaya	ragectitingg	agcccacgac	ccaggicity	TOTALO

```
tacccaccaa ggtctactgg aaaacatcag gctctcctgc tatagaccca tagggagagc 161460
tgcagccgag agggggaget gaagagaagt geceettetg tgteetgtea geeteateet
teegeaagga ceagttgetg tgceeteea tteaettget geaagaetgg aggtttttee
                                                                        161520
                                                                        161580
teaggtgttg agcacctggt ttacaagatg teagcatett gatgcetgag accateaagg
caagtetetg aacagggett acettagagt aaggettaga agaggeegta aagteagtet
                                                                        161700
cageteegtg getetgeaga gettteggac atgtgaatte ttaaaaacaa gaetattgta cagttaetat atgeatgeag tataaaatta taacettgga aaateetage tagetgttga
                                                                        161760
                                                                        161820
                                                                        161880
qctaattcca taaaqtaatc aqctcctqaq ttctqcaqtq qtaataataa tcaqcataat
gagtaaacac tgtgtgtgcc aggcagcgtc tcatttgatc cttgtgataa tcttgtaagt
                                                                        161940
actgatttte teeettettt aaacaaagtt ttttttttt ttttagagag ggteteacta
                                                                        162000
                                                                        162025
tgttgcccag gctagtcttg aattc
<210> 36
<211> 162025
<212> DNA
<213> Homo Sapien
<220>
<221> mutation
<222> 156.277
<223> Nucleotide Base Change: T to C
<400> 36
gaatteetat tteaaaagaa acaaatggge caagtatggt ggeteatace tgtaateeca
                                                                             60
                                                                            120
geactttggg aggeegaggt gagtgggtea ettgaggtea ggagtteeag geeagtetgg
ccaacatggt gaaacactgt ctctactaaa aatacaaaaa ttagccgggc gtggtggcgg
                                                                            180
                                                                            240
gcacctgtaa tcccagctac tcaggaggct gaggcaggag aattgcttga acctgggaga
                                                                            300
tggaggttgc agtgagccga gatcgcgcca ctgctctcca gcctgggtgg cagagtgaga
ctctgtctca aaaagaaaca aagaaataaa tgaaacaatt ttgttcacat atatttcaca
                                                                            420
aatttgaaat gttaaaggta ttatggtcac tgatatcctg tttcattctt tatataatca
                                                                            480
ttaagtttga aatgtatact tgcactacta acacagtagt taatcttagt cctacaagtt
actgetttta cacaatatat titegtaata tgtatgeact ggtgtttatg tacgtgttta tgtttatate tgttaaaatt ageagtttee atettttet attttgtace ateacateag
                                                                            540
                                                                            600
                                                                            660
ticagaagga tigacagagc aaaaigattt gatgaagtat aaaagicaca tggtgagtgg
cataaataca actotgaaca attaggaggo toactattga otggaactaa actgcaagco
                                                                            720
                                                                            780
agaaagacac atateetata tgtcaagaga tgtaccaccc aggcagttaa agaagggaag
tacacataga aagcacaatg gtgaataatt aaaaaattgg aatttatcag acactggatt
                                                                            840
                                                                            900
catttgctcc taaagtcaga gtcctctatt gtttttttgt ttttgtgggt ttctttttaa
attttttat tttttgtaga gtcggagtct cactgtgtta cccgggctgg tctagaactc
                                                                            960
ctqqcctcaa acaaacctcc tqcctcaqct tcccaaaqca ttgggattac agacatgagc
                                                                           1020
cactgagece ageceagacg etttageatt tatgaagett etgaaatagt tgtagaaace
                                                                           1080
gcataagett tecatgteac ttteaaagtt tgatggtete tttagtaaac caaccaagtt
                                                                           1140
attecteaag ggcaaaataa cattteteag tgcaaaactg atgcaettea ttaccaaaag
                                                                           1200
gaaaagacca caactataga ggcgtcattg aaagctgcac tettcagagg ccaaaaaaaa
                                                                           1260
aggtacaaac acatactaat ggaacattct ttagaagagc cccaaagtta atgataaaca
                                                                           1320
tittcatcaa agagaaaaga gaacaaggtg ttagcaaatt cctctatcaa ataacactaa
                                                                           1380
                                                                           1440
acatcaagga acatcaatgg catgccatgt ggaagaggaa gtgctagctc atgtacaaac
cagtagataa tttcaacttg ctgccgaatg aaacctcttt gcaaggtatg aatcagcact
totcatgttt gttttgettt gtttttagag acaggccctt gctctgtcac
                                                                           1560
acaggetgga gtgcagtggc acgatcagag ctcactgcaa cctgaaactc ctqqqctcaa
                                                                           1620
qqqatcctcc tqccttagcc tcccaagtag ctgggactac aggcccacca tgcccagcta
                                                                           1680
attttttaaa tittctatag agatgggatc tcactagcac ctttcatgtt tgatgttcat
                                                                           1740
                                                                           1800
atacaacgac caaggtacaa tgtggaaaag ggtctcaggg atctaaagtg aaggaggacc
agaaagaaaa ggggttgcta catagagtag aagaagttgc acttcatgcc agtctacaac
                                                                           1860
actgetgttt teeteagage agagttgatg atctaaatca ggggteecea acceccagtt
                                                                           1920
catagoctgt taggaaccgg gccacacagc aggaggtgag caataggcaa gcgagcatta
                                                                           1980
ccacctgggc ttcacctccc gtcagatcag tgatgtcatt agattctcat aggaccatga accctattgt gaactgagca tgcaagggat gtaggttttc cgctctttat gagactctaa
                                                                           2040
                                                                           2100
tgccggaaga tctgtcactg tcttccatca ccctgagatg ggaacatcta gttgcaggaa
                                                                           2160
                                                                           2220
aacaacctca gggctcccat tgattctata ttacagtgag ttgtatcatt atttcattct
atattacaat gtaataataa tagaaataaa ggcacaatag gccaggcgtg gtggctcaca cctgtaatcc cagcacttcg ggaggccaag gcaggcggat cacgaggtca ggagatcgag
                                                                           2280
                                                                           2340
accatectqq ctaaaacqqt qaaaccccgt ctactaaaaa ttcaaaaaaa aattagccgg
                                                                           2400
gtqtggtggt gggcacctgt agtcccagct actcgagagg ctgaggcagg agaatggtgt
                                                                           2460
gaacctggga ggcagagctt gaggtaagcc gagatcacgc cactgcactc cagectggge
2580
aaatgtaatg tggctgaatc attccaaaac aatcccccca ccccagttca cggaaaaatt
                                                                           2640
```

2700 ctcccacaaa accagtccct ggtgccaaaa aggttgggga ccgctaatct aaataatcta 2760 atottcattc aatgctaaaa aatgaataaa ctttttttta aatacacggt ctcactttgt tgcccaggct ggagtacggt ggcatgatca cagctcactg tagcctcaat cacccaggcc 2820 ccagcgatcc teccacetaa acttectgag tagetgggac tacaggcacg caccaccatg 2880 cccaqctaat ttttaaattt tttatagaga tgggggtetc accatgttgc ccagactggt 2940 ctcaaaccct gggctcaagt gatcctccct caaactcctg gactcaagtg atcctccttc 3000 cttggcctcc caaagtgctg ggattacaag catgagccac tgtacccagc tggataaaca 3060 ttttaagtcg cactacagtc atggacaatc aggettttca acatgcagta tggacagtga 3120 gtcccagggt ctgctttcc atactgaaat acatgtgata ctaaggagaa aggtgctcgc 3180 aaggatattt aaaatgaaga atatttaaaa tgaggaaaaa actgtttott catgactttg ataaggotga taaagaccat ttotgtgato toaggtgatt cactoaagta gtatatttoa 3300 gtaatcatta totggaacag cotgaatott aaccaaaata coatgatitt itaatgotgt 3360 tatgatacct tgatgatatg accaaactgc aatgtaggca gctaaatctc cacgagtttg 3420 acttccccga gagttgacag ttttcttcac aaattaaaga aatatattt ttgatacatg 3480 attggcatat ttaaaaacta cactgaaatg ctgcaaaatg atataaagaa acattttcca 3540 gaatcaaatg caatcaaaga gtggattagg aatctactca ccattatcaa ctaaatagaa 3600 3660 acacttggac tgggtgtggt ggctcacatc tgtaatctca gcactttggg aggccaaggc aggtggattg cttgaggcca ggagctcaag accagcctga gcaacatagc aaaactctgt 3720 ctctacaaaa aaaaaaaaa attaaccagg catggtggca gatgcttgta atcccagcta 3780 ctctggaagc tgaagtagga ggactgcttg agcccaggag atcaagactg cagtgagccg 3840 tggtcatgct gcgccacagc ctgagtgaca gagagagacc ctgtctcaaa aacaaaaaca 3900 aacaaaaaac acttaacctt cctgtttttt gctgttgttg ttgttgtttg tttgttttga 3960 gatggagtet caetetgttg eccaggetgg agtgeagtgg egtgatettg geteaetgea 4020 agetetgeet eccgggttea egceattete etgeeteage etceegagta getgggacta 4080 taggegeeeg ceaccaegee eggetaettt tttgeatttt tagtagagat ggggttteae 4140 4200 cgtgttagec aggatggtet tgateteetg acctegtgat ccacetgeet eggeeteeca aagtgetggg attacaggea tgagecaccg cacceggeca acetttetgt tttttagttt 4260 gatatgettg ttaactcage agetgaaaga atgetgaaag tggcetteag taaaaaaatt 4320 teactagaat etetacatee atatttaate tgaatgeata tecagattga teagttagag 4380 caaaaacact catcatcatt cetgatgace tetaattetg gttteggett tetattteaa 4440 tggaaacaga ataaggaaag aaatggaagg gctctggaaa tttgtcctgg gctatagata ctatcaaaga tcaccaacaa taagatctct cctataaata taaaacaagt ataattaatt 4500 4560 ttttaattat ttttttctct tcagaggatt ttatttcaag ataaaacata acttctaccc 4620 4680 atactattga ttccaaaggt tagaaaaagt gtttttcctc atcttatcct tcaaagaggt 4740 cacagcaatg caaacatcta taaaatgcct ctgcataatt gtcagaagct atagtccaga aatcattgaa aatgcttttc cattttaagc ttaggtgagg tgtcttagga aacctctatg 4800 acaacttact ctatttattg ggaggtaaac teecaggacte teecagggte teetgtattg atecteatttt ttaggettee taatecettg aageacaate gaaaaagee tggatetett 4860 4920 ttetgeacat ateategegg aatteatteg getteeagea agetgaeact ceatgataca 4980 ageggetteg ceetteteeg gaegeeagte ettgetgegg ttagetagga tgaggggttt getgggette agtgeagget tetgegggtt eccaageege accaggtgge etcaeagget 5040 ggatgtcacc attgcacact gagctcctgg caggctgtac caatttttta attatttaat 5160 atttatttt aaaattatgg tgaatatttt ggtattctgc tctaaaatag gcccataaat 5220 gcacagcaga tatctcttgg aacccacagc tttccactgg aagaactaag tattttctt 5280 ttaaagatgc tactaagtet etgaaaagte cagateetet acetettee ateceaaact 5340 aagacttgga atttatgaga gatctagcta acagaaatcc cagacacatc attggttctt 5400 cccagagtgc agtcctccta aagaggctca gccctaagca ggcccctgca ccaggagggt 5460 gggtctgaga cccacatagc acttcccaag gtgcatgctc cagagaggca ctgaaacagc tgagcacaag cctgcaagcc tggagaactc tcacagtcag aacggagggg gcccagtggg 5520 5580 actaacataa agagaaaagg gaacacagag aaatggatgg caccaacaac cagcaaagcc ttcatggcca atgaaagcat cagtgacggg gccagaaccc tcatccccaa agactcttca 5640 5700 ctgcctttag tgaaaaacaa tggctagaga gtgaagttat gatcatgtat agagaggtaa 5760 agitacatti tiatattetg actetgetaa igigaaatte cetateiget agactaaaag 5820 titcagacac cotgitcaaa tatoocatta gitgotagag acttaaaatg aacagaacgo 5880 acattgtcag gatgactatt accaaaaaat caaaagacag caagtattgg tgaggatgta 5940 6000 gagaaactgg aacttttgtg cactgtttat gagaatgtaa aatggagcag ctgctgtgga aaagagtatg caggtteete aaagagtaaa accaagatgt ggaaacaact aaatgeecat 6060 cagtggatga aggggtagac aatatgtggt atatacatac catggagtac tattcagcct 6120 ctaaaaaaaa aaaaggaaat totataacat gcaacagcat ggatgaatot tgaggacatt ttgctaatga aataaggcag toatagaaag acaaatactg cacgactoca ottatatgag 6180 6240 ataccaaaaa tagacaaatt catagaatca aagagtacaa tggaggttac ctggagctgc 6300 agggcgggaa acgaggagtt actaatcaac gaacataacg ttgcagttaa gtaagatgaa 6360 taagetetea agateagetg tacaacaetg tacetagagt caacaataat gtattgtaca 6420 cttaaaaatt tgttaagggt agattaacaa atgtagtaga tccacaaatg tggttaagtg 6480 6540 ttottaccac agtaaaataa aaaaagaata tcaagcccag gagttcgaga ctagcctggg taacatggtg aaaccctgtc tctacagaaa atacaaaaat tagccagctg tggaggtgca 6600 6660 ctcctaggga ggctgaggtg ggaggcttgc ttgagcccag gaggtcaagg ctgcagtgag

ccatgattgc a	accactgtac 1	tecageeeag	atgacagagc	aagacaccac	ccccccaaa	6720
aaaagaaaaa	accuctgeae	cattttaaaa	gatcagatac	gcaagaacaa	caacaaaaaa	6780
aaaagaaaaa	gaatatcaaa		tagasttatt	gatataacta	aaaaacagac	6840
gagatgaaca	gagcatcgac (cctcatctag	Lgggaccccc	b	taacataaa	6900
attgagagac	aaacaatgac :	agtgatgtga	teacageaat	cacacaggca	annogatta	6960
						7020
atanagaret :	tccaaaacta (racagaactg	cacacaccaa	atcacagaaa	gaagaaaagc	
cataggagat :	totaggaccc :	accodctatt	ettgatggct	qaacacccccg	ccgcaggaga	7080
gacaggaget	aassacsta i	ataggatgaa	acctcaaaca	actttaccta	cattgcttaa	7140
gatgactggg	ggaaagcacg	totagtoaat	ggggacaatt	caatcaaaga	agaaagatgc	7200
tcaaattcac	Cityactaac	++ + + + + + +	gggggatata	ggaatagatt	aaaagagagt	7260
tcaaattcac .	atttagaat	gatttttat	ggcagcacgg	agtatagata	ataaataata	7320
gaagetggag	gcaagaaact	tgttaagagg	Caactyaaac	agiciagacg	h	7380
anatanagaga .	ataactagaa	aaatcagaac	addctdaatc	aacayatacc	Lagatgaaaa	7440
taccactccc	aatacggaag	atttaccata	tqtattqqtt	atatattyyt	graceaa	7500
						7560
teactgacaa	gataggctta	geteaataat	tetagetead	agtttctcaa	gaggttgcaa	7620
aggaatctaa	gataggetta	gctggctggt		+aaaaaccaaa	gggtccactt	7680
tcaagatgtc	agctggggtt	geateaterg	aaggcccaac	tattaacaaa	agatotoaat	7740
ccaaggagtt	cactcacctg	cctgacaagg	cagtgetggt	Lgctggcagg	agaccccaac	7800
tcattqccaa	gtgagcctct	ctatagcatt	gctggaacat	cctccccatc	tggcagttgg	7860
attatatataa	catgagtgat	ctgagagaga	gaggaggag	qaaqccacag	tgttcttct	
a at a at a at a	ctaacactat	ggacctactc	ctaacactct	Cactterget	CLaciccacc	7920
acttacaaac	ggaactaagc	tccacctctt	gaaataagaa	gtgtcaaaga	atttgtggat	7980
agttagaaag	atcatcacac	tataasaata	gataggggt	tcaattaatg	ctgaacttga	8040
atatttaaaa	atcatcacac	cgcggaagcg	gacaggggg	aggataget	antcataact	8100
aatgcctgag	acattcaaat	gtccaacagy	Caatyaacat	acccacagac	agecaegaee	8160
ttagcaagaa	tagaggaaga	tcacagaatt	aaggaggaat	tgaaaggtaa	aagaagcgga	8220
gtcagattcc	ccctgaaaag	tgagccatga	aaggaacttt	aactattgag	ttagaggtca	
gagtaggaaa	tttcaataa.	attcttttt	aaaqaaaqqa	accatataag	Catgettega	8280
aat sasaaa	castasatca	gtagacaggg	agaggtaaaa	aacataaatg	acaggggaca	8340
ggcagaggga	gtcttggcag	aatcccttac	ccattgactt	ggggccaaga	gagggacact	8400
gttgacaaag	agggataagg	aaccccccac	agaatgggtg	ctatttagtg	taatcctatc	8460
tetttgtttg	agggataagg	aaaacaagaa	agaacgggcg	astatadata	tgacctcaca	8520
tctagggcaa	acgcataggt	aacaaactgt	gracerage	aatacagacg	ttatatttt	8580
ttgagattct	cacctcaaat	ccattttgtt	gttacctgta	Cettectace		8640
gctacatgca	gactgctgtt	ttgtcttcct	ggcctgttcc	aggtttcagc	attetggeat	8700
attaggggggg	gtatctaaga	agtgatgcct	tcaqttaqqc	ctgagaacct	Cottotatgga	8760
actgggccac	agtgaccctg	acacactton	tatcttggag	atgtcactgc	tcccaqcctq	8820
aatttttatt	gaatctcagc	atagacetet	antantaton	at aaggcgtt.	aaggtatett	8880
tggtctagga	gaateteage	orgagectet	agcagcacgg	acaaggogo	antactaata	8940
tgaaccagag	tctgtcatat	tecteaatgt	gggacagaca	aaacagcggc	****	9000
tttctgagct	agaactctgg	tttttggtct	agattettig	atgratgatt		9060
geogeococc	tasacasata	tagatgaaca	ttaaactatq	acaattcatq	gaaatgaata	9120
						9180
at at tagada	atactttat	taaaacctac	catcttacta	ggcacatgat	attgaaacta	9240
Ctacttaagg	ggagaaactt	cttaaaaact	tttaatgaat	aaagtgatga	agtgataata	9300
atgaaataat	ggagaaaccc	Cicaaaaacc	cccaacgaac	attettetae	ggtttttta	9360
ttttagctgc	tatttataaa	gtgactatta	Caggicaaac	accected	ttatatacac	9420
						9480
+++aaaaaaat	tagaggaaata	aggat.cagag	aggttaggta	alliquidag	ggccacacaa	9540
atatttt.ccc	atactacctt	totaataaaa	gataactaat	gctactqqau	getgeecca	9600
						9660
aagcgagcca	attgctgatc	teccecacta	gattataaac	tcaataaaaq	caagatcctt	9720
Caacttattt	tatcagtacc	teesesagete	tataacacaa	agcaagtaat	taatatttgt	9780
gtctgctgaa	tatcagtacc	taaaacgctg	terageacag	agcaagcaac	cacatattta	9840
tgaatgaaca	aataaaggaa	aaaaattcaa	aggaagaaa	agececaaaa	tagatgttta	9900
cctaaacata	cattttaaaa	gaaagcatat	aacaaattca	ggacagaatt	Laaacttgat	9960
tttttaaaga	aataaccaag	tactactc	r qcacaqtqqu	; ccacacccg	. aaccccagca	
at at aggregat	ccgagggagg	cagatcactt	: qaqqtcaaqa	qttcaagac	; ageerggeea	10020
agatgatgaa	acctatetet	actaaaaata	ı caqaaattat	: ccaqqcatq	Liggiaggicci	10080
atataaaaa	agetactes	gaggetgagt	caggagaatt	gcttgaacco	aggaggcaga	10140
ctgtaacccc	agctactdag		actocacot	gagtaacaaa	gcaagactct	10200
ggttgcagtg	ggccaagatt	geaceaetge	, accedageee	2002200000	gcaagactct	10260
gtctgaagga	. gaaggaaaga	aagaaggaaa	. yaayyaaaga	ayyaaayaa	gaaagaagga	10320
00000000000	cneeneen	a aga a aga a a	n gaaagaaaga	i aaqaaaqaa	i yaaayaaaya	10320
2242234333	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	gaaagaaaga	accaaqtqct	: tatttqqqa	: Clactatget	
2+4++++CC	· atacacacta	- ffffcagtaa	a accaditado	: addCttyca	gattataata	10440
acgeetteet	cottotata	ctctaaaatt	atactttaac	aagttcctc	ttaccagete	10500
acadacatat	. goodecaaaa	aganttact	gtaactttt	ccctagaga	a tatccacage	10560
atgtatgcat	tagittteta	ayayttatta	toogetase	ttatcaaat	tragectaag	10620
cagtttattt	: aaccaaagga	ggatgetta	Laacacgaag	teatratat	g tgagcctaag	10680
ttgggccagt	: tcatgttaat	atactccaga	a acaaaaacca	a coccacigo	ctctgacaat	_0000

						10740
tttacctgaa	aattcatttt	ccacattacc	aaggagccag	ggtaggagaa	tatagaaaga	
						10800
-aaat saasa	tasstagesa	attotoctca	gaagaatgat	ctacaacatc	ttactgtgaa	10860
						10920
ggaactactg	ttttaagcct	acatettass	aggtttgata	ttagtacatg	aatagacaaa	10980
ttaaaaaata	ctagaccaag	aaaccccaaa	aggeetgaea	aggaatttaa	tatacqataa	11040
cagacatgga	ctagaccaag	aaccaggccc	adacacacac	aggaactaaa	catcaggaaaa	11100
atctagtatt	ccaaaggaac	caacaaatgg	tgttcagaca	gcaggacagg		11160
aacacagttg	ggcaccctac	cttactccta	acaccaggag	taactgaagg	agcaccaaac	11220
a+++a+++a+	+++22++2+2	gttttaagtt.	ctadddtacd	tgtgcacaac	acguagguic	
	t-teastata.	agatattaat	daddaddadd	aaatatttaa	aaqaaaaaaa	11280
ttaaaaaaaaa	acaataactc	acacctgtaa	teceaquact	LLqqqaqqcc	aaggegggea	11340
						11400
gatcacctga	aaaattagcc	ccgagaccag	gaagataat	at a at accesa	ctacttggga	11460
ctaaaaatac	aaaattagee	aggearggry	gcacacgccc	ttagaataaa	ctcaccatatt	11520
ggctgaggca	ggagaatagc	tttaatctgg	gaggcacagg	ttgcggtgag	t	11580
						11640
						11700
						11760
agaaaaccac	catagotgaa	tassataaas	asacsaact	tgactcatat	ccagacagag	11820
gctaaataat	tacacataaa	tgaactggga	atacadaacc	cassassacc	accactaacc	11880
ttaattttcc	tacacataaa	gagtacctat	ataaacccaa	caaaaaaaacc	atagatatta	11940
caaaataaaa	atgtgacagg	taatgaacag	gtagttcaca	gagaatacaa	acggccccc	12000
						12060
gtagaagaaa	gcacctggct	cctcaaccac	ctgtattaac	aggaaatgca	aaataaaact	12120
gtgtttatt	ttttacctat	tagaatggga	aaaatttgaa	aaacttcaaa	catcatcatg	12180
ELCAdalcia	tgtgaggaga	atagaacggca	cattttttac	tgataggata	tatatactga	12240
ttggtgagaa	tgtgaggaga	Ctggcactct	et-tereste	tagaagtaga	tatatccttt	12300
tggcttctat	ggaaagcaat	ctggcagcgt	Ctatcaaatg	-tacaagegea	agastagass	12360
						12420
						12480
atataggaat	+++++++++	cttttctgag	acadddtctc	acticique	ccaggcigga	12540
gcccgggaac	atgatctcag	ctasctacea	cctcgacctc	ctgggttcaa	gcaatcctcc	12600
atgecatggt	tectgagtag	ctgactgtag	aggaggatac	catcatocta	atttttgtat	12660
cacctcagcc	teetgagtag	ctgggactac	aggcacgcgc	catagactca	agcaatccac	12720
atacagggtc	tcactatgtt	geceaggera	atgicaaact	-cccaggccca	agaaataaa	12780
ccacctcagg	ctccaaagtg	ctgggattac	aggegtgage	cacegegeee	ggccccggga	12840
attattacaa	aagaaaaat	atctactctc	cccttctatt	adagicadaa	cagagaagga	
a att da a dot	ataatraaar	tagagaaggg	cctcaaccct	gagcaacaaa	Cacaaaggcc	12900
- tt tataaa	caggaatttg	ctgaacaaaa	t.cgagggaag	atgacaagaa	Luadyactica	12960
-ttetegaga	gggcgcagtg	actcacacct	gtaatcccag	cactttqqqa	gqccqaggcg	13020
ettetegget	gaggtcagga	gottaaaaaa	atactggcta	acacagtgaa	acccagtete	13080
gacagatcac	gaggicagga	gattgagatt	-at-agg-cat	acatateata	ccacctactt	13140
tactaaaaat	acaaaaaatt	ageegggegu	ggtggcaggt	gcccgcagcc	tasaccasas	13200
qqqaagctga	ggcaggagaa	. tggcgtgaac	ccaggaagcg	gagettgeag	Lgageegaga	13260
taacaccact	acactccago	ctadataaca	gagcaaqact	Cigicicaaa	aaaaaaaaaaa	
angagtgatt	tetetagate	ttgaggggta	ttcaaattta	tctcaqctta	gugagagguu	13320
	atatacttcc	ctataaaccc	toctccttac	tgaaggaagg	taacqgatga	13380
	annatagaga	apadractaa	caccattate	tgatgaacat	Lacquyaaya	13440
greaaggaca	ccaacggaga	attactaca	aagtcagtga	aagragacat	tcatttgggg	13500
agggtaagaa	i grgaagrgga	accyccydag	ttessessast	attagagget	deducadada	13560
aaatggaata	ı taggaaatco	ataaaagiga	Lidadaagai	gccagaggcc	gaggcggggg	13620
						13680
ananataca:	. aaaattadcc	· addcataatc	r deaddeacci	quagueceaa	Ccacceggga	13740
	. aananntaac	· atmaacctmo	r dagacggagc	ttacaqtaa	Codadarcac	
agazatacza	tocadector	r otgacagagt	gagactccat	ctcaaaaaaa	i adagitagat	13800
						13860
acyayayaca	aagacccaac	agatatasa	accassact	ttcctgaaat	tgagtaactg	13920
gcacaggaaa	agaaaattta	ayacacaaca	- ccggaaaacc	tacateaaaa	ccaaccacca	13980
aatctatago	: ttgaaagggt	: ttagcatate	g ccaagaaaaa	ccagcagage	ccaaccagca	14040
caagacacat	: ctagcaaggo	: tggtgattct	accaacacag	g agaaagaagi	gggtgaccca	14100
						14160
						14220
cayaacytta	a stangages	acaagest+	tcatactcaa	a gaatcettaa	a gaaaaatgta	14280
catttacaac	atyaaayaa	acaaycacc	tacttaatct	geteattaat	gggaacttca	14340
gtcctaatc	agcccactg	a additadati	a caccuaaty	goodactti	cctgcaatag	14400
tagcttcaa	a tcagtctgg!	cccatctac	aacaeccct	. goodgood	cctgcaatag	14460
						14520
gaggagatg:	acacccaadi	. cadadccct	e caquqeqea	; tqqtctaca:	a ageceeeee	
20000000000	- ccacatacca	- tecagatec	t tataacata	CECCLGCAL	a ccccagcage	14580
						14640
agaggacte.	c todacetec	addagttaa	c tecettace	actctaggt	c attgctcaaa	14700
ggeegeete	c secureouge.	- 505-5-100			-	

tatcagcatc	tcaatqqqqc	cctccctgac	taccctattt	aaattctaca	tactcccctt	14760
gaccccatgg	acctcactca	ccctattcca	cttttattct	tacaatttac	cacttottct	14820
cttctaacgt	attctaagac	ttactcattt	attacattot	ttgccacccc	ctctagtaca	14880
taaactccag	addddcaddd	atttctgtct	atttattcat	ttctttatcc	ctaggacata	14940
caaaacccag	tagttgagag	tattcaatgt	tatcaatcaa	tasaatsaas	ataataaaa	15000
gaacagggca	cagilicagag	aaatctaaat	caccaacgaa	atastaatat	gragraceag	15060
						15120
eggatagaaa	attagatata	attttaagaa	geetagaaag	aaaaaactaa	taatgtaaaa	
ataatattaa	tttgataata	ataacaaaaa	ctctgccagg	cactgtggct	caaatctgca	15180
atcccagcta	ctcaggaggc	tgaggtggaa	ggatcacttg	agaccagagt	tcaagactca	15240
gcctaggcaa	cacggcaaga	aactgtctct	aaaaaaatta	aaacttaaat	ttttaaaaaa	15300
		aaactggaga				15360
ctatgctaat	ggttttttt	ttttttagaa	aggtataacc	aaaagatttc	tttctcaagt	15420
cgataaactg	agaaagataa	gcatatette	caattaacag	agggggagga	aaagccagat	15480
		ttagtttcca				15540
		cccagcccaa				15600
catcatctca	gataaaggag	gaaaaactgc	cacagtetea	aaccacaaac	tataagcaca	15660
		gtctgggctc				15720
		gggatacaga				15780
		ttacagccac				15840
		atgtcatctg				15900
						15960
		gcaaaacata				16020
		agtacatgag				
		gcaaaaaaca				16080
		cccatcattc				16140
cagatggaca	taaaaagctg	tgtgttacgt	gaaaacaaac	tcaagcagca	gcaggatggg	16200
cttatgatag	tcagtatgag	ctaatttctg	gaaaaaaaaa	tctagtgtgt	gcacagaaaa	16260
catctgaaag	aacagaaaca	aaactatcag	cagaatattg	agatgtttta	ctaagttgta	16320
tatctatact	gcttgtaatt	tttaccccaa	gcaagaatta	ctttttggaa	aaagaaaatt	16380
caggaaataa	agcatttctt	taaacttcat	gtttaaacaa	atggtgatgg	aataaaagag	16440
ttcttattca	tcataaacac	acacagcaca	catgcacgca	tgtgcgtgag	cacacccttt	16500
acttgataaa	taccatgttg	aatattttag	tctttccttt	taggttctat	cccttcactc	16560
aaaatgcggt	tataaataaa	tgtacttttc	atgtgccttc	tgcctaaacc	cactttaata	16620
taactttaca	qtcccattat	cattatagtc	tcaaagctag	actcaqcctg	aaactaccct	16680
		aaatgccaca				16740
		tttgttgcta				16800
		gctacatatc				16860
		cgctcttttc				16920
		taaaactata				16980
		gaaaaccagt				17040
		taaatgttca				17100
acctcataag	aacaccctca	gatcttgtta	taggettttt	tttaggatgg	tgaagggaat	17160
acceegedag	ccattcacca	agagaaacaa	attatassa	actosatast	ctacccaaaa	17220
addategecce	tttacaatat	gagaaatgtt	atacagtata	taasaasaat	cattactatt	17280
cttatgaaca	gangangatt	agaaaaattc	ttggattgtg	tastaasasa	attaggagta	17340
tretacacag	gcagaacacc	caaatagtta	ttoooteete	ctatattaa	gaaaaaaaaa	17400
tgtttagtat	aactcaagcc	attgaaaaga	teatateete	actorecon	gaaacagcgc	17460
						17520
		acaaatcact				
		agaatacagt				17580
		tagaaaactc				17640
		ggaagcaggg				17700
		tgagtctggg				17760
		catgttaaat				17820
		ttcaagaaaa				17880
		aaaaagagaa				17940
cttcatggaa	gaataccagc	taataaatgt	aaaggaaatg	agagaattag	aaaaattatc	18000
attttgtaaa	ccttaatata	ttcacctaga	catgctaaaa	ccactgagta	aaaggctgct	18060
tgggaagagg	atgctcacat	gatctcagag	tttcacacca	cagataattt	attagataca	18120
ggaaggaaga	tgtgatcaaq	cttcctgtga	ccccagcca	ggccccacaa	cactatgtgc	18180
		acacagcatc				18240
aaqctaatca	caaqqqaaqa	actggacagc	ttctqaccat	gagacgetee	accagacaac	18300
		aacttgcttg				18360
		aaaacaaacg				18420
		cctgttcttc				18480
		gaaggttctg				18540
accttaagac	ccacacaaca	acccagtgat	gaattcacta	agtettett	ttacttcatt	18600
atctcagagge	tagaactcaa	geageaggea	acttcaaaac	accaaggggg	acagattgaa	18660
aagccccaag	aaaagcctgc	cctctctagc	caaaggacca	ggaaggagag	agtctaatga	18720
90000000						

gatggaacac	atttagacag	taactgccca	tttaccagca	ataactgagc	agggagccta	18780
gacttccagt	cttgtgagga	cgtaccaagg	tacccaacac	ccccaccaag	gctgagtaag	18840
gactgcgact	tttatccctg	catggcagta	gtaaggagcc	catccctcac	ccgccagcag	18900
	acctggactt					18960
	ggaggcctag					19020
	ctccctcttc					19080
actcctaccc	ctcctagcca	gggaggtatc	agggaggcca	agtagggaac	cagaataccc	19140
	agcagcaaca					19200
gaaagcctgg	atatttaccc	ccatctagaa	gtaacaagct	gatgtccccc	ttcttctact	19260
acaatggtgt	tcaaaacagg	tttaaataag	gtctagagtc	tgataacgta	atacccaaat	19320
	ttcattgagg					19380
	caattgacag					19440
	aagcacatat					19500
aaccccagca	ctttgggagg	ccgaggcagg	tggatcacaa	gatcaggaga	tcgagaccat	19560
	acggtgaaac					19620
	acctgtagtc					19680
	gagcagtgag					19740
	cccaaaaaaa					19800
	caaatgaaaa					19860
	gctcacagcc					19920
	ggagtttgag					19980
	tagccagtca					20040
	atcgcttgaa					20100
	actccagcct					20160 20220
	ggaaatttta					
	agggggcaga					20280 20340
	aagaacagaa					20340
	ggaatgatgg					20460
	agaaagtctc aggaaagaga					20520
	cccaaatttg					20580
	cccaataaaa					20640
	aacgtcttga					20700
caattcaagt	aacagatttc	ttacagaaat	taaggaaggg	agaaggaaat	gacacaatgg	20760
	ctgaaagaaa					20820
	caatgggaaa					20880
	ctcccctaaa					20940
	gaatccagaa					21000
	ataaaatttc					21060
	taaccctgtc					21120
	aggtttctat					21180
	acacacgtaa					21240
atatatacat	ataatgtaat	acagcaacca	ctaacaacac	tatacaaaga	gataataacc	21300
aaaaacaatt	tagataaatt	gaaatggaat	tctaaaaaat	attcaaatac	tctacaggaa	21360
gacaagacaa	aaagagaaaa	aaagaggagg	acaaactaaa	ttttttaaaa	acataaataa	21420
	ttaagcccta					21480
	gacagagata					21540
	gcagtgactc					21600
	ggtcaggagt				cccatctcta	21660
ctaaaaatac	aaaaaaatta	gccaggcatg	gtggcacacg	cctgtagtcc	caactactca	21720
	acacaagaac					21780
	cagcctgaac					21840
aacctgcttt	aaatatacca	acatatgttg	gttgaaatta	aaagaataaa	atatatcatg	21900 21960
	tcaaaagaaa					22020
	caagagacag					22020
	attctgcttg					22140
	tcagcatgga					22140
agacacccac	ggaacactct	tacceteces	Cataaaacdd	acatteette	caagtattca	22260
	ccttagaccc					22320
taggettggat	ggacagtgga ttttgggata	agagetgeat	tocasast+~	aayyuyadag	tattagagag	22320
actotacean	tataaaaaag	accettaeet	tatacattt	accycygcga	aacatatoot	22380
	tatctaacgc					22500
cagaggatta	tctactggaa	tcaaactaca	aagaggtaac	tagaagaataa	cgagagagag	22560
ctccaaatac	ttgaaaactg	gacagcaca+	ttctaaaatc	atccgtgccaa	caaagatatt	22620
catttctcat	ttgaaaactg attcattttt	attotttaat	gtatttttaa	aaatttctta	agggaaataa	22680
actgactass	aatgaatatg	actagataca	ataactcaca	cetataatee	cagcactttg	22740
	-3	2 -555-509		-3-3-300	5	

ggaggccgag	gctggtggat	cacaagatca	ggagttcgag	accagcctgg	ccaagatggt	22800
gaaaccccgt	ctcaactaaa	aaactacaaa	aagtagccaa	gcgcagtggc	gggagcctgt	22860
ggtcccagct	acttgggagg	ctgaggtagg	agaatcgctt	gaacacaggc	agcagaggtt	22920
gcagtgagcc	aagattgtgc	cactgcacgc	cagcctgggc	gacagagact	gcctcaaaaa	22980
			tgggacatag			23040
aaatttataa	cactaaatgt	ttacattaga	aaagagaaaa	agtttcaaat	caatagtctc	23100
cactcccatc	tcaagaacac	agaagatgaa	gagcaaaata	aacccaaagc	aagcaaaaga	23160
aagaaaatat	aaaaataaat	cagtaaaatt	gaaaacagaa	acacaataaa	gaaaatcagt	23220
			ataaaattga			23280
			cagttattag			23340
			agatgaaatg			23400
			agataattgg			23460
			aaaacagaaa			23520
			ttaacaaata			23580 23640
agctaaagag	atgtatgtac	tgtgaaaaat	atcttcagaa	aaatagaact	ttgtttgaag	23700
			caagaagcaa			23760
ttaccgaaga	tanagagaga	acguitate	aagaattacc ccagttcatt	ttotacoata	gatattacta	23820
tratartara	cgaagagaag	ggaacatect	cttgacacac	taactataa	taggtgttactc	23880
			gaagcactgg			23940
gaaaaataaa	agccagaaaa	tagatagaa	ctgtaatctc	acaagggcag	gaggetgagg	24000
			gactagcctg			24060
			agggtggtgg			24120
			tcatgagtat			24180
			atatataaaa			24240
			gttcaacatt			24300
atatgaacgt	actaaagagg	aaaactacat	aatcacatca	atcaatgcag	aaaaaagcat	24360
ttgccaaaat	ccaatat.cca	ttcatgatac	tctaataaga	aaaataagaa	taaaggggaa	24420
			ctacaaaagc			24480
atggtgaaaa	actaaatqct	ttcccctacq	atcaggaaca	aagcaaggat	gttcactctc	24540
attectetta	tttaacataq	ccctgaagtt	ctaacttgtg	caaaacgata	agaaagggaa	24600
			ataaaactgt			24660
attgtctcat	agaaaatgta	aagcaactag	gggtagggg	gcagtggaga	cacgctggtc	24720
			aagttcaaga			24780
aactatactt	aatatattgt	attcttgaaa	atactaaaag	agtgggtgtt	aagcgttctc	24840
			gcatacgtta			24900
			cacacaattt			24960
			cctgtaatcc			25020
gcgagcagaa	aacttgaggt	cgggagtttg	agaccagaat	ggtcaacata	gtgaaatccc	25080
			atgtggtggc			25140
			gaacaaggga			25200
			agtgagactc			25260 25320
			ccaagcgcag			25380
			acaaggtcag			25440
taacatagtg	adaccccatc	gggaggaga	aatatataaa tcacttgaac	ccagecagge	acgigiagic	25500
			agaacgagac			25560
			ctactaagtg			25620
			aattgagctg			25680
			gattgtgcct			25740
			tatttaaaaa			25800
			ttaaaaacat			25860
			atctaacaaa			25920
			aaagaagact			25980
atgcttatag	gttggaaaac	ttaatatagt	aaagatgcca	attttatcca	aattattaca	26040
caggataaca	ttattactac	caaaatccca	gaaaaatttt	acatagatat	agacaagatc	26100
atacaaaaat	gtatacggaa	atatgcaaag	gaactagagt	agctaaaaca	aatttgaaaa	26160
agaaaaataa	agtgggaaga	atcagtctat	ccagtttcaa	gacttacata	gctacagtaa	26220
			tatagatcaa			26280
agaaagaagc	acacacaaat	atgcccaaat	gatttctgac	aaaggtgtta	aaacacttca	26340
			tgtagagtca			26400
			aaattaactc			26460
			aaaaggccac			26520
aatcccagca	ctttgggagg	ccaaggcagg	tggatcacct	aaggtcagga	gtttgagacc	26580
agccggatca	acatggagaa	gccccatctc	tactaaaaat	acaaaattag	ctggacgtgg	26640
Lygcacatgo	cugtaatece	agctacttgg	gaggctgagg	catgagaatc	guttgaaccc	26700 26760
gggggcaga	ggrigeggig	agccaagatc	acaccattgc	acticagect	gggcaacaag	26/60

agcaaaactc	caactcaaaa	aaaaaaaaa	aaaqqaaaaa	tagaaaatct	ttgggatgta	26820
	aagaattctt					26880
tggctcatgc	ctgtaattcc	agcactttgg	tcaactagat	gaaaggtata	tgggaattca	26940
	ctttcaactt					27000
	gcagtggctc					27060
	tcaggagttc					27120
	aaaattagcc					27180
aaaaacacaa	ggagaatcac	ttassactaa	gegeatgeet	ttaaaataaa	ccaccgagga	27240
						27300
geeaetgeae	tccagccttg	ggtgacagag	egagaeteeg	ccccaaaaga	aaaaaaaaa	27360
aaagaatatc	aaacgcttac	tttagaaact	atttaaagga	gecagaattt	aattgtatta	
	caatttttat					27420
	aacagctgtt					27480
	gaggctgaca					27540
	accetgttag					27600
	gaaatttgtt					27660
	tggcatatcc					27720
gttcttactc	ttagttccca	caacaactgg	ttattaaaaa	cagcctggca	ctttccccca	27780
	cctctctcac					27840
tggaagcagc	ctgaagccct	cgccagaagc	agatagtgat	gccatgcttc	ttgtacagcc	27900
tacaaaacca	tgagcccaat	aaaccttttt	tctttataaa	ttatccagcc	tcaggtattc	27960
ctttataqca	agacaaatga	accaagacag	ggggaaatca	acttcattaa	aataatctat	28020
	aacaaataag					28080
	agtatctgaa					28140
	cttatgtctg					28200
	agttcgagac					28260
	agccaggcat					28320
ggcagggaat	cacttgaacc	Caggagggag	aggttgcagt	gagccgagat	cacgccactg	28380
aactccagcc	tgggcaacaa	agtgagactc	cacctcaaaa	222222222	tatacatata	28440
tatatatata	tgtgtgtgtg	tacacacata	tatatetete	cacatacaca	tatatacata	28500
tatacacaca	cacatatata	tatgaaggag	reaserser	aarraartat	gaaccatact	28560
	atgataggat					28620
2020033302	gttatcagat	ttaacacaaa	aagactttgg	actaaccatt	atasatatot	28680
agagcaaaca	aaagaaaagc	ctcattagaaa	2200222002	ageddecate	acaatattac	28740
todeagaacc	gaatatcaat	gegaccataa	aaggaaagga	atataataca	atacaactac	28800
	aggtagaata					28860
						28920
	cagaagaaaa					28980
cyaaaaaacaa	aaagaaaaaa cacattaaca	tatagataga	aaacaaacay	gaaggagatg	adatgtggta	29040
						29100
	ttcaaatgat					29160
	agaaactcaa					29180
	ggtaaaaatg					29220
ggaaaactta	taagagaacc	teaettaeaa	aagaacatca	cttataaaag	aaccacaata	
	ttgacctctc					29340
	aaagattcct					29400
	cagggtcttg					29460
acaatagcca	aaaggtagaa	gcaacccaag	ggtccatcga	caaataaata	aaatgtggta	29520
	caatggaatt					29580
	aaaccttgag					29640
	tacttcactt					29700
	gttgccaagg					29760
acagaatttc	agttttgcaa	gataaaaaga	gttctggaga	cagatggtgg	tgagggtggt	29820
	aaatatactt					29880
gaaaccccgt	ctctactaaa	aatacaaaaa	aattagctgg	gtgtggtggc	gggcacctgt	29940
aatcccagct	acttgggagg	ctgaggcagc	agaattgctt	gaaaccagaa	ggcggaggtt	30000
gcagtgagct	gagattgcgc	caccgcactc	tagcctgggc	aataagagca	aaactccgtc	30060
tcaaaaaata	aaaaataaaa	aaaatttaaa	aatgattaag	caggaggcca	ggcacggtgg	30120
	taatgccagc					30180
	agcctggcca					30240
	gtggcatata					30300
tgcttgaacc	caggaggcag	agattgcagt	gagtcgagat	cacaccacta	aattccagcc	30360
	agcaagattc					30420
	aagcaggaaa					30480
	agcacaaaac					30540
	ccacaaaaaa					30600
cccacacaca	caaaagtaga	gaatttgttg	ccttagaaga	aacaccacac	gaagttette	30660
	caagtgaccc					30720
-ggccgaaaa						
cactagaget	tattctgtaa	ctatgacact	aacaatgcat	atttttcct	ttettetete	30780

а	aatgattta	aaaagcaatt	gcataaaata	ttatatataa	agcctattgt	tgaacctata	30840
		aaatatactt					30900
		actaggctaa					30960
t	aaaaataaa	attttaaaaa	atttaaaaat	aataattaca	acaataatat	aattaaattt	31020
		tagacataat					31080
ā	taggaataa	cattttggta	tctaactaga	attaaattat	aaatatgaag	tatattctgg	31140
ŧ	aagttaaga	cacacatgtt	aaaccctaga	tactaaaaag	taactcacat	aaatacagta	31200
		taaaataatt					31260
-	accacaaat	tgagtggctt	aacacaactt	aaatgtattt	tctcccagtt	ctagaaacta	31320
		atcaaggtga					31380
-	ctcccttat	ctcttccagc	ttccagtggt	tctcactaac	cctaagtcct	ccttaactta	31440
		attcctagca					31500
							31560
		aaggagaaaa					31620
		aagttaacaa					31680
		cagaaataaa					31740
		tgtgccaaca					31800
		ccaaaattta					31860
		aattgacaac					31920
		aattctttca					
		aagaacagat					31980
9	aactactaa	gacactatga	taactgataa	acaagttcag	caaggetgea	ggatagaaaa	32040
		aaaatctatt					32100
		aattcaattt					32160
		aagtgcaaaa					32220
		ataaatgaaa					32280
а	atgctctcc	aaattgatct	ataaattcaa	caaaatcctt	atcaaaatcc	cagatgaggc	32340
		ggttcatgcc					32400
		ggagctcgag					32460
		tagtcaggcg					32520
		atcgcttgaa					32580
		cctgggcaac					32640
		tcactgttga					32700
		tagccaaaac					32760
		aatgttacga					32820
		acatacatat					32880
		gtgcttttct					32940
		tgcccaggct					33000
		tgctgggata					33060
		aagaccattc					33120
		tgaagttgga					33180
		agcccaaatg					33240
а	ggtctggga	taatcagata	gtcacatgaa	aaaaaaatg	aagttggacc	ctccatcaca	33300
		aaattaattc					33360
а	aaactctta	gaaggaaaca	tacgggtaaa	tcttaaagac	gttaggtttg	acaaagaatt	33420
C	ttagacatg	acaccaaaag	catgaccaac	taaggtaaaa	tagggtaaat	tgtacctacc	33480
а	aaatgaaaa	acctttgtgc	tggaaaggac	accatcaaga	aatggaaagc	caaaatagcc	33540
а	aggcaatat	taagcaaaaa	gaacaaagct	ggaggcatca	tactacctga	cttcaaagca	33600
		aaacagcatg					33660
		caaaaataaa					33720
		atgatactag					33780
C	ctatctctc	accatataga	aaaatcaact	cagactgaat	taaagacttg	aatgtaagac	33840
C	caaaactat	aaaactactg	gtagaaaaca	taaggaaaaa	cgcttcagga	cattggtcca	33900
C	gcaaagatc	ttatggctaa	aacctcaaaa	acacaggcaa	caaaaacaaa	aatggaaaaa	33960
t	agcacttta	ttaaactaaa	aagctcctgc	acagcaaagg	aaacaacaga	atgaaaagac	34020
		atgggagaaa					34080
С	aacacacaa	gtgactaaaa	caactcaaca	gcaaaaaagc	aaataatctg	gtttttatat	34140
		tctgaataaa					34200
-	cagtaccac	actgtcttga	ttacttgtta	gtgtataaat	ttttaaattg	ggaagtgtga	34260
c	tcatcctac	actttgttct	tgtttttcaa	gtitgttttq	gctattctqq	gagcettgca	34320
		agccaacaag					34380
		ccactatgag					34440
		atggatgctg					34500
		aattggtaat					34560
		ctaccatatg					34620
		actgaagaaa					34680
		ggaataaatc					34740
		caatagaata					34800
		-			-		

gcaacatgga	tgaacctgga	ggacattata	tttaatgaaa	taagtaaagc	acaaaaagat	34860
aaacagtaca	tgttctcact	cagacatggg	tqctaaaaag	aaaatggggt	cacagaatta	34920
	cttgggaaaa					34980
	ctatagaact					35040
caaaaaqcta	gaagagattt	tagatattcc	cagcacaaag	gaatgataaa	tatttataat	35100
	ctaattaccc					35160
cactctotac	ctcataaata	totataatta	ttacqtcaac	aaaaaaaaaa	aaaaaaagaa	35220
	acccacataa					35280
aatatttaat	atttataata	tataaagaac	tectacaact	caagaacaac	aacaaaacaa	35340
cccaattcaa	aaatgggtaa	aagcettgaa	tatacactta	tctaaagact	atatacaatt	35400
	gacacgaaaa					35460
	tagaatgtag					35520
	tgttggtaag					35580
	atgcagccac					35640
	tatgacccag					35700
	taaaaacttg					35760
	cccatatgcc					35820
	atattatctg					35880
	aaccttatgc					35940
	cggaaatgac					36000
	qctqggaqqa					36060
	ggggagctta					36120
	aaggtgtcag					36180
	ctctccttgg					36240
	gtgtgcccat					36300
	aagtgaagtc					36360
	cattttaatq					36420
	cattgtgcaa					36480
	ttaatatqgg					36540
	gccaacccag					36600
	gataaaggag					36660
	gggaccaccc					36720
	cettectece					36780
	caqtqacaaq					36840
	aatatggaag					36900
	atttatcttt					36960
	aactgaaaac					37020
	aaatttattc					37080
	ctataatcag					37140
	aacctgaagg					37200
	taagtgcttt					37260
	atggaaactt					37320
tagcaaacga	ttctggaatt	cctagagtaa	aatatatttc	gtcaaagtgt	attgctcttt	37380
	ctgacctcct					37440
	gtttacatct					37500
	gtatccatat					37560
	ttccatgttt					37620
	aaccttggat					37680
	ttgtcattcc					37740
	atggaatttg					37800
	ccttcattta					37860
	cctgctgccc					37920
agtaattgcc	tgctccctca	tetgteteee	cacccagaca	ttaagctgaa	tagactggat	37980
ttgtgtcttg	tccatcacta	taatctcagc	acctagtacc	tagtaggtac	ttaccatgta	38040
	aaatgttatg					38100
	agactatggt					38160
	gaagagacca					38220
ggagcagagc	taagtagttc	caagggaaca	cacggccctg	caaagcctaa	aatatttact	38280
ctatagctct	tcacagaaaa	agttttcaga	tccctcgttt	agaactcttg	ttcatatgca	38340
atttcactaa	accatagttt	tttgggtttg	tttggttttt	tttggcaaaa	aggaatgagc	38400
	aaggttgaaa					38460
	tgctgccatg					38520
tactgtgttc	tcaatgccga	gtccacccac	tccataacca	tgtccaagca	atcttgggaa	38580
catcatcacc	atgcttgttt	atccttaagg	tattgcctca	catacagcag	tggctggtca	38640
taaagtcaaa	tgacactagt ccctagcaac	ggccaggagg	Leaagagaat	gagtgaggac	aggtgggtag	38700
guageceagg	cuctagcaac	agcaggagct	cacccctcag	Leactetage	caggactgaa	38760
alacttttca	ccctttcaag	ayagactagg	aatctggatt	cctatgtgaa	acatettgat	38820

tactaaatgt	tgtcaacaga	catgtcaaaa	ggtaaaacta	agtaagttca	tggggcagat	38880
tgactattca	ggttatagaa	ttaaggattc	ttatccaaca	cagataccaa	ccaaaaagct	38940
gacgtataac	atattaggag	aaactatgtg	cactgtcgaa	acatcaacaa	ggggctaatg	39000
tctaaaatag	tctatattgg	attccagttg	aaacatgggg	aaaggacatg	aacaggcaac	39060
	ggaaactcaa					39120
	cagatgcaaa					39180
ctgtaatccc	agcactttgg	gaggccgagg	cgggcggatc	atgaagtcag	gagatcgaga	39240
	taacatggtg					39300
	gcaccagtag					39360
	cggagattgc					39420
	ctccatctca					39480
	aaaaagagag					39540
	agggccttgg					39600
	caaggcgggc					39660
	cggtctctac					39720
	atatatatca					39780
	ccttgacagc					39840 39900
	cagtcctact					39960
	tacgaggete					40020
cccacaggag	acgagatgga ggtgagtgac	caaaatgtgg	togacactaa	gaccagaacc	accaagcaac	40020
	taaaaataga					40140
						40200
	gcctgtgtcc					40260
	caacccctct					40320
ttoottota	acttttatga ttttctttat	atatagatta	ccaaggaact	adigadagi	acatectece	40380
	aaaataaatg					40440
						40500
	tcagtagtta					40560
	agttcccctg aacctcatta					40620
	aacaaataaa					40680
	tgatgataaa					40740
	aaaccaagga					40800
	aggetgagge					40860
	aagcccatct					40920
gcctgtagtt	agctactctg	gaggetgagg	caggagaatc	acttgaaccc	aggaggggga	40980
	agccgagatc					41040
gtctcaaaaa	aataaaaaaa	ataaaaaaac	agagaaaggg	aggaaactag	atccagacta	41100
	gcctttagag					41160
tgaatgaaat	tgaaaagcct	ttcaaactaa	aacatttaat	tacaccatct	gctgcagaca	41220
gaactcagac	aactcaaaca	ggtaatgtca	gcgtggtgtt	ttatatcacc	accctcaaca	41280
cagaataaaa	atcagctgca	tgtgaagcag	tgactagaat	gaagaaaagg	ctgcttctta	41340
cttccttcta	gtggttcttt	ccgaaaacat	taataggcac	cagctctatg	catgtcaccc	41400
tgcagggaga	catggggtat	ataactatga	cttactgttc	attcctcaag	gaattcccaa	41460
tcttgtggaa	gattatacac	aatgaggcaa	caaaaactat	ccaataaaac	cacggaaaag	41520
	caaagaagcc					41580
	accaacatgg					41640
	atctctgagc					41700
	ggattttta					41760
	tttccagcta					41820
	gatccttgcc					41880
ctctctcact	gacaccctct	caaggctgct	gaggaggtag		ctttctccaa	41940
	5000000000		5434-43-5-	cargotargg		
catcaggaaa	tgttctccac	tcagtttcac	cttaatacaa	atgtgttctc	tcttcagaga	42000
aggcaaaaaa	tgttctccac attcatgacc	tcagtttcac atctgactgg	cttaatacaa gagaagtcat	atgtgttctc ttctaggtaa	tcttcagaga agtgtccatc	42060
aggcaaaaaa tttttctgag	tgttctccac attcatgacc gaacacagga	tcagtttcac atctgactgg ggaaaatctt	cttaatacaa gagaagtcat acagaaaaga	atgtgttctc ttctaggtaa gttaacacag	tcttcagaga agtgtccatc caggcctaag	42060 42120
aggcaaaaaa tttttctgag actgcttttt	tgttctccac attcatgacc gaacacagga aaaataaata	tcagtttcac atctgactgg ggaaaatctt aataaataaa	cttaatacaa gagaagtcat acagaaaaga taaataaata	atgtgttctc ttctaggtaa gttaacacag aataaataaa	tcttcagaga agtgtccatc caggcctaag taaataaata	42060 42120 42180
aggcaaaaaa tttttctgag actgcttttt aataaatgaa	tgttctccac attcatgacc gaacacagga aaaataaata tgatagggtc	tcagtttcac atctgactgg ggaaaatctt aataaataaa ttctgtattg	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa	42060 42120 42180 42240
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc	tgttctccac attcatgacc gaacacagga aaaataaata tgatagggtc caccttggtc	tcagtttcac atctgactgg ggaaaatctt aataaataaa ttctgtattg tcccacagtg	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa cattgtgctt	42060 42120 42180 42240 42300
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc ggcccaagac	tgttctccac attcatgacc gaacacagga aaaataaata tgatagggtc caccttggtc tgttattctt	tcagtttcac atctgactgg ggaaaatctt aataaataaa ttctgtattg tcccacagtg aaaaagtctc	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc tggttaatcc	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa cattgtgctt ttggctgca	42060 42120 42180 42240 42300 42360
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc ggcccaagac cctgggaact	tgttctccac attcatgacc gaacacagga aaaataaata tgatagggtc caccttggtc tgttattctt tagatttcag	tcagtttcac atctgactgg ggaaaatctt aataaataaa ttctgtattg tcccacagtg aaaaagtctc aagggttccc	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc tggttaatcc ctggaaagag	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa cattgtgctt ttggctggca ggactcactg	42060 42120 42180 42240 42300 42360 42420
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc ggcccaagac cctgggaact tgcctaaatt	tgttctccac attcatgacc gaacacagga aaaaataaata tgatagggtc caccttggtc tgttattcct tagatttcag attgtgtggt	tcagtttcac atctgactgg ggaaaatct aataaataaa ttctgtattg tcccacagtg aaaaagtctc aagggttccc ttatgctgaa	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcttcaggta	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa cattgtgctt ttggctggca ggactcactg gcgtggaatg	42060 42120 42180 42240 42300 42360 42420 42480
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc ggcccaagac cctgggaact tgcctaaatt tggtatgtgc	tgttctccac attcatgacc gaacacagga aaaataaata tgatagggtc caccttggtc tgttattctt atggttggtc tgtggcaaagg	tcagtttcac atctgactgg ggaaaatctt aataaataaa ttctgtattg tcccacagtg aaaaagtctc aagggttccc ttatgctgaa gggcctgcat	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt gaccagcccc	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcttcaggta caataaaaac	tcttcagaga agtgtccatc caggcctaag taaataaata ctggcttcaa cattgtgctt ttggctggca ggactcactg gcgtggaatg cctgggtgt	42060 42120 42180 42240 42300 42360 42420 42480 42540
aggcaaaaaa tttttctgag actgctttt aataaatgaa gagatcctcc ggcccaagac cctgggaact tgctaaatt tgctaatgtgc gggtatctctag	tgttctcac attcatgac gaacacagga aaaataaata tgatagggtc caccttggtc tgttattctt tagatttcag attgtgtggt tgggcaaagg tgagtttcc	tcagtttcac atctgactgg ggaaaatctt aataaataaa tcctgtattg tcccacagtg aaaagtctc aagggttccc ttatgctgaa gggcetgcat tggtagacag	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt gaccagcccc catttcacat	atgtgttctc tcttaggtaa gttaacacag aataaataa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcttcaggta caataaaaac gcgttgtcac	tetteagaga agtgtecate caggeetaag taaataaata etggetteaa cattgtgett ttggetggea ggaeteactg gegtggaatg cetgggtgt ageteette	42060 42120 42180 42240 42300 42360 42420 42480 42540 42600
aggcaaaaaa tttttctgag actgcttttt aataaatgaa gagatcctcc ggcccaagac cctgggaact tgcctaaatt tggtatgtgc gggtctctag tcgggagatt	tgttetecae atteatgace gaacacagga aaaataaata tgatagggte cacettggte tgttattett tagattteag tgggcaaagg tgggcaaaagg tgggtttecec aagcacatac	tcagtttcac atctgactgg ggaaaatctt aataaataaa tcctgaattg tcccacagtg aaaaagtctc ttatgctgaa gggcttgaa tggtagaacag atcctgtgtg	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt gaccagcccc acttcacat actgcactga	atgtgttctc ttctaggtaa gttaacacag aataaataaa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcttcaggta caataaaaac gcgttgtcac gagaggatgc	tetteagaga agtgtecate caggectaag taaataaata etggetteaa cattgtgett ttggetggea ggacteactg gegtggaatg cetgggatg ageteettee ttggaagett	42060 42120 42180 42240 42300 42360 42420 42480 42540 42600 42660
aggcaaaaa tttttctgag actgctttt aataaatgaa gagatcctc ggcccaagac cctgggaact tgctaaatt tggtatgtgc gggtctctag tcggggagtt gtgcctggct	tgttetecae atteatgace gaacacagga aaaataaata tgatagggte cacettggte tgttattett tagattteag attgtgtgt tgggcaaagg tgagtttece tgagtetece agcacatac tectttgga	tcagtttcac atctgactgg ggaaaatctt aataaataaa tcctgtattg tcccacagtg aaaagttcc ttatgctgaa gggctgcat tggtagaacag tggtagaacag ttggtagacag ttggcccat	cttaatacaa acagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt gaccagcccc catttcacat actgcactgg gcacctttcc	atgtgttctc ttctaggtaa gttaacacag aataaataa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcatcaggta caataaaaac gcgttgtcac gagaggatgc ctttgctgat	tetteagaga agtgtecate caggeetaag taaataaata etggettea cattgtgett ttggetggea ggaetcactg gegtggaatg eetgggtgt ageteettee ttggaaget ttggaagett	42060 42120 42180 42240 42360 42360 42420 42480 42540 42660 42660 42720
aggcaaaaa tttttctgag actgcttttt aataaatgaa gagatcotcc ggcccaagac cctgggaact tggctaaatt tggtatgtgc gggtctctag tcgggagtt gtgcctggct atcetttcac	tgttetecae atteatgace gaacacagga aaaataaata tgatagggte cacettggte tgttattett tagattteag tgggcaaagg tgggcaaaagg tgggtttecec aagcacatac	ccagtttcac atctgactgg ggaaaatctt aataaataaa tcctgtattg tcccacagtg aaaagtetc tatgctgaa gggcctgcat tggtagacag atcctgttgt tggccccat tacagcgtg	cttaatacaa gagaagtcat acagaaaaga taaataaata gccaggctag ttgggattat ataaaaagca accatccaac ctcctgcttt gaccagcccc catttcacat actgcactgg gcacctttcc agtacaccac	atgtgttctc ttctaggtaa gttaacacag aataaataa tctcaaattc agacatgagc tggttaatcc ctggaaagag tcttcaggta caataaaaaa gcgttgtcac gagaggatgc tttgctgat atgctgat atgctgagt	tetteagaga agtgtecate caggcetaag taaataaata ctggetteaa cattgtgett ttggetggea ggaetcactg gegtggaatg cetggstgt agctectte ttggaagett tgtgetttgt ttgtgetttgt tteteaagtga	42060 42120 42180 42240 42300 42360 42420 42480 42540 42600 42660

aaggactggg	cataataacc	catgccggta	atctcagcgc	tttgggaggc	cqaqqcaqqa	42900
ggaccagtta	agcccaaaag	ttcaaagtta	cagtgaccta	tgactgcgcc	aatgcactct	42960
		accetgteec				43020
aacccgggag	tettasast	caatggaatg	caaaaaaaaa	ttttaaaaaa	ataceteege	43080
						43140
		tgccgatggc				
		gattacctga				43200
		aatggtaaca				43260
taqaacaqca	qaqqtaqaac	ctgacaaggt	gattacctgg	ggaactgcag	tctgaatgac	43320
		cctcacatgg				43380
		ggcacgctac				43440
aaacttcqaa	gatgaacaca	taaagaatca	ccaagttttt	attcagtatg	atgaaacagg	43500
anacetegan	gaegaaeaea	caaacccaag	caaacataat	tactacacca	catacaacaa	43560
						43620
attattagat	attettggga	agacctaagg	ggacarrara	aagagcaagc	agriggialg	
tgacgatctt	tgtgatatac	caagaaataa	aaacacagga	tgaagaccag	atagagaata	43680
atgctactat	ttgtgcaaaa	aaggagaaat	ggagaatctg	attcatattt	gcttgtattt	43740
gcatgaagaa	actttggaag	gtacataagt	aactaacaac	aatggttacc	tacttgtaag	43800
		ggaatggtgg				43860
tettaateta	acttqqaqaa	tgaagccgtg	gaccctcgcg	gtgagcgtaa	caqttcttaa	43920
aggragatata	tctggagttt	gttccttctg	atgtttggat	gtgttcggag	tttcttcctt	43980
		ctgactcagg				44040
toggeggget	cgcagccccg	atatagaget	attacttact	catactacat	teateatete	44100
Lacagottett	aagggggcgc	atctagagtt	guttguttet	cctggtgagt	tegtggtete	
		tgcagacctt				44160
		agtaataaga				44220
tcagcagcgc	ggaatgcgac	cgcagcacgt	taccactctt	ggctcgggca	gcctgctttt	44280
attctcttat	ctgqccacac	ccatatcctg	ctgattggtc	cattttacag	agagccgact	44340
		gattggtcca				44400
		ttacaatccc				44460
		cataaaggtt				44520
		cggcatcagt				44580
						44640
gecergegee	egcactcetc	agccctctgg	tggttgatgg	gaccgggcgc	cgcggagcag	44700
		gctcgggccg				
		atgagcgctg				44760
gaaatcgggc	acagcagctg	ctggcccagg	tgetaageec	ctcactgcct	ggggccgttg	44820
gggccggctg	gccggccgct	cccagtgcgg	ggcccgccaa	gcccacgccc	accgggaact	44880
cacqctqqcc	cqcaaqcacc	gcgtacagcc	ccggttcccg	cccgcgcctc	tccctccaca	44940
cctccctqca	aagctgaggg	agctggctcc	agcettagee	agcccagaaa	ggggctccca	45000
cagtgcagcg	gtgggctgaa	gggctcctca	agcgcggcca	gagtgggcac	taaggctgag	45060
daddcaccda	gagggaggga	ggactgccag	cacactatca	cctctcactt	tcatttatcc	45120
ctttttaata	gagogagoga	ttgaacactg	attatettae	ctatttttt	++++++++	45180
terestada	tageceggee	tegaacaceg	harastana	tontocccc	atacatacat	45240
tgagatggag	tegetetetg	tegeccagae	tggagtgcag	tggtgccatc	ctggctcact	
		tcacaccatt				45300
		gcccagctaa				45360
		cagatggtct				45420
cggcctccca	aagtgctggg	attacagacg	tgagccactg	cgccctgcct	atcttaccta	45480
tttcaaaaqt	taaactttaa	gaagtagaaa	cccqtqqcca	gacataataa	ctcacqcctq	45540
taaccccagc	actttqqqaq	gccgaggcgg	gcggatcacg	aggtcaggag	atcgagatca	45600
tectggttaa	cacagtgaaa	ccccgtcgct	actaaaaata	caaaaaatta	accaaacata	45660
		tegetactgg				45720
		gagccgagat				45780
cgggaggcag	agecegeage	gageegagae	agegeeaceg	cccccagec	taaaaatata	45840
		aaaaaaaaa				45900
		ctcaagagat				
tattagattg	gtgacctgca	aaaccagccc	aaggaacatc	ccagaatgca	gcccataaag	45960
ataaagagag	catttccgct	gggcacagtg	gtatggcagg	ggaattgcct	gagtccaaga	46020
qttqcaqqtc	acattgaacc	acaccattgc	actccaggcc	tgggcaacac	agcaatactc	46080
totctcaaaa	aaaaaaaaaa	ttaaattaaa	aaagacagaa	tatttgagag	aaaaaaatqc	46140
		gataaatcaa				46200
coaccccaag	aaatagaata	gaggcaagga	aacactcaaa	actteteeaa	taccetecee	46260
atatatatta	atctttacaa	tgaaacggac	taccasatco	tgaggaggaa	daacaaaaca	46320
						46380
yatccactct	Laagccagtg	tggtgcccaa	gegeagegge	ccatgcctgt	aaccccayca	
		tggatcacct				46440
		tactaaaaat				46500
tctgtaatcc	caactacttg	ggaggctaag	gcaggagaat	cacttgaaac	caggaggtgg	46560
		catgccacac				46620
		cctagacaaa				46680
		ttcagagaaa				46740
agacgcatac	acttetteet	agataccagc	agataaagga	atateteeaa	aattcagaag	46800
attttaacat	aggatestat	acccagtcaa	gastattgag	atacacacac	casatasasa	46860

acattottta	aacatqcaaq	ggttcagaaa	gtttaccatt	cacagaatcc	ctgaaaacaa	46920
		actcattaag				46980
		tacagtttac				47040
aacccaaaaa	tttaatatgg	gacagaatta	aaatcatgat	aagattettt	tttgctttac	47100
		cagattatct				47160
		accaaaacag				47220
205555555	adoctaggge	ccagaataac	taaaaaataa	2202000000	ttaccaacac	47280
						47340
LLGGCaagaa	tgtggagcaa	ccacatatac	cccggggca	tacaageegg	ngcaaccggt	47400
actgaaaact	gtttgctagt	atctactaaa	accgagcaca	tgcacagact	acaaccaagc	47460
		actcaacaga				47520
		tactattcat				47580
		tctatattag				47640
		cggcacagtg				47700
		ttgaggtcag				47760
		acacaaaaat				
		gggttgggag				47820
		ctgcactcca				47880
		aaaataagat				47940
		taaagctacc				48000
ggatagctac	tatcaaaaaa	agagagagaa	taacagatgt	tagcaaggat	gtatggaaac	48060
		ggtgagaata				48120
		taaaaataga				48180
		gaaagcaggg				48240
atggcagcat	tattcataat	agctatgatg	tggaaccaac	ataaatatcc	tttgataaat	48300
atatggataa	gcaaaatgtg	gtgtatacat	tcaatggaat	attaattagc	aataaaaatg	48360
		tacaacatgg				48420
ataagccagt	tataaaaaga	caaatactat	atgaggtact	atattagata	ctcatgcaag	48480
gtacctaaaa	taggcaaatt	catagagaca	aaaagcagaa	tggtggttgc	caggggctgc	48540
ggtaatggat	acagagette	aattttgtaa	gatgaaaaaa	ttctggagat	tggttgcata	48600
		actggggaac				48660
		ttttatgtta				48720
attaactaat	taaacaaaat	ccaqccataa	gctaatggta	agagtaacaa	ttaaagaaga	48780
cacagaaaat	tgaaaatcag	tgactagaaa	aagatattcc	atataaatgc	taacaaaaag	48840
		gaatgaacaa				48900
		caagaagata				48960
		ttaaagaaaa				49020
		gggagtcttc				49080
		ggatgcagaa				49140
		aatatactaa				49200
		ttaatctttg				49260
		acaaaacatc				49320
		cacatggtga				49380
aggcattttc	agatattaca	aaaacagaaa	attgatcatt	actgaagtaa	tttctaaaqa	49440
atqtacttqa	gggagaagaa	aaatgttcca	aaqaaaaqta	tctqtqatac	aaqaaqqaat	49500
		acaggtagat				49560
		tctcgttgga				49620
		aaagaattag				49680
		cattcaaaca				49740
		gaaattaatg				49800
		aaaagctggt				49860
agcaagtctg	atcaaaaaaa	aagagaaaag	gtaccaaaaa	aagtactgta	tcagaaagag	49920
aacatacaga	tacatacaga	tatgtaagag	tetattttet	tacaccagaa	tactatatac	49980
		taaatttcaa				50040
		gaaacagaaa				50100
		tgatattaac				50160
actctccact	caagttctgc	caaacttgag	ggaacagata	attettetat	tccagagcat	50220
agecegeage	ggaaagtttc	ccaatttaat	cadadadada	accetaatee	ttattataaa	50280
		actatatgcc				50340
		aatccaaaag				50400
		accaccactt				50460
						50520
		acacaaaagc				50520
		attaggcata				50640
acceggtgaa	gacacagagg	gaatgctccc	caaaaccaag	gaagacaa	agattectat	50700
aacc.caa	ragicaacac	tgcagcgaga	gradiciatg	gaayacaagg	aaaaaaytaa	50760
aaacaugaga	gacacccgtt	gtttaacaga	caataagatc	acctactigg	tangaggcaaa	50820
cyaarcaage	gadadactat	taaaactgag	ttaattaa	grarygagge	gassagatas	50820
cigiagintg	ggcraccaaa	ttcaactcgc	Luguruggag	ayıtaatCCt	gcaaagctaa	20000

tttctgttga	ggtattagga	ttgacaagcc	tatactecte	cctcctcccc	catcttcaac	50940
actgaaataa	cacqqtqttt	ggaactggat	aacagaatct	tccaaaaaca	aaaattqtcc	51000
tgaagggtg	acttataccc	ttactcaaaa	aacactttat	ctactaccta	cageteetae	51060
agttgctggt	ggataagcct	gccaaccagc	teggegtaat	tetteeteea	gaggggaagg	51120
		attttttcc				51180
		cagcaaaata				51240
		acataacact				51300
		gcaggtccgc				51360
		gcactgcgcc				51420
		ccccggccag				51480
		ctgcaccacg				51540
		ggagccgggg				51600
		ccagggccgc				51660
		cgggcccgga				51720
ctgcggcacc	ggtcccaccg	ctccgggccg	ggcaggacag	gccaggacgt	ccctcctggg	51780
ctggggacag	gacacgcgac	gaggggaccg	gggcccccgc	ggcgaagacg	cagcacgcct	51840
tcccagaaag	gcagtcccgt	gcccccacga	cggactgccg	gacccccgcg	ctcgcccgcc	51900
catcccttca	gaccacgcgg	ctgaggcgca	aagagccggc	cggcgggcgg	gctggcggcg	51960
		cgctggctca				52020
ccgggcgctc	actgatgctc	aggagaggga	cccgcgctcc	geeggegeet	ccagccatcg	52080
ccgccagggg	gcgagcgcga	gccgcgcggg	getegetggg	agatgtagta	cccggaccgc	52140
		agccggcggc				52200
		atcctctggt				52260
		cgcactctac				52320
		tgggaacttg				52380
ctattcggtt	tttcctgcac	taaaaccatg	aaggtggggc	ccagcagtcc	acattetege	52440
aagecegtea	agtgattctg	aggegeeete	cagtttgaga	gctatgctca	cggcctcacc	52500
		gtcttgcctg				52560 52620
tgcggggccc	geeceeege	tgcaccctca	ecgeceaacg	ceteeteegg	gatgeagegg	52620
aggegeetgg	aagteggeaa	ggtcaacatc tggccagggg	ttagaaagga	gazatatatt	tottaaagata	52740
		tgaaaactgc				52800
		atgaggagga				52860
tagcaagtta	taacacccaa	gtagaggggc	gaggggggg	tagggagaa	cdaccadddc	52920
		gccccgcgta				52980
		tactgttgcc				53040
		actgcccac				53100
		aacccctttg				53160
		ttggtagagg				53220
		gtctgtaagg				53280
catattgaag	taatgagtee	tagttataat	aaattcctaa	taaaaaccca	gtttatccct	53340
gcaataaact	tgtctttttt	ttttaaatat	actgcttgat	tctgtttgct	aatatttat	53400
ttacaggctt	tgcattgata	tgcaaaaatg	agatgggcaa	taattttctt	tttgaatgtc	53460
taatgttgtt	tggtttcaga	atcaatgtta	tgctcacatc	ataaaaaatt	tggaaccgag	53520
gcaggaggag	tgcttgaggc	cagaagttcg	agaccagtct	aggaaacaca	gtgagacccc	53580
cccatctcta	caaaaaaaaa	aaaagaaaaa	aaaatgggca	tgtttgcttt	ttccttttac	53640
		ttaaaattat				53700
		tgatgctttc				53760
aaagtttctt	ctgtggcaat	tttattattt	acattttaaa	aattattcta	gagttaattt	53820
		aaaacaaatt				53880
		agtcttttgt				53940
		tattttgtta				54000
		ttttggttat				54060
		ttagacgtat				54120
		tgtgttttta				54180
ataaatagta	ccatgttatt	tgtgcataaa	tatteatttg	tettatatte	ttgggaattt	54240 54300
		accttccttg				54360
		tttaccatcc				54420
taagttttag	tttataatta	ctgaaccctt aatctgaaaa	tatttatat	gggatagatg	accayaycac	54420
tatteatete	acagetatat	tatgctgttt	cataggggtt	ttaataatt	tttcactctt	54540
goattggata	ttttatatat	attgtgtttt	atatttatta	tastasttta	gaaggtttgt	54600
		cttataatca				54660
		cctattctga				54720
ttctttaccc	cttttcttct	cctcacctaa	tgtaaatgat	tttatccttc	tttagtattt	54780
gcttttttaa	ttaactacat	ttataaatat	ctttatcact	tgatttttaa	atcagctttg	54840
aatgagatat	ttggattcct	agatataaaa	gatgttaatt	ataccatttc	cacqttaqta	54900
		_				

ggtttataaa	atcatacatt	ctgctgtgta	accataatcc	cacqtttqtt	ttagttccac	54960
tcctacagtt	aaaagattca	gaagtattat	taacagttat	tttgccatag	ttttttcccc	55020
aacccatttt	gtggtaagtt	atgatectge	tttagtttct	taagaataat	ttatagagca	55080
gagtgtggtg	gctcacgttt	gtaatcccag	cactttggga	gacaagaggt	agaaggatcg	55140
			gcaacatagt			55200
aattttaaaa	tttagccaga	cgtagtggcg	tgtgcctata	gtcccagcta	ctcaggaggc	55260
tgaggcaaga	ggattgctag	agcccagaag	tttgaggctg	cagtgacctc	tgattgtgcc	55320
actgcacccc	agtctgggca	agaaagtgag	aacctatctc	tttaaaataa	caataataac	55380
			tgtttaaaaa			55440
taaaagtttg	agtataaatt	cttgggttat	actttattta	ttgaagaatg	tataagtatt	55500
gtcttctaga	attgagtgtt	gctgtaatga	aaccagaagt	cagcctggtt	tatttttcct	55560
cagaaatgag	gtaattgccg	gccggacacc	gtggctcatg	cctgtaatcc	caacactttg	55620
			ggagattgag			55680
gaaaccccgg	ctctactaaa	agtacaaaaa	gttagctggg	catggtggtg	gacgcctgta	55740
			gaatggcgtg			55800
cagagagetg	agategegee	actgcactcc	agcctgggcg	acagagtgag	actccgtctc	55860
			gtaattgcca			55920
ctttgtctat	gaaatecaga	aateteaetg	ttatacattt	tggaattatt	attetgggee	55980
			tatagattta			56040
acagagtete	actgcaatct	cagettactg	caacctctgc	ctcacgggtt	caagcaatte	56100 56160
teetgeetea	geeteecaag	tagetgggae	tacaggcgcg	tggcaccatg	ttassaaat	56220
			ccatgttggc			56280
			ccaaagtgct tggtaatttt			56340
			gatgtgtaaa			56400
acceptate	getagtgage	teggataatt	cttcacaaga	geaccectatt	tetestest	56460
			ggtttatgat			56520
ttttttattt	ttgacagagt	cttactctat	cacccagget	agagggggggg	aggetteeteg	56580
cacctcactc	caacctctgt	ctcccaaatt	tgagcgattc	tectacetea	acctactaaa	56640
tagctgggat	tacagggggg	tgccaccaca	cccggctaat	ttttgtattt	ttagtagaga	56700
			ttgaactcct			56760
			gcgtgagcca			56820
agttttaatc	tgtagtttta	ataaagatag	tgcttatgtt	tatatttett	atatttcttq	56880
gtactcttgg	gtaatttgta	agatececat	atctacacaa	gaagtccatt	ttcaattctt	56940
			attttattt			57000
			tggcgcgatc			57060
teteeegggt	tcaagcaatt	ctcctgcctc	agcetecega	gtagctggga	ttacaggcac	57120
ctgccacttt	ttaattttt	tagagacaga	gtctcgcttt	gttgaccagg	ctggagtgcg	57180
gtggtgcaat	catggctgac	tataacctcc	aaatcctggg	ctcaagtgat	cctcctgcct	57240
cagcctcctg	agtagctggg	actacaggca	catgccacca	tgcccagtta	attttaattt	57300
			ccaggctggc			57360
			taggattata			57420
			taggtgacca			57480
aggatactgt	aagaatgaaa	gaggetgaca	gtagtatgat	gctgggacta	gcattgtgca	57540
ctgagattat	ttctgggaaa	gcaggagata	cggtcaccct	acttatagtg	tgettgtett	57600
tggattgttg	aatttggagt	ttetatttge	aggettattt	caactgggca	geettgatee	57660 57720
			accgggtctc			57780
tacttagete	agtteeceae	concedente	cctaaaagcg agttcctatt	caaccaggaa	coctgoocca	57840
			cagagettta			57900
			ccatggagat			57960
tacttacaaa	ataaattta	ctatttttt	attttttt	taaaataaa	tettacceta	58020
tacccacaa	tataataasa	tagagagata	teggeteact	gagacggag	catageactag	58080
tcaagcgatt	catctgcctc	agecteceaa	gtagctgtga	ttacacacac	gcaccaccac	58140
acceaactaa	tttttttat	cttttagtag	agacagggtt	traccatatt	gaccaaacta	58200
gtcttgaatt	cctgacctcg	tgatctgccc	atctcggcct	cccaaagtgc	tgagattaga	58260
			ctttttttat			58320
gaggataagt	ttacagtgct	atatgcattc	ccaaatatta	gaccaaaaaa	atctccaaaa	58380
aattagaaag	aaaatccaaa	aaatctcaaa	aaataccaaa	aagcaacaat	ctcacagacc	58440
			agaaattaac			58500
			acatcaaaat			58560
			ccaaggcggg			58620
tcgagaccag	cctggccaat	atggtgaaac	cccgtttcca	ctaaaaatac	aaaaattagc	58680
			ccacttggga			58740
tgaacccagg	gagacgaaga	ttgcagtgag	ccaaaatcgt	gccactgcac	ttcggcctgg	58800
			aaaaaattac			58860
ttggtgtttt	tttttgagac	ggagtctcac	tctgtcgcag	aggctggagt	gcagtgggac	58920

tatgtcagct	caccqcaacc	tccatctcct	ggattcaagc	aattctcctg	tctcagcctc	58980
			ccagacccag			59040
agagatggtg	tttcaccatq	ttggccaggc	tggtctcaaa	ctcctgacct	caaqtqatcc	59100
			tacaggcgtg			59160
atagaaattt	caacatgagg	ccqqqcacaa	tggctcacgc	ctqtaatctc	agcacttcag	59220
			ccaggagttc			59280
agacagaccc	tgtctctatt	tatttgaaaa	aaaaaaaaa	aaagagagag	agaaagaaat	59340
			cgagatgttg			59400
asatatatta	ctatatataa	atttacttaa	aaataagaaa	gadaccagat	ataataacta	59460
			gaatcaagtg			59520
			tgtctctact			59580
			cactttggga			59640
			ctacatggtg			59700
			tgcctgtaat			59760
			gaggttgcgg			59820
			cacagtgaga			59880
asasttaget	agatataata	geetgegege	gtagtcccag	ctaccccca	addtatatata	59940
addactaget	atassactaa	geeegegeee	ttgcagtgag	ccaeceggga	accactacac	60000
taasaataa	gegaaccegg	aaggaggagc	tctcaaaaaa	227222222	220022222	60060
			aactctcaaa			60120
						60180
taattaataa	aggcagaagc	caaagggagg	atgataaagc	atastagast	gttggttttt	60240
ttgagatgga	grerrace	gccacccagg	ctggagtgca	gegatgegat	cctggctcac	60300
tgcaacctct	geereeeggg	Eccaagcaac	teteetgeet	cageeteete	agragerggr	60360
actacaggtg	egegeeacet	ggeccageta	atttttgtat	ttttattaga	gacggggttt	60420
caccatattt	gttaggctgg	teteaaaete	ctgatctcag	graatetgee	cacctcggcc	60420
teteaaagtg	etgggattae	aggeaggege	caccgcgcct	ggcccaaagc	aaaatattgg	60540
ttetgtgcaa	aaggtcaata	aaaagagcaa	acgtttacaa	accggagcca	geacceatte	60600
			cgcttcagaa			60660
tttgetteet	aaaaatccta	ctatgetget	gttgaccatt	CCCCCCCCC	etetetetet	60720
			ttctcctctt			60720
			ctcacttcta			60840
			cacgggcaaa			60900
			atggatggac			60960
			cacctgcagc			61020
			ctcccctcac			61020
tagtatagta	tttatttatt	tecattetet	gcaaaacttc	tcasagcatt	atatatatat	61140
actactcca	tttatcttct	cccattctct	gctgagtcct	tcccacagac	teteacecea	61200
			acatccaatg			61260
tttattcagt	ctttcagcag	catttgacct	ggccgatcac	tecetettet	taaaaatact	61320
tttctcagcc	aggcatgata	actcacacct	gtaatcccaa	cactttggga	aaccaaaaca	61380
			tcagcctggg			61440
			tggcatgcac			61500
			gggaaatcaa			61560
			gagaccctgt			61620
aacttttctc	agcatattcc	tetgattete	ctgctgcttc	tatctacaca	gattcagtct	61680
			ctcttgacct			61740
			gtctgtcacc			61800
			gggttcaagc			61860
			ccatgcccag			61920
			tggtctcaaa			61980
			caggcatgag			62040
tacagtcttt	agacggcctc	tctacctata	cttgctcccc	tcataaactc	ctcctacctc	62100
atggctttaa	ataccatcgg	tagactgatg	actcccatat	ttctctttt	tttttggaga	62160
			tgcagtggcg			62220
			acctcagcct			62280
			ttgtattttt			62340
			cctcgtgatc			62400
agtgctgaga	ttataggtgt	gagccaccat	gcccagccga	tgactcccat	atttctatct	62460
			catactcata			62520
			aattcctact			62580
			ctaacattag			62640
			tccaatcttt			62700
caaatccagt	tagctctcat	catctcccct	gttaccccct	gatccagaco	atcttcctct	62760
ctcacctgaa	tcactgcagc	attetectea	ctggtctctt	taattetatt	ttcactccac	62820
cttagcatag	tctccacaga	gcagtcagag	ggatcctttt	aaagtgtaat	tcccatcctq	62880
			tcccgtttta			62940

gagtetttee agtgacetae atgatetgee tattateace teccaettet tteccettge 63000 teactecact coagetetge agetgteett tetgttteet gaacageeca gattttgett 63060 63120 ctttagaacc tttgtatttg ctgtcccctc tgtctggaat gtttttccag gaagtcacct ggetetetee tgeaetteet teetgaceae catgtttaaa aateaeteaa acacaettea 63180 ggccggacat ggtggctcac gcctgtaatc ccagcacttt gggaggccaa ggtgggtgga tcacctgagg tcaggagttc gagaccagcc tggccaacat ggtgaaactt cgtctctact 63240 acaaatacaa atagtagcca ggtgtagtgg cacacacctg taatctcagc tactcaggag 63360 gctgaggcag gagaateget tgaacccaga aggcagagga ggtgcagtga gccaagatca 63420 cgccacaaca ccccagcctg ggtgacagag caagacccca tctcaaaaaa aaaaaaagaa 63480 aaaaaaatca cacaaacaca cttctcttca tattcctttt ccaagtttta tttttctcca 63540 gaatacttta cattgtttta atggaagttc tccgtttccc cccaactaga atggatactt 63600 63660 cetgeaggta ggeactetag tecteccate caagtactaa ceaggeteaa ceetgettag cttctgagag caggggagat caggcctgtt cagggtggta tggcccagga attttgattc 63720 tgttttattc attgctgttc tgttgattct cttttgttcc tcctcctagt gctgagaaca 63780 ctacttgtac ataataagca ttcaataaat atttgttgaa tgaatgactt gttgaatgaa 63840 ttaatotoag aaatgoagga otggttotao attagaaaat tittoaaggt catiotoigt 63900 63960 tgtcgtaaca cattaagaga ggaaaatttt gtactctaaa tcatttgata aaatacatac tgatttctgt tttcaaaaac tcttagtggc tgggcgaggt ggctcacatc tataatccca 64020 gcattttggg aggacgaggt gggcggatca cttgaggtca ggagtttgag accagcctgg 64080 64140 ccatcatggt gaaaccctat ctctactgaa aatagaaaaa ttagccgggt gtggtggcgc atgectgtag teccagetae etgggagget gaggeaggag aatggettga accegggagg 64200 64260 cggaggttgc agtgagccaa gatcatgcca ttgcactcca gcctgggtaa cagagtgaga ctccatctca aaagaaaact cttagtgagt ttaggaatcc aaggaagacc ctcaaactaa 64320 atagataatc tagctaccag aagcettcag taaacettaa cactecatgg tgaaacatta 64380 gaaacattcc tactaaaaga caggctaaga atgcctgcaa tcttcacggc tagtccaaga 64440 agtcaaaaag aagaaatgag cgctgattta aaaaaataaa caaacaaaaa actaccgatg 64500 64560 cagaggetgg cagcaaggac tgaaggactg tacagtactt geetggagca ggeggatgge cacaccettg cgaageetge teagetgget gggggaeget ceagtgtgtg agtggeagga 64620 64680 tgcagggtac ttcctctgcc agggagttgc actggggaga tcctccccca ctcacacttt ggcagctggg gctttggaat gtgacttagc ttctgtcaaa gggtcaatcc accetttgat 64740 atatgatgca aaggcgaaca tatgatgcaa aggtgagaga acagcccaaa ttaggacttt 64800 taccacaget gtggaggtgg acagegacag tggtgggccc tggccagact tttcatgetc 64860 aaaggtggtg gttgttette etaettettg teeeteeagg getteetttg cetgtgget gaacetgett ettttaattt titttaaett tittaaatti titaattgtit taattaaaae 64920 64980 aaattttgaa aactgtctga acctgctttt gaaccctgct atgatttgaa tgtttgtccc 65040 65100 ctgccaaact gattttgaaa cttaatctcc aaagtggcaa tattgagatg gggctttaag cagtgactgg atcatgagag ctctgacctc atgagtggat taatggatta atgagttgtc 65160 atgggagtgg catcagtggc tttataagag gaagaattaa gacctgagct agcatggtcg 65220 ccccttcacc atttgatate ttacactgcc taggggetet geagagagte cccaccaaca 65280 agaaggetet caccagatac ageteeteaa cettgtaett etcageetet gtaactgtaa gaaataaatg cettttett atgaattace cagttteaga tattetgtta taaacaatag 65340 65400 aaaacgaact aaggcaaact ctcatgattc tactgccatg ccattccaat aaactccctt 65460 tatgcttaag agagccagag ttggccagge gtggtgactc acgcctgtaa ttccagcact 65520 ttgggaggee gaggeaggtg gateacaagg teaggagate gagaceatee tggetaacae 65580 ggtgaaaccc cgtctctact aaaaatacaa aaaaattagc tgggcgtggt agtgggtgcc 65640 tgtagtecca getaeteggg aggetgaage aggaggagaa tggegtggae ecaggaggeg 65700 65760 gagettqcag tgagtcgaga tcgtgccact gcactccage ctgggtgaca gaatgagact ccgtctcaaa aaaaaagaga gccagagttt atttctgttg cttgcaacca agaaatctgg 65820 ctggtgcact gaagtttcca taaataatag caatttaaag actctttcca agccaggcaa 65880 tgcctagcct tgtgtagtcc ttgtggtaat acattcattc attcatttgt tcaaccaact 65940 głgctccaga gactaagaat acaaaaatgg gggccgggtg tggtggctca cacctataat cctagcactt tgggaggccg aggcaggtag atcacctgag gtcaggagtt cgagaccaac 66000 66060 ctggccaaaa tggtgaaacc cctactctac taaaaataca aaaaattagc tgggggtggt 66120 ggcggacacc tgtaatccca gctactcgtg agactgaggc aggagaatca cttgaacccg 66180 66240 ggaggcagag gttgcagtga gccgagatcg caccactgca ctccagcctg ggcaacaaga gcgaaactcc acctcgaaaa aaaaaaaaaa aaaaaaagag ggccggggct gggcgcagtg 66300 getcaegeet gtaateecag eactetggga ggecaaggea ggagaattae gaggteagea gategagaee ageetgaeea acatggtgaa accecatete tactaaaaat acaaaaatta 66360 66420 66480 tccgggcgtg gtggcgcaca cctctagtcc cagctacttg ggaggctgag gcaggagaat cgcttgaacc cgggaggcag aggttgcagt gagccgaaat catgccactg cactccagcc 66540 tgggtgacag agtgagactc cgtctcaaaa aaaaaataaa aaaaaaaaa gaattcaaaa 66600 66660 attgtagagt tatagtgtgc ttctagttta gttgagagga catctgtcct tcaaggaagg ctagaatcta taccetgagt cettactgaa atcaatccag cagtcaaaac atgggaccaa 66720 cgatcacage agtaagatag gaagagcace tttgtacatt tageteatgt tgagataage 66780 cactgacaga gctgaaggaa gctcacagtt ctgggttcca tcctttggca tttaaaaaga aaagtgctaa gaaaattcgg ttggtcacgg tggctcacgc ctgtaatccc aacactttga 66840 66900 gaggccaagg caggcagate acgaggtcag gagttcgaaa ccagcctggc caacatggtg 66960

aaaccccqtc	tctactaaaa	acagaaaaat	tagggggga	tagtagagaa	tgcctataat	67020
	caggaggctg					67080
	gcaggccact					67140
aaaaaaaag	aaaaaaagaa	agaaaggaaa	aaaagaaaga	aaaaaaaaga	aaaaagaaaa	67200
ttcaggccag	gccaggcctg	gtggctcaca	cctqtaatcc	caacactttq	ggaggetgaa	67260
deagagaga	gccttagccc	aggagtttga	daccadectd	adcaacatad	cgagaccctg	67320
						67380
	aaaaaatttt					
actttgggag	gccgaggcag	gtggatcacg	aggtcaggag	atggagacca	teetggetaa	67440
cacqqtqaaa	ccccatctct	actaaaaaat	acaaaaaatt	aaccgggcgt	gatagcagac	67500
	ccagctactc					67560
goodstagoo	tgagccgaga	ttgggggggt	ggaggagaa	ataaaaaaa	atasasataa	67620
	aaaaaaaaa					67680
agtcctagct	actcgggagg	ctgaggtaag	aagatcgctt	gagcccagga	gttcaaggct	67740
gcagtaatag	tgcctctcac	tetaccetgg	gtgacaatga	gaccctctct	caaaaagaaa	67800
gaaaaaaaa	aaagaagaaa	2022202220	2224242242	2200220022	gaaagaaga	67860
						67920
	gaaggaagga					
	gggtcaggat					67980
ttatttttga	gacagtatgg	ctctgtcgcc	caggctggag	tgcagtgatg	cgattgcggc	68040
teactgcage	ctccaaactg	aactcaaata	acceteceae	ctcagcctcc	cgagtagctg	68100
aasaasaa	cgcgtgccac	catacacaca	taattttta	attatttata	gagatgaggt	68160
						68220
ctctatatgc	tgcccaggct	ggtctcgagc	teetgggett	aagccatcca	cccgcctggg	
cctcccaaag	tgctgggatt	acagaagtga	gccaccgcgc	ctaatcgggt	ggtttgtttg	68280
tttattgacg	gggtctcgct	gctgcccagg	ctggagtgcc	agtggctgtt	cacaqqtqca	68340
	attgcatcag					68400
						68460
	gcgccaccgc					
	gatatatgta					68520
gccaagatga	tgccagggca	ctccagcgtg	ggtgacagag	caagatttca	tctcaaaaaa	68580
aaaaaaaaa	aaaaaaaaa	aagaattgaa	agtaaggtct	tgaagagata	tttataccta	68640
	gcagtattaa					68700
						68760
	gaacggataa					
ctttaaaaag	gaataaaagg	ctggatgcgg	gggctcacgc	ctgtaatcct	aacactttgg	68820
gagactgagg	tgggtggatc	acccgaggtt	aggagtttga	gaacagcctg	gccaacatgg	68880
	tctctactaa					68940
	ctggggaggc					69000
						69060
	agatggcacc					
	aacaaaaaat					69120
gcccacacct	gatgttgact	cacaacacac	agcctggttt	gctatgagcc	tgcttcattt	69180
	ttaacttcac					69240
	catctccatg					69300
						69360
gecagaegig	gtctgactgc	agggicated	riggiggeri	aggergaere	gggcatagca	
	agacctcacc					69420
atattatgtg	gtctgggtgt	gtgtagcttt	gcactgtctt	ctcgtgacag	tgccctcaac	69480
ctctttccca	ggatttcctc	ctctacctcc	tcaagtccca	ctactctaca	aagaccaaaa	69540
	cccagctccc					69600
						69660
LLLaaacaga	gtcttttact	geagatecea	agaacagcca	Caccectete	Leecacecae	
	cccaggtaat					69720
catgtggata	gtgccccctg	ggagtatgca	aaagcaacat	tgctggcacc	tgcagagaac	69780
agggtgacat	ccaggaatca	gagcatgggc	ctctgggagg	tagggatgtg	gccaggcagg	69840
	ttggtagagc					69900
	ggtgatccct					69960
	cccggacttc					70020
tgtccttcca	cctgctggga	gcaagagtga	caacttcaat	actataatag	cagtggcata	70080
cagagaagaa	gaaagatgaa	gt.ggcaagaa	aaacaggett	ccaagcagga	gtttttctat	70140
	acgtttacaa					70200
						70260
ctttgagage	cacatagact	tgtttgcagg	gactcaatgt	egetattgta	gtttgaaage	
agccatcagg	gttatgtaaa	tgagtgagtc	tgattttgtt	tcagcaaaat	tttatttacc	70320
aaaacaqaca	atgagtgggc	tagatttagc	ccatgatcct	tagtttgcca	actcctqctt	70380
tagactcacc	cagatctgat	tttgaattct	agetetaeta	ctggttagct	gcaggagett	70440
	ctgagcctgt					70500
	cctcacgcct					70560
	agttcaagac					70620
	tagccgggca					70680
	actgctagaa					70740
	cctggccgac					70800
	ttgagataat					70860
gatagctgca	ttggtctaat	tataacagtt	tagaagcgat	tgagtcaaca	aatgctggat	70920
ttqtcaqqqa	ggacttccta	tcaggaggta	gatcttgggc	tgagtcctga	agcaaagata	70980

gacattggat	agaggagttg	agagaacacc	ctaggactgt	tattattatt	attcgacacg	71040
				cgatctcggc		71100
				tagctgagac		71160
				cagagtttca		71220
						71280
				cctcagcctc		
				tttttcaatc		71340
				tctccaaaga		71400
				ggttgtcatg		71460
gcaacatgac	atttaatgaa	atgagaagtc	ccttggacat	taactggcta	aagtatgtgc	71520
tcgacaagga	tatcatttta	ggtggatact	tagcatctca	gaactgatgc	tcacaatgga	71580
				aggtagtgag		71640
				tagtctcctt		71700
		tttaggctct		ccctgctgct		71760
addacaattt	caagccaaac	cccaggcccc	agacttttat	tttcatctcc	caccagaacc	71820
						71880
				ggtgatcgaa		
				actgaaagag		71940
				aagattcctt		72000
				ggctggagtg		72060
atcttggctc	actgcaacct	ccqcctcccq	ggttcaaatg	atcctcctgt	ctcagcctcc	72120
gaagtagetg	ggactacagg	cacacaccac	catgcccagc	taacttttat	atttttaata	72180
				tcctgacctc		72240
		tgctgggatt			ccaacccctt	72300
				atatatttga		72360
						72420
				ttgattctgg		72420
				gtgtacaaca		
				tttacagccc		72540
				caagtctgta		72600
tttgggaggc	caaggtgggc	ggatcacaag	gtcaggagtt	tgagaatctg	gcaattcttc	72660
agacttagaa	gcaaccagct	cgataacaca	gtcttgtgtg	ggctctccct	ctqtccctcc	72720
				caccttcaca		72780
atgagacctt	catctcaggc	tttgctttct	ggggtaactg	aggctaaaca	ctgagtggcc	72840
				gagaacagac		72900
				catagtetta		72960
				gagatgtgaa		73020
						73080
				tcaatacccc		
				caagatgcca		73140
				aaagtcaagt		73200
				cacactggcc		73260
				tgtgtgggag		73320
agctgttgga	ctgggggtgg	ggtggaatat	aagcctggcc	ctggggagtt	tttcccgttt	73380
gagggccttt	acccacaact	caagatccag	tgctatagca	ggagatccca	gagctagtcc	73440
taacagatgg	tcaggattga	acttggccta	gagtaaaatg	aggaggatag	tgccagaact	73500
				gaggtagtgt		73560
				gcataagaaa		73620
				gaaacagaaa		73680
				atgattattt		73740
				aggggcaggg		73800
						73860
				tcctgacgtt		
				tgttaatgta		73920
				ccatcttggt		73980
				gtctttatga		74040
				agcctagcag		74100
cattttacca	tggagtcgct	ctgattccaa	tgcctctgac	agcaggaatg	ttggaattga	74160
				cttcattagg		74220
				gtggactgtg		74280
				atccgcttct		74340
ttccaactac	caccccccc	ctttcttctc	cttttccttc	tttctgattt	tactacatac	74400
canageac	taccccccgc	cctcacattc	ctttccttat	ttaaaaatgg	actagaacta	74460
agaggatyc	atastaata	taataggaaa	agettaggera	accasacces	acceptagets	74520
				gccgaggcgg		74520
				ccccgtctct		
				ccagcggctc		74640
				tgagccgaga		74700
gcactccagc	ctgggtgaca	gagcgagact	ccgtctcaaa	aaaaaaaaa	aaaaaaaaa	74760
tagctgggca	tggtggcgcg	tgcctgtaat	accagctact	ctggaggctg	aggcaagaga	74820
				atcttgacac		74880
				agaaaaaaaa		74940
				ctgtcaggtt		75000

	gtatatttta	cacttacacc	acatottogt	ttgattagcc	acatttaaaa	75060
gaaalagaaa	caacgtgtgg	ctatttagta	ttcactaaaa	tettagacag	tgcaagtcta	75120
tactgaatag	gatccgtccg	gestagtage	tcacacattt	aatcccagca	ctttgggagg	75180
aagaateett	aggatcactt	gcatggtggc	attageacca	agectageca	acatootoaa	75240
ccaaggtgga	tactaataat	aaggccagga	ttagggggg	ataataataa	atocctotaa	75300
acctcgtctc	ttgggagget	acaaaaaaa	antageeggge	atggeggege	cactacaata	75360
tcccaggtac	ttgggaggct	gaggcaggag	tacagerega	acccaggagg	gacactatet	75420
agccgagatc	atgccatgcc	actactgcac	tecageergg	gcaacagagc	aggactgtcc	75480
caaaaaaaa	aaaaaaattg	ttgggcgtgg	tggeteaege	Cigiaacccc	agcaccccgg	75540
gaggctgagg	ggggtggatc	acctgggttc	tggagttcga	gaccagecty	gccaacacgg	75600
tgaaacccca	tctctactaa	aaatacaaaa	attagctggg	cgtggtggtg	ggcacccgaa	75660
atctcagcta	ctcaggaggc	tgaggcagga	gaatttcttg	aacccaggag	gcagaggttg	75720
						75780
222222222	aaaaaaatac	ttgattgtct	qqacattctq	cagaacacca	Larggagaca	
atatattasa	gagatgatgg	tgattgtaag	caagaaatgg	caaqtqttcc	agaaacacag	75840
tannagagaga	tacatoccao	aaggtgagat	ataaactcta	ctaaqattca	gradecrace	75900
		actacteast	atttatataa	aaaaggattt	aaccttqccc	75960
anagagggt	ctaaccttta	tecceageta	ctggacataa	tctctttaaa	ctcttgaaat	76020
						76080
gaatgtgatg	tagattagaa	actttagatc	aggtagcatc	agtgtgacct	cctgagtggc	76140
tagagagtag	aatcaaccac	atggggagag	aacccaqctt	acatgatgga	atteccaataa	76200
agactttcca	cacaagggct	taggtaagct	tteetaatta	gcaatgctct	atactgggaa	76260
aggantteta	actccatagg	gagagagaa	ctggatattc	tcatttqqta	cccccctggg	76320
atttaggets	tgcatttttc	ccttatctaa	ttattattat	tattatgaga	tggaatctcg	76380
-t-t-gcccca	caggctggag	tacaataaaa	tgatctcaac	tcactgcaac	ctctqcctcc	76440
etetgteace	cgattttcct	atatagagaa	ccccaatac	taggactaga	gatgcatacc	76500
ccggttcaag	gctaattttt	ttatatttt	agtagagaga	gggtttgacg	ttagccagga	76560
accadadeeg	ctcctgacct	cogcaccccc	ctacctcaac	ctctcaaaqt	gctaggaata	76620
tggtctcgat	ccaccgcgcc	catgitteege	ccccccggc	taaagtgtat	ccttgagctg	76680
catgtgtgag	taaccgtgaa	tagececet	tttagtgagt	tttataaaca	cttctagcaa	76740
tagtaaatta	ctaaggatag	tataacaget	agetgaage	aceattaata	tcagaaataa	76800
attatcaaac	ctaaggatag	cerrggggac	tettataatt	aattaacttt	cacaacttta	76860
gggtgctcat	gtgtgtacca	Egecetetaa	cccgcagcc	aattaggagtt	attetactee	76920
ttattaccgc	ttacactcaa	tgtttattca	catttatcca	thesesters	tactttagaga	76980
cttgcatcaa	agactttcta	tctcatgtac	tttattetge	ttgaagtaaa	tottttagga	77040
tattctttt	tttttttaaa	ctttgcacat	acatactttt	accentace	tottaat	77100
+++~++ a+++	ttataaataa	gragtagata	tatqtattta	Lagaglacat	gagacgcccc	77160
						77220
gcaatttatc	cttcaagtta	caaacaatcc	aattacactc	tttaagttat	tttaaaatgt	77280
						77340
tttttgagac	agagteteac	tcagtggccc	agactgaaag	tgcagtggca	caageregge	77400
tcacttcaat	ctctgcctcc	ctggttcaag	cgaatctcct	gcctcagcct	cccacatage	77460
taggattaga	uncacacacc	accatoccca	actaattttt	atatttttt	agragagacg	77520
act t t t caca	 atattaacca 	gactagtett	gaactcctgg	cctcaaatga	tetgaecace	77580
						77640
						77700
carattecar	, casttctcct	acctcaacct	cccaaqtaqc	Lyayayatta	. caggcaccca	77760
						77820
ammt aat at a	anact coton	ceteaggtga	tccacccacc	ttaacctccc	aaagtgctgg	77880
mettege age	atasaccacc	acccacaccc	aatttttcc	atttttatct	gaaatettat	77940
+++atatatat	- ctttcaaata	tatttttgat	ggatataaaa	ttqttqqttq	atagitatia	78000
						78060
atataatat	- catteactac	agacttgacc	tcctagggct	caggtgatct	teceacetea	78120
						78180
tttatagaga	traggettte	ccacatttcc	: caddciddic	LULAAULUUL	, gageteeage	78240
						78300
taggatatte	* ***********************************	atgaatette	: taacatccac	: tataactatt	taaaaaatca	78360
	tagasatatt	++++++++	ttttttta	gacagagtct	tgccctgtcg	78420
geegeetac	aggedecett	cataatette	geteactge	agetetgeet	cccgggttca	78480
cccaggerge	a ctacatara	ctccaaate	actaggacta	aaggcgccc	ccaccacgcc	78540
		++ca+aaaat	· tagaaattta	ccatattaa	: caddatddtc	78600
eggetgatti	L CLUCYCALL	teteteese	teggettee	aaagtgctgc	gattataggc	78660
tegatetee	L gacetegtga	tottettt	+++++++	acagagtett	actctgtcat	78720
grgagecac	- gegeedaget	atastatas	ctcagtgcas	cctccacct	ctgcctcagc	78780
ctaggctgg	L gtacagtgg	. grgarcecas	costoscoc	caactaatti	ttgtattttc	78840
					ttgtattttc	78900
agtagagat	g gggtttcaco	atgttagaca	. ggctygtCtt	. gaacccccg	g cctcaagtga	78960
						79020
actcctttg	a aggtaatcto	g cttcccctac	: ccctagcaat	Littaadaal	ttttcttcat	,,,,,,

ttttatttcc	tgaagttttg	ttattaataa	tctatataca	gatttctttg	tatttcttt	79080
atttacaatt	catagtgatt	cttgaattag	tatattaatt	totottatca	ccacaggaaa	79140
atteteage	gttagctttt	casatattte	attactasat	tatatatat	cccctttccc	79200
actigctaget	ttgattaaaa	caaacacccc	cccgccaaac		ccccccccgg	79260
	gagaggctga					79320
	ggtgaaaccc					79380
acacatttgt	agtcaggagg	ctgaggcagg	agaattgctt	gaatccagga	ggtggaggtt	79440
gcagtgaget	gagatcccac	cactgcagtc	tageetagge	gacagagtga	gatgagaatc	79500
tgtctcgaaa	aaaaaagtta	tgaatgtttg	ataaactata	tttgttagaa	tatttattat	79560
	tcattgattt					79620
aguacactac	ctgattttac	ctaaacaacg	tattataatt	astagaagtg	gtatagagag	79680
						79740
actgtgacga	ggccgggcat	ggtggeteee	gcctataatc	ccagcacttt	gggaggetga	
ggcaggcgga	tcacctgagg	tcaggagttc	aagaccagcc	tgaccaacat	ggtgaaaccc	79800
catctttact	aaaaatacaa	aattagccgg	tcgtggtggt	gcatgcctgt	aatcccagct	79860
cttcqqqaqq	ctgtggcagg	agaatcactt	qaacccqqqa	ggtggaggtt	gcagtgagcc	79920
gatatcgcgc	cattgcactc	cadcetadde	aacaagagcg	aaactccgtc	taaaaaaaaa	79980
	aacacataaa					80040
	actcctgata					80100
						80160
tgaagttaat	tcagaaatac	aatgcagggt	attagtttge	cacagetgeg	tattcagcct	
aatgtaatat	tcttgttatt	tttaaattct	tcttttaact	ttactcatat	gtggatcatc	80220
	agattaaatg					80280
ttttaatggg	tgatgattca	gaaggtaccc	gaagaatatg	tactgccaga	tatcattcac	80340
	ctqcccqaca					80400
	ggagaaagtg					80460
	tctacctctt					80520
aaaccccgcc	CCCaccccc	aacagcccca	cgaccccaca	caagccaccc	cgattettag	80580
ggccacatet	gtaaattggg	ggttgcgatg	geageeatet	cacagggtet	cttttegggg	
aagggcagga	attatggatt	aagtgagcta	gtaattgtaa	agcacttaat	acaaggaggg	80640
cgcataataa	gtacttcata	aataatgacg	gccattatca	tgactgaggt	gtatgcagct	80700
gtcggggatt	acggcgactt	cagaatttct	ggtgggcagg	gctcaaaggc	agcaaatcac	80760
	gaggtgaggc					80820
aggettagag	gagatttaga	ggaacttaga	atcetecace	tccaactctc	taggatetae	80880
	gagacattca					80940
	ctaaccacac					81000
						81060
	gagaagggcg					
	acttgtcccc					81120
	gccaatctcc					81180
ctacagacag	cggggtgtgg	tccgccaaga	acacagattg	gctcccgagg	gcatctcgga	81240
tecetggtgg	ggcgccgctc	agcctcccgg	tgcaggcccg	gccgaggcca	ggaggaagcg	81300
	gtccattcgg					81360
	agtgcgcctg					81420
	atccctagtt					81480
	gataccagga					81540
						81600
agtaccgtcg	catagtaaat	ttccatgtca	gttttggtta	cettteatge	acttgcaaac	
	ctgaaacgaa					81660
	ggctggagtg					81720
tgttcgagat	teteetgeet	cagcctcctg	attagctggg	actacaggca	tgccacgacg	81780
cccaqttaat	ttttgtattt	ttaqtagaga	cggggtttcg	ccatcttggc	caggctggtc	81840
	cctcaggtga					81900
	gcatctggcc					81960
	gaccatatta					82020
						82080
	ttaaacttgg					
	taaagaatac					82140
ctttcttcaa	gcctccttgc	tttgtgctaa	taactctttg	ttaagcccta	tcctatgtaa	82200
ctgttggaca	tgctcacagg	cacgttccag	ttcacagcct	atgccccttc	cttatttgga	82260
aatqttattq	cttccttaaa	cctttcqqta	agcaacttcc	tctccttctt	cqttcttcct	82320
tgcacttacc	tatttagaaa	gttttaggct	attagcaaat	cggctatcag	tttaagagtg	82380
	ctccagccaa					82440
	atgtttgctt					82500
						82560
	cctttctgca					
	cttcgtggca					82620
ctgaacaatc	ttgggctagt	tgtctcttct	gggcctgttt	ccccatccgt	cacatgataa	82680
acttcattgg	tttaaaaacc	ccagcgaaca	tttattgagt	tactattacc	ttcctgccct	82740
	aaccccaggg					82800
	ccaaagacag					82860
agattcacag	gaaaatggca	tttgaggaag	gatgattcec	tagaactaga	ttttaaatac	82920
tagaacaacag	tttatgttgc	actocottac	aaagttgagg	attogcago	actocactoc	82980
ganatanga	gggttggcgc	tttaattaa	taatgatga	gggagggg	gattagacet	83040
yaaacaagee	cgcttcccct	LLLCATTOGC	Laatyateea	gggagetget	ggtteegeat	03040

gcggcaggtt	gtgccttttc	ctaatcaggg	ttctgcatcg	cctcgaaccc	gcaggccgtg	83100
			gtgcagggtg			83160
cgcctgtgag	caaaactcaa	acggaggagc	aggaggggtc	gagctggagc	gtggcagggt	83220
tgaccctgcc	ttttagaagg	gcacaatttg	aagggtaccc	aggggccgga	agccggggac	83280
ctaaggcccg	ccccgttcca	gctgctggga	gggct cccgc	cccagggagt	tagttttgca	83340
gagactgggt	ctgcagcgct	ccaccggggg	ccggcgacag	acgccacaaa	acagctgcag	83400
gaacggtggc	tegetecagg	cacccagggc	ccgggaaaga	ggcgcgggta	gcacgcgcgg	83460
			gcacccgcgg			83520
			ctagcgcggg			83580
			gctgcctggg			83640
			cgctagtgca			83700
			cgggccctcc			83760
			cttcttccgg			83820
			ggcggcggtg			83880
			gcgagcctcg			83940
tgagtgcctt	getetgetee	gggactcttc	tgggagggag	aaggtggcct	tcttgcgcga	84000
			aagcgattgc			84060
			ggggttagtt			84120
			gaaccttatt			84180
			acgtgaaaaa			84240
ctgtcttcca	atttcctctt	tggggggagg	ggtagttact	gctgttacta	aaataaaatt	84300
			ccactacttt			84360
			actacttaca			84420
			taattttgat			84480
			agtatgggtc			84540
cctgtcaatt	cctgttgctt	cagataaaat	gtaccagaca	gaggccgggc	gcggtggctc	84600
acgcctgtaa	tcccagcact	ttgggaggct	tggcgggtgg	atcacctgag	atcgggagtt	84660
			ccgtgtctac			84720
gggtggtggc	gcatgcctgt	aatgccagct	acttgggagg	ctgaagcagg	agaatcgctt	84780
			gagatagcac			84840
			agtaccagac			84900
			gttgcccagg			84960
			cccaggttta			85020 85080
			accatgcccg			85140
			tcttgaaccc aggcatgagc			85200
						85260
			aacttggttt cttttctgtc			85320
			tgactttaaa			85380
			aatgcatgaa			85440
acteseted	taggaggagg	ctttattaat	aaggcagggg	tatacctaat	acctetetaa	85500
			ttttttaagg			85560
			ctgttgtctc			85620
agtgtccaga	atctaccaaa	tactatacta	ggccctcacg	attractact	daaccadada	85680
atgreectge	accestage	cttattatct	actggggtag	acagataata	aataagcaaa	85740
			tgtaagtgtg			85800
caagttgagt	aaagtgttat	gaaagattaa	gaggagaaat	gcattttggt	tagatgttag	85860
aggactcage	aggtgacctt	gaaacttaga	gctgaaggat	cagtaggagg	taactagaga	85920
ggccagggaa	tegeatette	aaaggccagg	aggcaagaaa	gagcatggtg	cccttcaaga	85980
gaggaaagaa	gactactata	actggaggat	agatgtaggc	aagtgttggg	tgattgagag	86040
			aatgccgaga			86100
			ggcaggaata			86160
			caaaacattt			86220
			aggetgagge			86280
			agtcactaca			86340
			gaatattaat			86400
			tctagggcat			86460
			cacctgaggc			86520
cagcatagag	agactccatc	tctacaaaaa	gaaaaaataa	atagetgggt	gttgtgagtt	86580
attcaggagg	ctgaagcaga	aagatcactt	gagcccagga	gtttgaggct	gcagtaagct	86640
atgatcccac	cactgcaaca	cagtgagatc	ttgtctcaaa	aaaaaaaaa	aatcattcta	86700
ggtgcttttt	ggaggctgga	tgtggtaaga	gtagaagctg	gagatggtcc	tgttagggat	86760
tcgattcaga	ctttaaatac	catcaatgca	ttgagtccca	aatttacatc	actacgttgg	86820
			ccaactttag			86880
tgaccaatat	agaggtgtcc	agtcttttgg	cttccctagg	ccacattgga	agaagaattg	86940
			taacaatagc			87000
gcaaaactta	taatgtttta	agaaagttta	cgaatttgtg	ttgggcacat	tcagagccat	87060

cctgggccgc	gggatggaca	agcttaatcc	agtagatacc	ttcaacttac	aatatctaaa	87120
attttatgcc	agatttagtc	attttaaacc	tgctcatcag	tttttctcaa	gaagtagtat	87180
tttggctttt	tttctttct	tttttttgag	atggagtttc	gctcttatcg	ttcaagctgg	87240
agtgcagtgg	cggatcttgg	ctcactgcaa	cctccgcctc	ctgggttcaa	gtgattctcc	87300
tgcctcagcc	tcgcaagtag	ctggaattac	aggcatgcgc	caccatgacc	agctaatttt	87360
tggagacagg	gtttcaccat	gttggtcagg	ctggttttgt	actcctgacc	tcaggtgatc	87420
	ggcctcccaa					87480
tttttggatt	tttagttgct	cagcccaaaa	ctttagtaca	tctttgaacc	tettettee	87540
tcctactcta	tatctgatcc	atcagcaaat	ctgttaggtc	tacctcacac	atatcgaaat	87600
	ctcaccatct					87660
agattgagtg	gttaaggatg	tcctctaagg	agatgacatt	caaatcttag	cttaaatgtc	87720
	tggttttata					87780
ttggtttcca	ttccattctt	gatacttatg	gtatatattc	aaaacaaatg	cacagaaaca	87840
gacccaggta	tattgggaat	ttcggatata	gagttcctag	ttgggaaaag	atagactgat	87900
	tgctagttat					87960
tatctcagat	caacagactt	tttctgttaa	gggccaaatc	ataaatattt	taggetttee	88020
agaccatatg	gtttctgtca	cactctcctt	tatccttgaa	gccatagaca	atatgtaaac	88080
	ggctgtgcta					88140
	cagcactttg					88200
	ggccaacatg					88260
	gggtgtctat					88320
gaacccagga	ggcagaggtt	gcagtgagct	gagatagcac	cactgcactc	cagccagggt	88380
	taaagcaaaa					88440
	atccctgatg					88500
	cttgaagtca					88560
	tattgcttaa					88620
gactacgtta	aaacttaaaa	ctttcgccaa	gegeggtgge	tcacgcctgt	aataccagta	88680
ctttgggagg	ccgaggtgag	cagatcacca	ggtcaggaga	ttgagaccat	cctggctaac	88740
acggtgaaac	cccgtctcta	ctaaaaatac	aaaacattag	ccgggcgtgg	tggcgggcgc	88800
ctgtagtccc	agctacttgg	gaggctgagg	caggagaatg	gcctgaaccc	gggaggcgaa	88860
	agctgagatc					88920
	aacaaaacaa					88980
	cttctagaag					89040
	aagacaaggg					89100
caataaacat	gaaaggatgt	ttaacctcaa	aggaaacaag	gaaatgaatt	aaaaacatca	89160
aatgccattt	caaaactagt	aagttggcaa	aattaaaaat	accaaggatg	agaatatgaa	89220
	atgagtgcat					89280 89340
gttttttatt	tattttttg	agacagtcta	tgtcgcccag	gctagaatgc	agtggcatga	
teteggetea	ccacaatctc	tgcctcctgg	gttcaagcaa	tteteetgee	tcagcctcct	89400 89460
gagtagctgg	gattacaggc	acatgccaca	acgcccggtt	aagttttgta	tttttagtag	
agacagggtt	ttgccatgtt	ggccaggctg	gtetegaaet	cetgaeetea	ggtgagetge	89520 89580
	gctgggatta					89640
	ctagcaattc					89700
gcataggaag	acgtgtacta	gaatgttcac	tagttgaatg	tttaagtgaa	aattaggaaa	89760
taaagtaaat	gttcattaac	aggaaaatga	gtaaaggtat	atttataaaa	caattaagta	89820
	ataaactaga					89820
	tgaatacagg					89940
	gagatggagt					90000
cageteaetg	caacctccac	ctcctgggtt	aaagtgatte	teetgeetea	ttagtgggg	90060
caguigggau	tacaggcatg ccatgttggc	caccaccatg	ttgaagttgat	gaggtgaagt	attagiggeea	90120
cagggtttta	gganagtggt	caggetggte	gggtgaggg	gacticaage	getteaccea	90180
actiggeete	ccaaagtgct	aggattacag	tessesses	agagatagat	ctatttgtgt	90240
	gatgtgcaga ctgggtgtgg					90300
	acttgagccc					90360
	agaaaggata					90420
						90480
	tatcaggcca aataaaaagt					90540
	atttatttat					90600
						90660
caggorgggg	tacagtggtg	tataaataa	taggagtage	gatagaaaa	accacaccat	90720
cgattottet	gcctcagcct	togagagage	atttaract	ggtaccegee	etectatecc	90780
	gtgttttcag					90780
	ttaagtgagc					90840
	gcttggccag					90960
	ggtgattcat					91020
aggaaacaaa	gcaaaatgct ctgattgata	gatactigat	atttttaatt	cotasascto	agaagtataa	91020
catayyagat	ccyaccyata	grayyayaat	gilliaggi	ggraaaagrg	guactytygt	21000

aatttattt	ggcagtagaa	tcaqttqqtc	ataqtttqta	tgtggaaggt	aataaacaga	91140
	gatgacttcc					91200
	gatgaagact					91260
ttagacaagt	ggaattatgg	aagatggcag	qtaqqtqqtt	agctatatga	atttgagata	91320
aaagatttag	gatggagata	taaatttagg	agtaacagcg	tatctatggt	attotaagee	91380
	gtaggatcag					91440
daadccaada	caagttaatg	tttaaagtga	atastataat	ccatagagag	atactactaa	91500
gaageeaaga	aacaccagtg	accctacaac	atttttaaat	atcatcttcc	taacaacaat	91560
gagggctgca	tgcaacgatc	ttatttattt	ttttcatatt	actotococo	cacttgaatg	91620
tagacttttt	gaaggcaaaa	tcattacctt	ttctcacctc	ageacetata	toocacatac	91680
cagacecetee	acagttgatg	tattgacttc	atccadatac	tetaaaaaaa	agttatttcc	91740
	ctttcacctt					91800
						91860
ggcatttett	attttgataa	tagtettate	teagatett	tastagastt	aaaaaaaaaa	91920
ttaagaaaaga	gggttaaaaa gggcaccttc	atatattaga	tataatatta	agttatata	accaccinggo	91980
						92040
	atgtagtaag					92100
atetttatt	tttttagacg	gagtetetet	ttgteteeca	ggctggagta	caguguegeg	92160
ateteggete	actgcaacct	eegeeteetg	ggttcaagca	actedetgee	teagectece	92220
	gcttacaggt					
	tttcaccatg					92280
	gcatcccaaa					92340
	atactctgag					92400
	taagatatga					92460
tagtactatg	gatgacacat	ggtaataata	ttggttagca	tttgtcctca	atttactgtg	92520
ctagttactc	ttctaagccc	cttacaggta	tatattttt	ttcatcaata	atcctctaag	92580
	ttattgacct					92640
taacttgtcc	aagatcacat	ggcttataag	tggtagagcc	agaatttgac	cccagatgtt	92700
gtgactacat	tgtctctcca	taagcaggtt	caactctttt	gactggatgc	tgttccaagg	92760
tcacttcctt	agagaagcct	ttgctgacaa	ctaccctcct	gtgccctcct	ccaaggctgt	92820
ccattgttct	agaactttga	atactcatct	tagaataaag	ctggtctaat	ttttacagtg	92880
ttatagaatg	gatctctgac	tgcaaaagtt	ggtcataatt	atctttttat	gttctagtga	92940
aaggcaaaga	acaagagaag	acctcagatg	tgaagtccat	taaaggtaag	ttctgccctt	93000
	tgcattaaaa					93060
	tttggcatta					93120
ttatttccct	ctttaacctg	tataatgctt	taacatctag	catataataa	gtaggctttt	93180
	tttttttgga					93240
cgcgatcttg	gctcactgca	agctctgtct	cccgggttca	caccattctc	ctgcctcagc	93300
ctccccagca	gctgggacta	caggtgcacg	gegecaegee	tggctaattt	tttgtatttt	93360
	cagagtttca					93420
	teggeeteee					93480
gtaagtaggc	tttttttacc	ttaattttat	ttttttgaga	tggagtcttg	ctcttatccc	93540
caggctggag	tgcagtggtg gcctcagcct	ccatctcggc	tcactgcagc	atccacctcc	cgggttcaag	93600
cgattctcct	gcctcagcct	cccgagtagc	tgggattaca	ggtggccgcc	accatgccca	93660
	gtatttttag					93720
	tcaagtgatc					93780
	gcctggccat					93840
	gtgaaccagt					93900
	actttattta					93960
	tgtaggaaag					94020
	tgattacagt					94080
	tattttttgt					94140
ctttttaaag	atgctgtatt	actcactgat	tttatttgtc	cagtgtacag	agattgaagt	94200
gggaaaatta	taatggaaat	tgtttccata	gtcattacat	attaatttca	tcaatttatt	94260
tccataaaat	ctgtagattg	ctacttattt	agatttttcc	ttcaaatgtt	tttatgttgt	94320
attgcttgca	ctgagtattt	attctatatg	ctcaatttgc	tggagaagaa	gactaattat	94380
	agttgtaaaa					94440
atttcttatg	taaagccagt	tagattccac	attagttcaa	actgccttct	ttgagcaaaa	94500
cttgattggc	agtgataaag	gcttaaagcc	cttctcaagc	agagacctgt	aaagactaga	94560
	gtagaaggaa					94620
actctaaact	ttgccactaa	cagtatgacc	ttgggaagtt	gtaactttct	tcagattctt	94680
catttqttqa	atggggggat	tggcctagct	aatttctaaa	tctctactqq	gctaaaaaat	94740
	tactctgatt					94800
	tacagaagca					94860
	cttatacaca					94920
tatagaacac	ttcttctgtt	ctgggcatta	gacaaaaact	gactataacq	gtgaacaaaa	94980
aagacttagg	tectgecete	attgaactta	cagattagta	ggggagagga	acattaatca	95040
	cagatggctt					95100
-		-		_	_	

qacttqaaaa	aaaattcgga	ggcaaaatgg	atagaagttt	attattgatt	aaatatgagg	95160
tgtgagagag	agggatattt	aagattgata	cctaccttct	ggcttgccta	acagaaccaa	95220
aacaggaaat	tatatgttca	gttttgttat	gttgggtggg	aggtgctttt	gagtcattca	95280
				tttaaggtct		95340
ccaaaggtta	gagagtgatt	ttttagagtc	tagcaaacct	aagttgaaat	cctgcctgtt	95400
				ttcaacttgt		95460
				ttgtcctgag		95520
				tatagtgcct		95580
aggtcctcca	ttggtagcta	tcattatcta	gttttaacat	agccttcagt	ttgttgaatt	95640
				ttgagatcaa		95700
				tgtataaaag		95760
				agcccagctt		95820
				atttttacag		95880
				gagacagagg		95940
				tggtgtttat		96000
tctggaagag	atttgcagga	tggagacccc	ggaagttttt	ttgttataat	acagaaagac	96060
				aatgtttaaa		96120
				aaaaagaatg		96180
				ttgagaggag		96240 96300
				tggtaaagtc		96360
				gcccaggtca		96420
				tgtaccctag		96480
adacagucca	tgrggagggt	grgagraaga	contrateget	gaatttgcca	gaattacttt	96540
				ctgttgccca		96600
cagtggcgag	accegegeage	taggattaga	ggettatage	cgggttcgag accaagccca	cctaatttct	96660
				agactggtct		96720
				attacaggcg		96780
				ggaggtttca		96840
				gagtaaatat		96900
				gccaaagaag		96960
				agagcaatga		97020
				gatagactat		97080
				gggaccgggg		97140
				taagaaacaa		97200
tcaccattcc	tatagactct	tacttgtact	tgtctgaaca	cgaaaactgg	cttttgttta	97260
				aataaaaata		97320
taacattgaa	aaaatagttt	gaagacagtc	actcttcatt	ttgtaattcc	cacaactatt	97380
				gtgatactga		97440
				atctttttt		97500
				agtggtgcaa		97560
ctgcaacctt	cgcctcccag	attcaagcaa	ttctcctgcc	teggteteec	aagtagctgg	97620
gattacaggc	acctgccccc	acacccaget	aattttttgt	atttttagta	gagacagggt	97680
				aggtgatcca		97740
				ctggcctgag		97800
ctaggttccc	cccaccccaa	gcatttattc	tgcaatttta	gttttgttcc	taaagcaagc	97860 97920
aaggtttaag	gatttaaaaa	taateegtat	tttagaatge	tttctggctt	tgttacttt	97920
tatecacagt	agaagttete	agagaatgat	tetetetet	taatttaact	ttttggcaca	98040
grattergag	aattacaat	aatattagaa	coccicion	ctgggtgtgg	rggerearge	98100
				acttgaacat gggtgacaga		98160
				cctattttcc		98220
						98280
aaaatttaat	ttttaaagtt	ctctcaaacc	ccctttatga	tgacttaaga gagttttagg	ctatcaaatt	98340
				aatatccgta		98400
				accaagtcat		98460
ataccatttc	taccaacata	gactcctttt	caagtagcag	gacagccaca	cttaagaage	98520
				taagtaacta		98580
				ttctgtcata		98640
				ataacagcta		98700
gggtaggtgt	attatattoo	totaaatata	gaatataaag	catgcccagt	agaaaaacaa	98760
gcatttccag	aaqaaatata	tctgatcact	aaatataaat	atatgaaaaa	gatgtctcac	98820
				tgttctccta		98880
				gcagggaaat		98940
tttagtgata	atataatctq	gtgaagactc	tttggaaagc	aatttggaaa	tcagtataaa	99000
atatgcatgt	catttaggcc	actettteta	agacctagcc	ctcagatatg	ctcattcata	99060
				tgtatatgta		99120

tatgtatgta	tgtatgttga	aggctattca	ttatagtatt	gtttgtgata	gcaaaaaatt	99180
		tgttataggg				99240
tggagtataa	tatagccatt	tgtttctatt	tatttattt	cttgagacag	ggttttactc	99300
tgttgcccag	gctggagtgc	agtggtatga	tcatggttca	ctgcagcctt	cacctcctgg	99360
		tcagcctcca				99420
		ttttttgtag				99480
		agcaattctc				99540
ccaacgtgaa	ccaccacacc	tggttcagtg	tagccattta	gaaatctaaa	aaagacgtgg	99600
gaaaatgtct	aaggcatgtt	taaatgtgag	aaaagcaagt	cacagtatgc	atggtaaaat	99660
		cttccaaaac				99720
		tctgcactta				99780
		atggacttct				99840
		aaaccagagt				99900
taatacatag	cagacaaaat	gcatatagct	cagagagtaa	aattgtaagt	tttgctagat	99960
cactcataaa	ttgctgatga	gaatttaaaa	tggtgcagat	gctctggaaa	acaggcagtt	100020
		tctttttgag				100080
		ctcactgcag				100140
cctcagtctc	ctgagtaget	gggactatag	geatgeacea	ccacgcctgg	ctaatttttg	100200
		gtagagacgg				100260
		ccacttgcgt				100320
		aggcagtttg				100380
		ctggagtgca				100500
		ttctcctgcc				100560
gcctgccata	atgeetgget	gatttttgta cctgacctca	cattestasas	acatggggct	ctaccatgtt	100500
ggtcaggctg	guttugaacu	ccgtcatccc	tagetage	tttattata	actoniant	100620
						100740
		cagttgcact				100740
		cacaaatgtt				100860
aggaagaa	tattastsas	tttaaccacc	tagataaata	tanagganat	totaatataa	100920
		gactacatat				100920
		tgaaaagatt				101040
		agttataaaa				101100
		tgcagaaatc				101160
		aactggggaa				101220
tcaqtatctt	agagtgatat	tgtactatag	ctttqcaaqa	tattaccata	ggagaaacta	101280
aaqtqtacaa	gggatctcta	ggtattatta	tttttttaga	gatggggttt	cactatgttc	101340
cccaggccgg	tcttgaactc	ctgggctcta	gtgatccgcc	tgccccagcc	tcctaaaqta	101400
		gaccatgcct				101460
		catagaattt				101520
atcagaattt	cctcaagttt	gtgatgttga	caaagatgaa	ctagttgaca	ctgacagtaa	101580
gactgaggat	gaagacacga	cgtgcttcaa	aaaaatgatt	tgaatatcaa	tggattaaga	101640
agaactcttt	tgacaaattg	atgaaaccct	cagtcagttt	tataagaatg	cccatcttta	101700
tgatcatgct	atgaaagcca	atttttaaaa	aaattttttg	tctttcctaa	caattagctt	101760
		gttaaatata				101820
		caaagctact				101880
		tatatccaca				101940
		atgcagtttg				102000
		gtttacatcc				102060
		gcttaataat				102120
		gcttttctgg				102180
atattttat	tggccccttt	ggaactagta	tcataagttt	tttttcttaa	gaatttatgt	102240
		gctcacgcct				102300
		gagtttgaga				102360
		tageteageg				102420
		atcgcttgaa				102480
		ccagcctagg				102540
		ttacatggtc				102600
attgagtaac	aaataacttt	ttaataattt	aggcaagttt	tggacgattg	tactttgttt	102660
		ttgtagtttt				102720
		ccagttgttg				102780 102840
		gctaattctt				102840
		ccaaatcaag				102900
cyacactatt	greetteett	acttcattca ctgaaagttt	tanttangaa	ceteggegaa	cygaycactt	102960
						103020
acacageeta	addadayiga	agcagagctc ttttaactga	ttetettest	angenter	accettataa	103080
gcacgaaact	acagogoco	ccccaactga	cccccttgat	aagagattgg	aggaccccgg	103140

103200 ctcagcacag ttgtttatga ctcattcaga aggaattgac ctgaataata gaactaacag cactcagaat cacttgetge tttcccagga atgtgacagt geccattete teegtettga aatggccaga gcaggaactc accaagtttc catggaaacc caagaatctt cctctacact tacagtagce agtagaaata gtcccgcttc tccactaaaa gaattgtcag gaaaactaat 103380 gaaaagtgag tatgtgattt tettgtgtgt acatatgtgt etcaetttet ttttttaatt tactaagcag aacttcagat gaggaataaa atgattggaa tattttttt ctcctctaac 103560 tacttgtaaa tttgggagaa tttggagagt gtagtagagt cagatcagtg tatggaaaag gagcaggagt gactggacct tctaagaagt gtgttatcag aattagtaaa tgaagggtca aatgtcctac ttttcccctc cactgatttt gacatcaaac cattatccac atagccttat 103680 ttcctccctc ggtcttaatt ttattaatat tttactgcac tttgcagata aaatttttaa aaaattttta aaaattgoca ataagtgaca tttattaagt tcagtgotta gtgtatattt ggattttatt tattagtcac aagacctttg tgcaggtagt aggcatgatt atctttttt 103800 103860 ttttggatg gagtcttgct ctgtcgccca ggctggagtg caatggcgcg gtctcggctc actgcaacct ccgggttcat gccattctcc tgcctcagcc tcccaaatag ctgggactac aggcgcctgc caccacaccc ggctaatttt tttgtatttt tagtagagac ggggtttcac 103920 103980 catgttcgcc aggatggtct cgatctcctg actttgtgat ccgcctgcct cggcctccca 104100 104160 aagtgctggg attacaggca tgagccaccg cgcccggact gattatetta tttacacatg agaaaaccag ggcttagaaa ggttaggtaa cttcctctag gttgtacagt aaatgtggac 104220 ctagaagcat titgacaaga gcaccigttt ttttttcttc tctattagtt tagaaattat 104280 atactettaa ttatcacetg ggattttgat tagacageet teatgttett ttteatetta 104340 aatgttettt gtgtettaaa gggetaagtg atttetteag atettttagt teacteatte 104400 tcagtgaact aaaatgaggt ctaatctgct actgaatcaa gttttcagca tgttatttcc 104460 tteeteete ceteeteet teetteete aaccaggete cegaggaget gggattacag 104520 gegecegeca ceacteetgg ctaattttta tattttagta gagacggggt tteaccatgt 104580 tggtcaggct gatettgaac teetgacete aagtgaceca cetgeetegg ceteccaaag 104640 tgctgggatt acaggcatga atcaccacac ctgacggcat gttattttca tcgcaaagtt actgtaaget gggagaagtg geacacactt gtactcccag ctactcagga agettaaggt 104760 104820 gagaagattg cttgagccca ggagttttga gaccaacctg ggcaacacag caagacccca gctcaaacaa agaaaaaaag ttattgaatt ttttatttct atggatcatt ttttgtagtt tottattoot ttoaccotto attoccactt ttgatcocat cttttattta tttagtttta 104940 ttaaatgtat atttgtctga taattctgct atctacagtt ttttgtggac ctgactcagc 105000 atttetttgt ttetteggat teagactgtt ggtggettgt gattttagtg atttttggcc 105060 gtgaacatgt ttottggact tttgtctgtg ggaattctct gtgtactctg tataaattaa 105120 gttacttcag gtgttttgca ttttcttttg ccatgcacct ggggcctggg tcactaccct 105180 tetggtacca ettaaaactg aatttttgte ttgggtgete gtactgatee tgtatgagta 105240 caggittata cttactgtag aaatatggtg tttgattatg gggtattgtc ccagatggtg 105300 ctggagtatt aatatgctct ctgttaaact taatgtgttg tccctgtaaa actccaaaat 105360 tetgaattee agaatactae tggeeccaaa tgtttaagat aagggeactg cetgtatttg 105420 105480 tttctgcctc ccactatttt ccttagttta acacaaactc acctttttaa aaaacatttt gagagaatte agtattggga agagttteta acctgfttet ggaaatggaa gtecaaagte tgtttetgta attgfttttt ttttgagatg gagteteact etgtaacca ggetggaagt caatgaagta etetaagte attgcaacct ccacctcceg ggttcaagga attetetge 105600 105660 ctcagccccc tgagtagctg ggattacagg tgcccaccac catgcctggc tgatttttgt 105720 atttttagaa gagatggggt ttcgccatgt tggccagget ggtcttgaac tcctgacttt 105780 gtgatotgoc caccicagoc toccaaagtg ctaggattat gittotgtaa tigtaataca titatigitt tiagaaactg tottigotti agtggtaati ticaataaaa atagaaatag 105900 cagtggagtt attaaaagag cattagttac attittccct ttttcattat cttcaaatat 105960 tatatagt aagtttgacc tttttaaaat gtatacttgt atcagtttta acacatacat 106020 agatteetgt aactgtcace actataaggg taaagaacag ttagtteett cacetttgaa 106080 gtcaagcccc acctctatcc caacacttgg caaccgctga totttctccg totcaatagc tttgcctttt ctcttttttt ttcttatttt tttttttgag acagcgtctt gctctgtcgc 106140 106200 ccgagctgga gtgcagtgag gcaatctcgg ctcactgcaa cctccgcctc ctgggttcaa 106260 106320 geagttetee tgeettagee teectagtag etgggattat aggeacgeac caccacacce ggctgatttt titgtatitt tagtagaaat ggggtttcac catgttggcc aggctggtct 106380 caaactettg accteaagtg atceacetge eteggeetee caaagtgetg ggattacagg 106440 cgtgagccac tgtgcccaat caggactttt tttttttaaa tttacattca acttgtcatt 106500 tittettgt atggattgtg cetteagagt cacacetaag agecetttge etaageaaag 106560 gtcatgaaga ttttctcata tgtttccttt taaaagtatt gtggttggcc aggtgccatg 106620 gettatgeet gtaateteag eaetttgaga agetgaggtg ggeagattae gaggteagga gategagace ateetggeta atgeggtgaa accecatete taetaaaaat acaaaaaaaa 106680 106740 aaaaaaatta gccgggcgtg gtggcgggca cctgtagtcc cagctacttg agaggttgag 106800 gcaggagaat agtgtgaacc cgggaggtgg agcttgcagt gagccgagat cgcgccactg 106860 106920 106980 ttttacactt tacgtttaga tatatatett ttttgagtta atgtcgtata agtatgaggg ttacgtcaga ttttttgttt tttgtttatt tttacatatg gatgtctagt tgttctaata 107040 ccatttgttg aaaagacaac ctttactcca ttgaattgcc tttgtacttt tgccatattt 107100 gtotaggcot gtttttggac tcctttttct gtttcatgat gtgtgtgtct attcctttgt 107160

taataccaca	tggtcttaat	tactgtatag	taagtcttaa	aattgggtaa	tactaacett	107220
ataaaaaaaa	ttaaaaaatt	tttatttta	ctcttatttc	cattttctac	aagagattgt	107280
						107340
			tttggttgaa			
			cagagtetea			107400
			cctctgcctc			107460
tgcctcagcc	tcccaaatag	ctgggattac	aagcgtgtgc	caccatgccc	gactaatttt	107520
tgtattttta	atgcagacag	ggtttcacca	tgttagccaa	gctggtctcg	aacttgtgac	107580
			aagtgttagg			107640
tacataacea	agaactaaaa	ttttctttt	cagagtattt	tasactatos	attraratta	107700
tttaatagat	ataggactat	ttaagttatg	tgtttcttct	taaataaatt	tttactataa	107760
						107820
			aattgtcaaa			
			tcttttattc			107880
ttgtttttct	ttgtcagatt	gtatagggat	ttattagtct	tttcaaagaa	ctagcttttg	107940
ttttgatttt	tctgttgttt	tgttttcaat	tttattgatt	ttctgctctt	tattatttct	108000
tttctattat	ttctqcttqc	tttqqqttta	ttttactctt	ttttttttt	ccaagttgct	108060
taaagtagaa	acttagattt	ctagtttgag	acctttcttt	tctaagataa	gcatttaata	108120
			ttacaccccc			108180
			ttgaatctta			108240
			ttggagactt			108300
Ctagaaatat	gitatitagi	LLgcaagcaa	Liggagacii	tttttcctgtt	attttttttat	108360
catttatttc	tcatttcatt	atattatggt	cagagaatat	attttgaatg	atttcattta	
			tttaaaatgt			108420
aaagattgta	cattctgttt	ttggacagtt	ttctataaat	gtcaagttga	tttagttggt	108480
taatgatggt	gttcagtttt	tctttattct	tgctgatact	ttgtatgcag	ttatatcact	108540
ttattactca	gaagagtgtt	gaactttcca	actacaattt	ttttttccaa	ttttactttc	108600
agetetatet	gattttactt	catgtatttt	gaggctctgt	tattaggtat	gtacacattc	108660
agooodatoo	cttctaaata	aattacctat	tttatcatta	totaattooc	tetttateet	108720
aggatgatat	ettetesest	gaggagtata	tgttgtccaa	tttatataga	coctcacggt	108780
aaccccccc	gttttaagat	Cagaaatatc	tgttgtccaa	tttatataga	cactgcagct	108840
ttcatttgat	tagtgettge	atggeatate	tttttccatt	tttttacttt	tgatetaeet	
ttataattct	atttaaaggg	ggcttcttgt	aggcagcata	tagttgggta	gegetattea	108900
			tattgagaca			108960
aagctggagt	gcagtggtgc	aatcctggct	taccacaacc	tccacctcct	gggttgcagt	109020
gattctcctg	cctcagcctc	ccaagtagct	gggattacag	gcacgcgcac	catgcctggc	109080
tgatttttg	tatttttagt	agaaacggat	tttcaccatg	ttagccaggc	tegtettgaa	109140
ctcctgacct	caggtgatcc	acctacttta	gcctcccaaa	gtgctgggat	tacaggcgtg	109200
acceptace	cccaactasa	tcatcttatt	tttaatcttt	trtraraata	caggetttt	109260
agccaccacca	tteattatt	teatataaat	tttagtataa	ttatttagat	tagggeeeee	109320
gccggcaaac	ccaaccaccc	natatataaa	tataattatt	ggtattaata	taattatatt	109380
			agattaccag			109440
ttctccctct	ttgatttccc	cttttttgct	tttttttt	ttttaattct	tattttttt	109500
tagtatttgt	tgatcattct	tgggtgtttc	ttggagaggg	ggatttggca	gggtcatagg	109560
acaatagttg	agggaaggtc	agcagataaa	catgtgaaca	aggtctctgg	ttttcctaga	109620
cagaggaccc	tgcggccttc	tgcagtgttt	gtgtccctgg	gtacttgaga	ttagggagtg	109680
			aagcatctgt			109740
ccaccettaa	tccatttaac	cctaeataat	aatagcacat	atttcadada	acadagaatt	109800
agagat 22ga	ttatagatta	accegagegge	aaggcagaag	aattttatt	3ct3g3g3cc	109860
gggggcaagg	ctacagacta	teattatta	taggcagaag	aacttttttt	agcacagaac	109920
aaaacggagc	ccccatgcc	Lacticitie	tacacagaca	cagcaacaac	cegatetete	109980
			ttcgacaaaa			
cgttctcaat	gagetgttgg	gtacacctcc	cagacggggt	ggcagctggg	cagaggggct	110040
cctcacttcc	cagatggggc	agccgggcag	aggcgccccc	cacctcccag	acggggcagt	110100
ggccgggcgg	aggcgccccc	cacctccctc	ccggatgggg	cggctggccg	ggcgggggct	110160
gaccccccac	ctccctcccg	gacggggcgg	ctggccgggc	gggggctgac	ccccacctc	110220
cctcccagat	agagcagcta	accagacaga	ggctgccccc	cacctccctc	ccqqacqqqq	110280
caactaccaa	actanagaac	tectcactte	gcagaccggg	caactaccaa	acadaaaaac	110340
			gagacgctcc			110400
						110460
			gacggggtcg			110520
			gtggtcccca			
			ggatggcagc			110580
ttcccagacg	gggcggccgg	tcagaggggc	tcctcacatc	ccagacgatg	ggcggctagg	110640
cagagacgct	cctcacttcc	cggacggggt	ggcggccggg	cagaggctgc	aatctcggca	110700
ctttgggaag	ccaaqqcaqq	cggctgggaa	gtggaggttg	tagggagctg	agatcacgcc	110760
actgcactcc	agectgggca	acattgagca	ttgagtgagc	gagactccgt	ctgcaatcct	110820
			actcgcggtc			110880
			aaaatgcaaa			110940
						111000
gegegeeege	aatcccagge	actorgoagg	ctgaggcagg	ayaaccaggc	agggaggttg	
cagtgagccg	ayatggcggc	agtacagtcc	agcctcggct	LLCACAACTT	Lygtggcatc	111060
agagggagac	cygggagagg	gagaggaga	cgagggagag	CCCCTTTTT	gettettt	111120
ggattatttg	aatttttcct	taaatttatt	tatcttactt	atttatttat	ttttttgagt	111180

gattctcctg	ccacagctcc	caagtagctg	ggactgcagg	catgtgccac	tacacccagc	111240
taatttttt	gtatttttag	tagagacagg	gtttcaccat	attqqccagq	ctggtcttga	111300
	tcaagtgatc					111360
gagccaccat	gccctgcctt	tttctagaat	ttatatattg	agttcttgat	tgtatcttt	111420
tatgtaggct	ttttagtggc	ttctctagga	attacaatat	acatactttt	cacagtgtac	111480
tcacatttaa	tattttgtaa	cttcaagtgg	aatgtagaaa	acttaaccac	cataaaaata	111540
gaactaggga	tgaggttaaa	aaagagagag	aaaagaaatg	taataaagat	ttaataacac	111600
cgtttttttt	tttttttctc	tttttttt	gagacagagt	ctctcttct	gttaccaggc	111660
tggagtgcag	tggcgtgatc	ttggctcact	gcaacctccg	cctcctgggt	tcaagtgttt	111720
ctcctgcctc	agcctactga	gtagctggga	ttacaggtgc	gegecaccat	gcccagctaa	111780
tttttgtatt	tttagtagag	acggtttcac	tgtgttggcc	aggatggtct	cgatttcttg	111840
accttgtgat	tegeteteet	cagcctccca	aagtgctggg	attacaggcg	tgagccaccg	111900
cgcccggcta	agtctttaaa	tatttttttg	acattgcact	ttttctcttt	tccttctagg	111960
attttagtaa	cccaaatgtt	agttttgtta	ttgtttggca	ggttcctgag	gctttcctta	112020
	ttttttttc					112080
	ttctttcccg					112140
aattttgttt	attatgtttt	ttagttctaa	aattttcttt	ttttgtgtat	gtcttatact	112200
ttgctcctga	aactcttatt	tgtttcagga	gtgatcttat	ttcttagagc	atggttttag	112260
tagctactta	aaatttgttt	tatcatccca	gcatatgtgt	cctcttgatt	gtcttttctc	112320
	atgggatttt					112380
	cttacgttac					112440
agtttttgct	ttaacaagca	gttgacctag	ttaggttcag	tccacaaatt	ctaagcagca	112500
	tctggttcca					112560
	gtctgggacc					112620
	atgcacaccc					112680
	ctccttcttt					112740
	tttcctgttg					112800
gcacacttcc	tgtagctatg	tcaacctctg	tggccacgac	ttcttcttct	tgggactgca	112860
gtttctcttg	tcagaaagta	ggattcttgg	agetgetgte	attgctgctg	tggctgctct	112920
gatgctgcct	gggagtcgaa	ggagagaaag	gaacaaaaca	aaacaaccca	ggggatttcc	112980
	ttgatccgtg					113040
	acttcttctt					113100
	ggacaaactt					113160
	tgcttccaag					113220
	agaagagtgt					113280
	tgatattctc					113340
	tttaacaccc					113400
	tttgagacgg					113460
	atcaataatt					113520
	attttagcag					113580
	cttagtgcct					113640
tgagtttatt	ttggtgtaaa	agtactttga	aattcatgca	tagttttttc	atcatatgca	113700
	ctttgaacac					113760
aagcaccttt	gtgatggaag	tttattttgc	aataggaact	cacagtgatc	taagccctgc	113820
tattcatgaa	tataattcat	tactggagtc	caagttgett	tttggttttt	gaagttetet	113880
	caggtataga					113940 114000
gatgetgeta	aaccaatacc	aattacagaa	gcaatgagaa	atgacatcat	aggtaagcag	114060
ottegaaac	tatggcaaaa	adadadugac	aaaaaaugca	theastheat	aattttcgtt	114120
accyaccaag	ataattttt	cttaacatgg	aatttagtag	tttatataaat	aactigitt	114120
cigagiacti	tttatatcgg	accatagete	accttaaaag	agtagtaga	geacceggig	114240
	tgcctgggcc					114240
	egggeeggeg					114360
	cgcaccagtg					114420
	aaaagccggt					114420
	gggcaactgg					114540
attagggagg	ccacttctca gccatcacat	gegggeeega	ttacctttt	ttaccaatta	attatacasa	114540
						114660
	atttctgtgt					114720
	ccagtttcac					114720
	aaaaaaaaaa					114/80
	aatgacagca					114840
	tattccaagc					114960
tttataaaaa	atacagttat gtaacagctc	agatatagarg	aayaaactga	ttgaaagtag	agreadgege	115020
				ggttgggacc		115020
	cccctgcca	aaaaaaaaaa	aaaaaaaaa	aaatatatat	atatatatat	115140 115200

	tatatgcata	tatagtatat	attatatatt	agtatatata	ctaatatata	115260
tgtattagta	tagtgtgtgt	atatatatat	atactagaat	aaaaaaatca	aaqtatctca	115320
atatacatat	gacaaacatt	taaaaaaaat	attttcatta	tatatacatq	tatatatata	115380
gagtagtaag	caacaaatat	otttatata	gettetaeca	aaatagtttg	aaagctttta	115440
tatgctgatt	tcaggaagac	attocctaca	cotatattca	cadataaaad	aggttattta	115500
ctgtgtttta	aaatattaca	thatastasa	toctaatatt	atgtattttt	attetteaaa	115560
ttcattcaat	tttgtgattt	tttttataag	pestattatt	acacttttaa	cagatototo	115620
aaagttagta	tttgtgattt	atgaaataag	acatgetete	geaccectag	ctactaaaaa	115680
ccgatgttgg	gcttctttaa	teettagtgt	gggtgetttg	gacccactat	accttccagt	115740
cagcaagacc	cctgttagtc	teagetgtgt	terestate	tttatttat	cccacacaga	115800
tagctattct	ggggtccatg	teatgttgge	gratattaat	gggttatgg	tatctactta	115860
tacctataac	ggctataaca	taggeetggt	ggetgttggt	ggcccacccc	catttgacat	115920
tatttaaggg	gtactgtttc	actgagtttt	getgacagat	gttgtcatga	ccctacacca	115980
tttctgtgtt	gttgctctat	ttttatgtgg	gaacttgcta	geattaggat	atttaaaaaa	116040
gcttttccta	gtaatacaac	agggatgttc	tgactgatta	gagtttgccc	ctaectaaca	116100
ttggttggct	agtgattttt	ttttgagggg	agtetgtace	agccaacagc	aggacagtag	116160
tgtggataaa	aaggaagcag	tttcaagtca	aataaaacac	cotataatgaa	catgaagga	116220
aactctcttt	cttttactta	agettaatea	aactaatgat	gatgtaatee	caegaaggaa	116280
aagtcttctg	aaggatcaag	ttgataacat	tttgtgatca	addactiga	tttagggaag	116340
atcccagtgt	ctatcattat	atattttagg	atgitaatta	cctgtgtggc	taatattaa	116400
tcatttttcc	tecttgagec	ccattcttaa	teetgteeaa	attattigic	gggttgagtt	116460
gttggactat	tttaatatag	ctgtccttca	agtgagtttt	guttaaagga	ttagatttt	116520
tagctcttac	tgtgtaccca	ctttgcatag	tettgtttta	aatgtaatcc	antetatact	116580
ggtgttgcta	actaattact	gtttttatgt	gaggatttag	agigatecag	aacccacacc	116640
tgcactacct	ccttcatctt	ccacaaatgt	ttgaagtggt	agaattttta	addactitiga	116700
aggtacagct	gacagaattt	gctgatggtt	tggaagtgag	tggtatgaga	gggaaaaaaa	116760
ggaataaagc	atgactgcat	tttttgtttg	tttgtttgtt	tgtttttgag	acggagtett	116820
actctcgcca	ggctggagtg	cagtggcgtg	atettggete	acggeaacct	egetegeege	116880
ggttcaagcg	attecetge	ctcagcctcc	caagtagetg	ggactacagg	egtetteeee	116940
cacgcctggc	taattttttt	ttttgtattt	tagtagaaac	taggetteeac	ageteetgee	117000
aggatggtct	ccatctcctg	acctcatgat	ctactcacct	atacaaacac	gtatatatat	117060
gttacaggca	tatatataag tccacacagc	catataaagt	graceage	tasaaaaaa	attastataa	117120
						117180
gagagggac	attgcttaca	ggaaagaagu	ceggaggeag	ctagagtcac	aggaaagaat	117240
cacatagaag	ggtagagatg	eaggtgagcaag	gacaacccac	agagatgatg	gaaataattt	117300
gcagtacacg	tctatattct	caggigagee	gaaagacaaag	tecteageaa	agagaataga	117360
tetgattget	aatatttgag	caaggaagca	tactgtagaa	ааааааааа	ctcagtttct	117420
agaggtgtta	tctcacaaaa	cagaaccctt	ccatgactct	agttgtgtgg	ggttttttcc	117480
atataaaata	ccaattctcc	agatgattgt	tcaqtqaaca	ccaactgggt	gcccccaag	117540
tasattasat	totoacacto	tttacctgga	gatagcatca	gatcccacag	attgaggact	117600
-hetagaaaa	agagtagata	cacttcagat	gccagtctca	adtacaadtt	quqquuquq	117660
attataaata	accttctata	aattggagtt	cccacagtcc	cctccttqqq	ttcaataaat	117720
						117780
agaggatatt	acaaaggata	cagattgaac	aqqcaqatqq	aaqaqatgca	tgggcaaggt	117840
						117900
ctacacattt	acctattcac	aagccccct	ccccattctc	tccttttggg	ttttttgtgg	117960
agagttgatt	atataddcat	gattgatcat	taactattaa	tgatcagetc	aaccttcage	118020
cccctcatcc	· caaaaaatta	ataaataaa	r ctgaaagtco	: caaacgtgta	attetgectt	118080
						118140 118200
at ant the acco	· ttcaaaagaa	tccagagatt	: ccatqaattt	taggegetgt	algoraayaa	118260
						118320
aaaaaaaaaa	teattteage	r ccatgagato	: aaaaccaqcc	tqqtcaacat	agtgagaccc	118380
						118440
tcagaaggct	gaggatcact	: gagecetgga	a gttgaaggca	a geagtgaged	atgategtge	118500
						118560
						118620
aagtgaatgt	: aaacagacca	a ggacactagt	: atgatecett	ggtttcatga	aggtcccact	118680
aaagtcatga	a acacaaagt <u>s</u>	, agactaggca	a tcatgttata	tggtttttcc	agccatgttt	118740
aacagctag	c taaatagcta	attgtttcg	tgcagtttat	tttagcagtt	ccttatttta	118800
						118860
cttcacaaa	t ccataattt	ttaagttaca	a atcccagaa	a cagaaccgct	cattgaaagg	118920
gtatgttca	t ttttaaagtt	atgetagaaa	a ctgccaaati	. gcccccagac	aaaggtgttt	118980
gtatcccca	c taacactagt	gttagtttt	- engradecti	tacetactt	: acatattatt	119040
aaaaacaat	g ttgggccagt	ttactagata	a aaayyiyta	attttatat	ttctaatcta	
tttgattac	t agtgagtate	atgtetti	t tttggaaga	ttcttactac	tgttcctttg	119160
tggattgtc	a tgtcctttg	gtangettt	t sactotosto	r catactaca	g tttataagag a atctttttc	
ctcttggta	t ittaatgata	a gradecttt	. aactyctat	, sacgeogeac		

tatttattta	cctttgtatt	ttatttttaa	agggtttcta	tgtataggaa	ttaaatttta	119280
tgttgttaaa	tcttttgatt	tetgettttg	catatgtact	tcaaaaqact	ttctatttta	119340
agatcaagtg	ttacctgtat	tttcttttag	ttctatttaa	aacctcttaa	tttatatqcc	119400
	actcccaagt					119460
atttaattat	ttacaacttc	ttttqcaqca	aggatttgtg	gagaagatgg	acaggtggat	119520
	tegttttgge					119580
agttcatatt	ttcacattgt	gcat.cct.agg	gaatttgggt	tcattgttag	gaatgggctt	119640
cactcagcta	aaaacaaagt	atttttgaga	atttaaatat	tttggatatt	tacaagatca	119700
	actctatctt					119760
	ttttcatttt					119820
	atttggggag					119880
	ataatgcatg					119940
	gctatataac					120000
ttagatttat	tactgctatg	tgcccttaaa	aaaaatctat	tcattctttc	acttaacatt	120060
	gtgctctgtg					120120
	aaaagacata					120180
ttaaatgtca	ggggagaact	acaaaqtcat	aaaaaggt.gg	gagagattac	atacaggtaa	120240
	aatgacacca					120300
atagggacag	tatggaaaga	gtatattttt	cccacttaaa	ctctttcctt	gatcattccc	120360
tcaaattttc	ccttttgtcc	atgtgcaggc	actttagtga	atttctacaa	agtcaccatt	120420
	ccagattgaa					120480
t.ctgtgagtc	agccctcttt	tatttctctq	aggtaaagtc	tgcatttctt	ttcacactct	120540
	tccagcctct					120600
	gtcatttcca					120660
agtaatttaa	taatatatta	gagagaacat	gaaaattcaa	totattaaat	aactctaatt	120720
	taattaaact					120780
	ccacagaatt					120840
agaagagaaa	aaaagtagta	aattttttct	tatoctcatc	atttttactt	tagtcacttg	120900
ataggattgc	ccagtgaaga	agcatttgca	acadacaatd	agtatattaa	tctttttgag	120960
	tagtataatg					121020
aagcaaatga	ctattaagta	gaaagaggat	tcccagtctc	acaaagcagt	aatttagaca	121080
ctcgattctg	cctctttaca	agaatacagg	tactcagttg	atttgttttc	tcactccctt	121140
tctttgctat	aagtttaaat	caacaatttg	tttaggttaa	tatgtcctca	tggaatggtg	121200
gaaatgatca	gatataaaat	atttggtttg	gttagtttac	tctttatatg	tttgctggca	121260
	aatccagttt					121320
	tagtgtttgt					121380
	ctcaaatgac					121440
tttgttttt	gcttatgacc	tgtattttaa	tatttgagct	tatagattag	agattgtgag	121500
agaaatctgt	ttatagtctt	attttccctt	gtgtattttt	tcttcctagt	acatggaaaa	121560
agaggatgca	gtgaatatct	tacaattctg	gttggcagca	gataacttcc	agtctcagct	121620
	aagggccaat					121680 121740
tgacaagtga	gttatattga	tagatggatt	cagcagacac	ttattgaaca	tttgatatgt	121740
cctgtggaaa	taaagatgaa	-atattata	ccccgccgcc	aaggagetea	caggaggcag	121860
cacaaaaagcc	gcttttatat aggggaggtg	totataaaat	aagctttggg	ggtttttaga	tattanaguu	121920
gtgtttgggaa	gaagagagat	tttgtttggggt	taggarg	gcaacggcgg	tttaataaaa	121920
	gaaaacaaca					122040
	gcactttcaa					122100
atgaggaaageg	tggtactaat	togaatagat	tataaaaaaa	cttgaatgcg	tatttataga	122160
tatattatac	tttctgtata	aatctgctca	ggcacgttgt	taattagttt	tttattagtt	122220
	atgagaggat					122280
	tgagcttgtg					122340
	taaaaaaagt					122400
acactttgag	aggcagaggc	aggtgaatcg	cttgagecea	ggaatttgag	accageetgg	122460
	aaaacccgcc					122520
	cctagctact					122580
	agtgagctgt					122640
	caaaaaaaaa					122700
	gggtaacttg					122760
ctaatagtat	ctaggccagt	ggttcctgaa	cattagtctg	tgggctcttg	ctgggctgtc	122820
tgcataggaa	tcacctgaga	gcttattaaa	aataggtttt	caggctggtt	gcggtggctc	122880
	tcccagcact					122940
	cctggccaac					123000
	ggcacacacc					123060
ctcgagcccg	ggaggtggag	gttgcagtga	gcggagatca	tgccactgca	ctccaggctg	123120
	ggagactctg					123180
ccggtggctc	acacctgtaa	tcccagcact	ttgggaggcc	aaggcaggca	gatcacttga	123240

agtagagagt	ttgagaactg	actggccaac	atagtgaaac	cttgtctcta	ctagaaacta	123300
ggccaggagc	actgggcatt	bbee eagata	cotataatoo	cadctactad	ggaggetgag	123360
caaaaaatta	actgggcatt	Ligacyggig		atassassas	2222222222	123420
gcaggagaat	tgcttgaacc	cgggaggcag	aggactgcat	CLCadadada		123480
						123540
						123600
agiciaacci	gaacaagtta		ttaaactaaa	atgragttct	taatgttctg	123660
caaagtcaca	gaacaagtta	gtggcagaal	Liggacigga	tegetgeece	agattattat	123720
tccagtgttt	attctggtac	agtatgtttg	tagaaggtat	tacgtaagaa	acaccgccac	123780
						123840
caageegegg	ctgatttaaa	aggagagttt	tottttttt	cttcttttt	attttttqaq	123900
tacaaaaatg	Cigattiaaa	aggagageee		aggateteag	ctcactgcaa	123960
atggagtctt	getetgteac	ccaggctaga	grgcagrgac	acgaccccag	atagasttag	124020
cctccacctc	ctgggttcaa	geggttetee	tgcctcagcc	teetgagtag	etgggattac	124020
						124140
Lgillggccag	attataggcg	+agasta	taaccaacct	acttattttt	gtatcatata	124200
aagtgctggg	attataggcg	Lgagecacty	Lycccayccc		2122222222	124260
						124320
antttant an	traggettace	aaaacattac	ctocattata	ccccatcaag	gcagaaaccc	124380
A decrease which has been		actocctttc	cacaccgagt	catcagtaag	tectqttcta	124440
ttgtgttate	tcatatgcat	acceceee	-at-acatast	atttattt	gaatttgtac	124500
tccaaatagg	tcatatgcat	ctageteace	Colcagige	geeegeee	atatagatag	124560
						124620
						124680
Clatchacca	gtagtctgat	agagaaaaagg	tttaaacaac	agtagagttc	accotcaaga	124740
tgcctcagtt	gtagtetgat	Cottacaget	eteggaagtt	gacccaacta	tetetagaga	124800
actaaggatg	gttggcaggc	agatagaaag	gtagcaagtt	gacccaacca	-ttetagggga	124860
+ anaggat ca	atcaagtage	cttgtataag	attetetqqa	qqaqquqcuq	adagetgeet	124920
cgcaggccca	tggaatttga	++++ac++ca	gatatetttt	taccataggt	acttctccct	124980
atacttgcta	Lygaalliga	ccccaccccg	tattatacaa	ttagaaattg	aatccaatat	125040
ccaagccaca	catcctcttg	gatttgatga	tyttytacya	ccagaaaccg	aggeetagae	125100
						125160
tagaa	aaggtaaccc	agaacttcaa	acgtatcaaa	Ctacaaqaaq	ttttattggt	
						125220
agaacccaca	gtgattaaga	acadaddcct	tgagtctggc	ctagtatata	caqtcacgtg	125280
greeageaaa	ttttagtcaa	geagaggeee	catatacast	aatcatataa	gattataatg	125340
ccacataaca	ttttagtcaa	caguggacug	cgtgtacgat	ggccccgcac	actacatasa	125400
gatcaaagct	ggtagtgcaa	taataacaaa	agttagaaaa	aataaatttt	aataagtaaa	125460
000000000000	gaaaactaa	aaagataaaa	gaataaccaa	qaacaaaaca	aaaaaaacca	
						125520
theresetes	tecttetact	tactaacaaa	acagttaact	gtaaaacagc	ttcagacagg	125580
tttagagtge	CCCCCCCCCC		attataaaaa	garatgacga	ctccatgcgt	125640
tccttcagga	ggtttccaga	aggaggcarr	greateaaag	gagacgacgg	angtettatt	125700
gttactgccc	ctgaagacct	tccagtggga	. caagatgtgg	aggtgaaaga	aagtgttatt	125760
	accetatata	agettagget	aatgtgggtg	tttqtcttaq	LLLLLaacaa	
						125820
						125880
atgaaaatat	aaaaaagtaa	ccgcacacgc	angttagagt	aagctaattt	attattaaag	125940
caaaaagcta	. aaaaaagtaa	aacagttaaa	aagttacagt	-totoogtot	agagtagtgt	126000
						126060
acaataatqt	gctaggcctt	cacattcact	taccactcac	tegetgaete	acceagagea	
a attacaacta	ttacapactc	cattcatggt	: aagtgcccta	tacagatgta	Coallittea	126120
+ -++++>+ > c	+~+a++++	ctataccttt	totattta	ratttaaata	Cacaaacccc	126180
totttatat	atagtggcct	accatattca	ttatagtaag	atgtgataca	ggtttgtagc	126240
taccattgca	alagiggeet	acgacaccca		tagggggtag	catctaggtt	126300
ccaaaagcaa	taggttgtac	catatagcca	aggggrgrag	Laggecacae	caccagge	126360
						126420
						126480
gtgcagttgc	acageeeegg	cucucogous		carratarri	gggtaatttt	126540
tgcctcatco	tcccaagtag	ctgggattac	aggcaggcac	tottoto	actectasee	126600
						126660
agatagaaaa	· taactgaaat	tototaatgo	cattttcctt	atctquadag	, tyacyataat	126720
	. aggtgaaagt	tactttcatc	r attaaagtaa	ı gataatata	aladaalaca	126780
atgeacgtti	, accicaaagi	- etectogac	,	ottaactact	tttattacta	126840
tattaacata	a gtacctgaca	catggtaago	. accaaaaad	, goodaccact	tttattacta	126900
						126960
						127020
gaactaaag	ettessess	taaagaagg	attatgergr	aacgttagc	tagaaatgat	127080
aagaccctg	Lilyaadaal	Ladagaagg	z attacgooge	tagttttgg	tattatgatc	127140
						127200
ctgtaatcc	agcactttqc	qaggccgaq	g tgggtggato	c acctgaggt	c aggagtttga	127260
550000						

gaccagcctg	accaacatgg	agaaacccca	tctctactaa	aaatacaaaa	ttagccgggc	127320
ataataatac	atgcctgtaa	tcccaqctac	ttaggaggct	gaggcaggaa	aatctcttga	127380
acccaagaag	cagaggttgc	agtgaggtga	gat.cgcacca	ttgcactcca	acctagacaa	127440
caacaccaaa	actccgtctc	222221212	ttataataaa	tagatagaan	taaagtattg	127500
atatttataa	atgatttatt	attataataa	actacacaca	attttaaaa	gaatttgaga	127560
gccagtgagg	ttatgttgct	tgtatgtgtc	atgtgtatcc	aggtgaaaaa	acttaattaa	127620
	ataataccat					127680
tagaagtcaa	atcattaaat	agctagtagt	aaacagaata	gagtgtcagc	tgttacccaa	127740
tgatgataat	attttcacga	ttaaaattaa	accttttctg	attttaaagg	aaaagttcag	127800
atctgtatca	tataaagaat	gtaaattttc	agggtaataa	aattaaaatq	cagagagaaa	127860
aatgcaaaaa	tagttcttac	tagatgtgtg	tatgtaagga	acttagacta	attttaagaa	127920
cactotcaao	accetggtag	ttaggtagga	aaaaagacat	gaatgattca	ttcaacaaaa	127980
agtttgagta	tttctgtgct	agatggtaggt	attacaataa	taaacaaaat	asatatattt	128040
						128100
	ggagcttagt					128160
	ctagcacttt					
	tggccaacat					128220
ggtgtggtgg	cggacacctg	taatcccagc	tactcgggag	gctgaggcag	gagaatcact	128280
tgaacctggg	agacagaggt	tccagtgagt	cgagatcatg	ccactgcatt	ccagcccggg	128340
qqacaaaaqc	gaaaatacgt	ctcaaaaaaa	caaaaacaaa	caacaaaggc	acqtattaaa	128400
	aatatttaca					128460
ccagttacaa	acttttcctt	cotagaatta	gaaatataaa	taataaacat	gagaactcat	128520
trantataat	taataattat	tasatatasa	taaaaacatc	tatatacaat	tagggaattta	128580
tttagcacaat	otttaaccac	caaacgcaaa	ggaaaaaaacacc	attttaatat	attactacta	128640
	atttgaaaaa					128700
	ataatgttct					
	atcacacgcc					128760
	caaagacttt					128820
	ctattttctg					128880
acaaatattt	tgggggagaa	aacccaacaa	aattacatgc	attgtaattt	tttttttt	128940
	gacagtcttg					129000
	ctccatctcc					129060
	aggcgctcac					129120
	atgttggcca					129180
	agagtgctga					129240
teggeeteet	agagtgctga	gattacaggt	graagccact	gcacccagcc	ctatgcatta	129300
	ttgtaaactg					
	aggtagttaa					129360
	ttagttggat					129420
	ctggcttttt					129480
cattcggttc	gaggagatga	atttctgggc	gggaacgtgt	cgctgactgc	tectggetet	129540
attagccctc	ctgatgagtc	tcacccaggg	agttctgaca	getetgegte	tcaggtattg	129600
	tctgccatta					129660
	ttatttgtaa					129720
	ctgtaatccc					129780
						129840
	gaccagcctg					
	catggtggca					129900
	aacccaggag					129960
	acaaagtgag					130020
	actatcttct					130080
aaagtatcat	gctgtttcat	ttaggccatt	attctatttg	aatctgtggc	tgtttctctt	130140
aataaatcaa	gtaatatgga	atatattcat	agcctctqaa	gagctcttta	tgtaagtatt	130200
	actttttgta					130260
	agggtctcct					130320
	ctgaatagct					130380
	ggccaggcat					130440
						130500
	tcacgaggtc					
	aaatacaaaa					130560
	tgaggcagga					130620
agatcacgcc	actgcactcc	tgcatggtga	cagagtgaga	ctccatctca	aaaaaaattt	130680
tttttttaaa	tgatggagtc	ttgctgtgtt	gctcaggctq	gtcttgaacc	cctgacctca	130740
	gcttcagcct					130800
	gtagtctcaa					130860
	ttacaggcgt					130920
tastttaatt	ttgcattacc	guacuacuac	atacatttac	ttgaggtttt	ttaggttttt	130920
						131040
	tcatatgtta					
atcctaagac	aagaaatcta	aggaggcata	aagaagttaa	ctggttttat	taaactcaca	131100
cagtaaatga	tagagccaga	aatattcccc	ttctagtgtt	cttcaccatc	agcttaatgt	131160
agcataataa	ttttctaatt	actgttgaca	aataaataac	cctttgaatt	ttcaatactg	131220
ggccttggat	aaattttcct	aatttgtaag	agagtattat	cgtattgcca	tttacaaagc	131280

totootgagt	atctttttct	tctgttaagt	ttacctagga	gataaactgc	tgagtatggt	131340
	gttttttgat					131400
	ttgtcattgt					131460
	cgtggctcac					131520
	agtagetggg					131580
	gaaggggttt					131640
	cctcggcctc					131700
gatteactig	tgtttttgat	todaagegee	gggartgcag	gcacgagcca	cegeaccegg	131760
						131820
accettacac	cttttgttga	accacacac	acagaaaacc	gcacccatca	aaccccaga	131820
	aatgttcaca					131940
	ageceeteta					
	gctactatcc					132000
attttataaa	taaaaccata	ctgtgtattc	ttttcttgta	cagctttatt	gtgctaattc	132060
	catacaattc					132120
acatcgattt	tagaacattt	ttttcactcc	agatagaaac	cccctttact	taaactccaa	132180
atcccccact	ccaccagece	taggcagcca	ctagtctact	ttttatctct	atagagacaa	132240
tagatttgct	tattctggac	atttcataaa	catggaaccg	tatattatgt	ggtcttttgt	132300
tgccaactgt	ctttcactta	gcatcatgtg	ttcaaaagag	catcatgtta	tccatgtttg	132360
	gaattttatt					132420
	aattgtaccc					132480
gtgtacaagt	ttttgtgtgg	atacaggttt	tctttttgtt	tttaaatttg	aggtggagtc	132540
	gcccaggctg					132600
tectgggtte	aagcagttct	cctgcctcag	cctcccgagt	atctgggact	ataggcacgc	132660
	ccagctaatt					132720
tctcgaactc	ttgacctcaa	gtgatccacc	catctcggcc	tcccaaagtg	ctgggattac	132780
aggggtgagc	cactatgccc	ggctgtggtt	ttcatttctt	ttgttgtata	tacataggag	132840
tagaattgct	gagtcaagag	qtaactctta	aacttattqa	aaaactgcca	gattqttttc	132900
	gcaccatttt					132960
	gaacttatta					133020
	agtgtggttt					133080
atttqcttat	tggcctttgt	tctagctttg	qaaaaatqtt	tattcaaatc	ctttggccat	133140
	atttttattt					133200
	caatggtgtg					133260
attetectee	ctcaqcctcc	cgagtagctg	ggattacatt	tcaggcacct	accagcatac	133320
	tttgtatttt					133380
	acctcaggtg					133440
catgaaccat	tgggcccagc	ctagattttc	ttttttttt	tttttttta	gaaggagtct	133500
	gcccaggctg					133560
tectacatte	aagcgatttt	cctacctcaa	cctccccaat	agctgggatt	acaddtacct	133620
	ccagctaact					133680
	caactcctga					133740
gattaccaac	atgagetace	addcccadcc	aattttctca	ttatattacc	caddctddtc	133800
teasactest	gggttcaagt	aggeeeagee	ccttaacctc	ccasactgtc	addaggeragger	133860
gggtgaggg	ccttgctcag	gacccccccg	catttttaaa	ttagattggg	tttttatat	133920
gcgtgagcca	agtcctttat	atattatage	taccectaaa	ttatasaatt	atattattta	133980
	cttcattctq					134040
	tttgtttgtt					134100
	aatcacagct					134160
						134220
	ctgaatagct					134220
	agacagatct					134280
	cacctctgcc					1344400
	actattaata					134460
	accatgcctg					134460
	ggctggtctt					
	gattacaggc					134580
	ctaatttgtg					134640
	tttgtagttt					134700
	gttcttttcg					134760
agattgtttg	atgagagagc	atagaaatac	aagtgatttt	tacatgttga	tcttgcaact	134820
tcaactttga	taaatctgat	tgttagctct	aatagttttc	ttgtggattc	tttaggattt	134880
tcaatatata	agatcatgtc	atttatggat	agagatagtt	ttttttctgg	ctagaactta	134940
	atgagtagaa					135000
	ttcagtttca					135060
cttttttcag	attcaggaat	ttccctatca	ttcctgattt	tttaaggctt	tttttttt	135120
ttaaatcatg	aaagggtgtt	gaatattgtc	atgttctttc	tgtatcagta	taaatgatcc	135180
tatggatttt	gggttttatt	ctgttgatgt	gaaatattaa	ttgattttca	gatgttaaac	135240
caaccttgca	tacctgagat	gaatctcact	tggtcatggt	gtataatctt	ttcaatatgc	135300

tgctggattc	catttactgg	tattttgttg	aagattttgt	atctgaacgc	ttaagataac	135360
atttacactc	tatcagaaat	gaattgacca	taaatgtgag	agtgtatttg	tagattetta	135420
				tgtctgtctt		135480
				aaatcaqaaa		135540
				ggaaatattc		135600
				gattgttcct		135660
				aggtctataa		135720
aattattta	tttacttaac	ctattactta	gtcggggaca	ttaagcttgt	ttatgtcttt	135780
				tcattttcca		135840
				caacctatgg		135900
				agtaggaggt		135960
aggagaagt	gatataataa	actacatact	9949949999	aggtttcctt	agaacgccgg	136020
				accetgtaaa		136080
				tcatattgaa		136140
				atgtcttata		136200
ttatacattt	tattttattt	tattttttag	tttttgatac	agagtettee	tetgtegeee	136260
aggccagcgt	gcagtggtac	aatcttggct	cactgcgacc	tccatctcct	gggctcaagt	136320
				gcatgcacca		136380
				ttgaccatgc		136440
				gtgctgggat		136500
						136560
				ctgtaatccc		
				ggctgcagtg		136620
				actgtgcccg		136680
				tacatttcag		136740
gttaagcatc	ttaatagtga	tgaggttgag	tgaaagttac	ttctatttca	aacactgaag	136800
aaaattttqt	acaaatctqt	cacattccaa	gcccaggact	gattgtttca	tatacttcta	136860
				gtattaaaat		136920
				cagaatcttt		136980
				caaqtqtaaa		137040
						137100
				tctattatta		137160
				ataaaggctc		
				gctaacctct		137220
				tgccaacatc		137280
ggctgcataa	ctgatacttg	gaaaaagtat	tcctttgagt	ttaagaatta	agttggttat	137340
				atgccactta		137400
				atagcttgat		137460
				ccagttccca		137520
aggegegeaa	tttcaacata	tttaattact	ttcactacaa	agtaacagtg	gtaggaccaa	137580
						137640
cgcagtggct	cacacctgta	accccagcac	cccgggaggc	cgaggtgggc	ggattacgag	
				ccgtctctac		137700
				gctacttggg		137760
aggagaatgg	cgtgagcccg	ggaggcggag	cttgcagtga	gcttagattg	tgccactgca	137820
ctccagcctg	cgcagtggag	cgagactctt	gtctcaaaaa	aaaagaaagt	aacagtggta	137880
ttgggagact	gaggagccta	gaaagtactt	gaaggaagta	aaaggtttgt	ttgaccacat	137940
tgtatttgga	aagccagctt	tttcagctgt	gtcagctttg	tgtagtgatt	tttagttctt	138000
				cgcctgtaat		138060
				cgagaccagc		138120
				gggcgtggtg		138180
						138240
gragicectag	Ctactoogga	ggctgaggca	ggagaartge	ttgaacccgg	gaggeggagg	
				gcgacagagt		138300
				acctaaatga		138360
				gaccttacat		138420
aattgcgtga	tttttcactt	ctgtaattgt	gtgtatgtat	aatgtaaata	tatatgtttt	138480
tattttattt	tagtttttta	agacggagtc	tegetetatt	gctcaggctg	gaatgcagtg	138540
				aagcgtttct		138600
				ccggctaatt		138660
				tcaatctcct		138720
						138780
				atgagccacc		
				tgataatttt		138840
				atcccagcac		138900
ctcggcaggc	ggctcacttg	agttcgaaac	cagcctggcc	gacatggtga	aactccgtct	138960
				tttagtttta		139020
atctttctqa	aatttttctc	aaggcaagta	aatttgtatc	agttggtata	ttggtaccca	139080
				atcactttgc		139140
ctgatatatt	gatgttcaca	gaatttttct	tttaacccac	ttgataaatg	cattattett	139200
gacatcaagt	gatgatata	cctcacctc	ccaaactgat	gggattacac	acatracca	139260
				ttaagtttaa		139320
Juguacuugg	Jaccarcott	acaaaaggee	adacticag	ccuageceaa	-9	10000

gttcatgtac	cattgcttat	tttcttccct	tectactcac	agtaatcatt	cttatggtat	139380
	ttgcttattt					139440
	gtgagttttg					139500
	agtattccgt					139560
	tgtattactg					139620
	tcttataccc					139680
						139740
	ttaaaaaatt					
	gcccaggctg					139800
	gctggggtta					139860
	acaatttact					139920
taataagaat	acttcatact	tttggctgga	cacagtggct	cacgcctgta	atcccagcac	139980
tttgggaggc	cgaggcgggc	agatcaagag	atcgagacca	ccctggccaa	tatggtgaaa	140040
ccctgtctct	actaaaaata	caaaaattag	ctgggcgtgg	tggcgcaccc	gtagtcccag	140100
ctactcqaqa	ggctgagaca	ggagaatcac	ttgaacccgg	gaggtggagg	ttgcagtgaa	140160
cttagatcac	accactgcac	tccaqcctaq	caacagagtg	agactctqtc	tcaaaaaaaa	140220
aaaagaatac	ttcagactta	atttttttc	cagtettaag	totttoctaa	tgagattgag	140280
tttettttag	tatgtctctt	gattgttcag	atttttttt	ttatgaattg	actottcatc	140340
	attatttctg					140400
tttttcacca	tgacacttca	ttattcaaaa	22222222	attetetate	tttctccata	140460
ctaatcatta	gttggtaata	ccttaaaaat	aacaccctta	ctctattttt	tactettt	140520
ttaattattg	getggtaata	thtesestes	aagaccccca	tetteesee	ageteeetee	140580
	tttttttt					
	teteggetet					140640
	gccttagcct					140700
	gtatttttag					140760
actactggcc	tcaagtgatc	cgcctgcctc	ggcatcccaa	agtactggga	ttacaggcat	140820
	gcctagccac					140880
	atgtatgtat					140940
agagcaaggc	ctaccttttg	ggtgcttctt	ttacaaaatt	gtcttggcta	ttcttgtgcc	141000
ttttttctta	tttgtgaatt	ttagaattgt	gaattacctg	ttgactcacc	atgttttgta	141060
aactgaggat	tttgaatgga	attgcactca	attaaagatt	atcttgcttt	ctgtgcagca	141120
atgttttatt	tcaaataatc	cctactttaa	attacttagg	atagctataa	attgtgtttc	141180
tggctttcta	gatttagatg	aaacqcttta	aattqattqt	tttctcctaa	atttaaaact	141240
gattgttaga	agttaaagtc	ttctqttcat	tcttatttag	gaagatgaca	tttggaagag	141300
	ggggcaattc					141360
aaggtttgtg	gtgtttttat	acttcatatt	aagcetttac	tcacattagt	gattgactgt	141420
aagtcaaaga	ccacttaagg	tttaaactgt	ttattttgta	aagtaaccac	totatette	141480
	tatagtcaga					141540
	atcaaaagtt					141600
	gtctattttc					141660
	gtttatttta					141720
	tctgtcaccc					141780
	aggttcaagc					141840
atacacacca	ccacacctgg	ctaatttttc	tatttttagg	agagtagee	tttcaccaca	141900
ttgggtacca	tggtctcata	ctcctcacct	caecceeage	atcoacetta	acttaccass	141960
						142020
	tacaagtgtg					142020
Licercaaga	ttgatgaaag	Laatyaaata	taaaagtaat	gaaacacacg	tggaaaatag	142140
	gaaaatgtgg					142200
Lyagttcatg	tectttgtag	ggacatggat	gaagetggaa	accatcatte	Lyagcaaact	
	tagaaaacca					142260
	ggacacaggg					142320
	gaatagcatt					142380
	atggtacatg					142440
ctagaactta	aagtataata	aatttaaaaa	aaataaatat	atgtggaaaa	tattaatagg	142500
tcaaaattca	aattgttcat	ttaatcagaa	gagtagttta	gtcaaatcca	agggttagac	142560
aacagaaatc	ttttttgtca	agtgcattct	ttgtgactga	tttcattttc	ttcctggttt	142620
acacaggaag	atttcagaaa	caaatgtgga	tccgtgacag	atggtatcta	gaagttttta	142680
gtttggttga	attgacagta	ttttattgag	taaaaqatac	taatttttqt	aaqaagaaaa	142740
	gataagtatg					142800
	tagcactttg					142860
	ccaacatggt					142920
	accegectee					142980
gggattacag	gcgccatggc	taatttttcc	atttttagta	gagacagggt	ttcactacat	143040
						143100
	gat chaat of	caaactcctc				
caaagtgctg	ggtctggtct					
	ggattacagg	catgattcac	catgtctggc	catttatctt	attttcttt	143160
tttttttt	ggattacagg ttttgtttga	catgattcac gacggagtct	catgtctggc tgctgtgtcg	catttatctt cccagagctg	attttctttt gagtgcaatg	143160 143220
ttttttttt gtgcgatctc	ggattacagg	catgattcac gacggagtct aacctctgcc	catgtctggc tgctgtgtcg tcctgggttc	catttatett cecagagetg aageaattet	attttetttt gagtgcaatg cetgeeteag	143160

tagtagagac aggittcac catgitggcc aggitggtct oggaactoct gac- totgccoac toggoctocc aaagtigts gattacaagt gigagcacat gig- atcitatitt cittetitt tittetoggg iggagaggag acagagicta get- caggitigg tearingsaac etcigoccc caggiticag acatatitit ge- cocacagitage taggattata ggcaccigc accacgocig getaatitit tgi: agtagagat gggittitgci afgitigaca igcigocic aggitaticg oc- cocicccaag tactggctt acaggociga gottigatig ggitagadg ggttgadg tggtocitac cocacacitit gggaacigag tgg- ggtgagac aggaggiga ggcigocig gagacigag tg- cococtagg aatggagaa agcoatgit ciaaaaaaca aacacaati tit- atactgggaa gaggicajt gtgtgattag acagagaga ggcoadga gggattigoc aggaagaat ciaaagict titagitag titigicaaga gggitococco cocagitat atagaaaatc titagitag tititititititititititititititititititi	cccagcc 143460 ctgtcgc 143520 tcagcct 143580 tattttt 143640 accttgg 143700 tattggg 143760 aggagt 143820 tgcactt 143880
atcitattt citictitt tittigtogg igggagggg acagagicia gcicaggctigg teartgaac citigecoc caggitigt acagiciage caggitigt acagiciage cocaagitage taggattata ggaactigc acagcicig gciaattitt igi: agtagagatig gggttigtata gcaccigca accacgocig gciaattitt igi: agtagagatig gggttigtacac citicaccaagi gciaagagatig acaggitiga gcitigtatig ggiaaaagaa caa ggtigagacc aggaggitig agcitigtatig gagactigaga igi: gtigagacc aggaggitig agcitigtigagac taaaaacaa aaacacaatt tittaatciggaa gagitigatig gtigtittag aacaaggaa gigcoagitig caggitigtigagiigiigiigiigiigiigiigiigiigiigiigiig	ctgtege 143520 teageet 143580 tattttt 143640 accttgg 143700 tattggg 143760 aaggagt 143820 tgeactt 143880
caggottgg toactgoac ototgococ caggitotag caattattot goor cocaagtage tgggattata ggcacctgc accaccetg gotattitt tgt agtagagatg gggtitige atgitgacca tgotgococ aagtgatoog coc. cotoccaaga tactgggott acaggogtga gottgtattig ggtaaaagaa caa ggctgoatgg tggttoatac ctgtaatotg agcactitgt gagactgaga tgg tttggagocc aggaggitg ggctgoggt gcagtgaatt gtgatcacgo cat cacctaggt aatggagcaa gaccatfott otaaaaaaca aaacacaatt titt alactgggaa gaggtcagtg gtggttttag aacagagaa gtgccagatg acc ggcattggc aggaagaact ctacagtgt tttagtagc tittgtccat aag gggtctocto cocagtatta atagaaaaat ctogactgt titttitttgt tst	tcagcct 143580 tattttt 143640 accttgg 143700 tattggg 143760 aaggagt 143820 tgcactt 143880
cocaagtage tgggattata ggcacetgcc accacgoctg gctaattttt tgt agtagagatg gggtttictgc atgtigacca tgctgcoctc aagtgatccg occ cotcocaaag tactgggctt accaggcgta gcttgtattg ggtaaaagaa caai ggctgcatgg tggttcatac ctgtaatctg agcactttgt gagactgaga tgg gttggaqccc aggagggtga ggctgcggct gcagtgaatt gtgatcacgc cacctaggt aatggagcaa gaccatgtct ctaaaaaaga aaaccaaatt ttt atactgggaa gaggtcagtg gtggttttag aacaagagaa gtgccagatg acc ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctoctc occagtatta atagaaaatc ctgagctgt tttttttttgt tcg	tatttt 143640 accttgg 143700 tattggg 143760 aaggagt 143820 tgcactt 143880
agtagagatg gggittiggt atgitgacca tggtggcctc aagtgatccg cocccccasaa tactgggctt acaggcgtag gctittatig ggtaaaagaa caatggctgaatgg tggttcatac ctgtaatctg agcacttigt gagactgaga tggttggagccc aggaggtgg gggtggcgt gcagtgaatt gtgatcacgc catcactaggt aatggagcaa gaccatfct ttaaaaaaca aaacacaatt tittaactggaa gaggtcadtg gtggttttag aacaggaa gtgccagatg accggcattggcc aggaagaact ctacagtgt tttagtagc tittgtccat aaggggtctcotc cccagtatt atagaaaaat cttgagtagc titttttttt ttgttgt	accttgg 143700 tattggg 143760 aaggagt 143820 tgcactt 143880
cctccaaag tactggctt acaggcgtga gcttgtattg ggtaaaagaa caa ggctgcatgg tggttcatac ctgtaatctg agacatttgt gagactgaga tgg gttggagcc aggagggtga ggctgcggct gcagtgaatt gtgatcacgc cat ccacctaggt aatggagcaa gaccatgtct ctaaaaaaca aaacacaatt ttt atactgggaa gaggtcagtg gtggttttag aacagaggaa gtgccagatg acc ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctcotc cccagtatta atagaaaaat cttgagctgt tttttttttgt ttg	tattggg 143760 aaggagt 143820 tgcactt 143880
ggctgoatgg tggtfoatae ctgfaafctg agcactttgt gagactgaga tgg gttggagcce aggaaggtga ggctgoggct gcagtgaatt gtgatcacgc cat ccacctaggt aatggagcaa gaccatgtct ctaaaaaaca aaacacaatt ttt atactgggaa gaggtcagtg gtggttttag aacaaggaa gtgccagatg acc ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctcotc cccagtatta atagaaaatc ctgagcdtgt tttttttttgt tts	aaggagt 143820 tgcactt 143880
gttggagcc aggaggtga ggctgcggct gcagtgaatt gtgatcacgc cat coacctaggt aatgagcaa gaccatgtct ctaaaaaaca aaacaatt ttt atactgggaa gaggtcagtg gtggttttag aacagaggaa gtgccagatg acc ggcattggcc aggaagaact ctacagtgtc tttaggtcag ttctgtccat aag gggtctcctc cccagtatta atagaaaatc tctgagctgt ttttttttgt ttg	tgcactt 143880
ccacctaggt aatggagcaa gaccatgict ctaaaaaaca aaacacaatt ttt atactgggaa gaggtcagtg gtggttttag aacagaggaa gtgccagatg acc ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctcctc cccagtatta atagaaaatc tctgagctg	
atactgggaa gaggtcagtg gtggttttag aacagaggaa gtgccagatg acc ggattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctcctc cccagtatta atagaaaatc tctgagctgt ttttttttgt ttg	
ggcattggcc aggaagaact ctacagtgtc tttaggtagc ttctgtccat aag gggtctcctc cccagtatta atagaaaatc tctgagctgt ttttttttgt ttg	
gggtctcctc cccagtatta atagaaaatc tctgagctgt ttttttttgt ttg	
gggtctcctc cccagtatta atagaaaatc tctgagctgt ttttttttgt ttg	
	tttgttt 144120
tgtttttttt tcctgagatg gagtctctct ctgtcggcca ggctggagtg ctg	
atettggete actgeaaget etgeeteeca ggtteacace atteteetge etc	
caagtagetg ggaetacagg tgtccaccae caegeceage taattttttg tta	
tagagatggg gtttcaccat gtcagccagg atggtctcga tctcctgacc tcg	tgatccg 144360
ctegeetetg cettgeaaag tgetggagtt acaggegtga gecacegtge etg	
ttttttgttg ttgttattta tttatttatt tatttatt	
gtcgcccggg ctggagtgta gtggcacgat gtcggctcac tgcaagctct gcc	
ttcaagccat tctcctgcct cagcctcctg agtagcaggg accacaggcg ctc- cgcccggcta attttttgta tttttagaag agacggggtt tcaccgcatt agc	
gtotogatot cotgatgtog tgatoogooc acctoggoot cocaaagtgo tgg	
ggtgtgagcc accgtgcctg gcctgatttt ttttttttt taatctggtc tca gacagctcat gaagaagtgc tcctgcttca tatgtatatg tgttagcata gtg	
agcataggtg thoggtgttt goagtttotg thighthat atgaattaag gtg	
agcagttgaa gatatatagg aaattttttc ccaaaccact atctctgctc gtt	ctattca 144960
ttcagtctgt ttatgttatt ccttcattca ttcattttat agaacagtgg agt	geetact 145020
gtatgcatct attgttctgg gtcctgggga agaaaacaaa gttcctgctt tca	
tacattatat tggcggagac agtaacagac aaacaaatgt agcctgtgta cat	
atgaaaagca gggtaggggg ctgggagaga gtagtaggga gtgctatttt cga	
gtcaggaaag gcctcactga ggaggtggca ttttgagtag acctgagcgc agc	
taagcccagg cagcatgtgg aggaagagtg ttcttggtga aaggaacaag gat	
cgaagctaga gagctcagca tgatcaagga acagcaagcc ccgtgtggct gga	
gagcaaagga atgagcagta gaaggtgagt gagttgggag gtcaccagag acc	
ggacttgaaa gtgtcaggga cacattggaa gttggagcag ggaaatgatg gga	
tttgtttttg ttttatgttt agtgttttta agggattgct ctatcagcta ttt	
ttagtgtagg gcttcaagaa gagaagcaga gaaacaacat tcttgccata gtc	ggaaaat 145560
tragigragg gerreaagaa gagaageaga gaaacaacar rerrgeeara gre	ggaaaat 145560 atagtct 145620
	atagtct 145620
aagtaaggga tgatggtggt gtggattagg ctggtagtgg aagaccagtc cag tgtatttgaa ggtagaggca aaaagattat atttctacca gcaagcccat cta	atagtct 145620 ttcgggt 145680 tgaagtt 145740
aagtaaggga tgatggtggt gtggattagg ctggtagtgg aagaccagtc cag tgtatttgaa ggtagaggca aaaagattat atttctacca gcaagcccat cta acttgtatta ttaatttaat tgagacatgc ccacataaac taataaatag gaa	atagtct 145620 ttcgggt 145680 tgaagtt 145740 tttctgc 145800
aagtaaggga tgatggtggt gtggattagg ctggtagtgg aagaccagtc cag tgtatttgaa ggtagaggca aaaagattat attictacca gcaagcccat cta acttgtatta ttaatttaat tgagacatgc ccacataaac taataaatag gaa agtttggtta aacacccctg tatatcctgg ttcttcttt	atagtct 145620 ttegggt 145680 tgaagtt 145740 tttetge 145800 tetettt 145860
aagtaagga tgattgttgt fitggattagg cttgttagtgg aagaccagtc cag tgtatttgaa ggtagaggca aaaagattat attrctacca gcaagcccat cta acttgtatta ttaatttaat tgagacatgc ccacataaac taataaatag gaa agttttggtta aacacccctg tatatcctgg ttcttctttt agttgtccag atg aagtcaagta ttttttggtg gtgtaggagc ctagagattg aatttattca coc	atagtct 145620 ttegggt 145680 tgaagtt 145740 tttetgc 145800 tetettt 145860 aaaaggc 145920
aagtaagga igatogtggt gitogattagg itoggtagtgg aagaccagtc cag tgtattigaa gytaagaggca aaaagattat attictacca gcaagccat cta acttgtatta itaatitaat igagacatgc ccacataaac taataaatag gaa agtitoggtta aacaccoctg stataicactgg itotictiti agitgiccag atg aagtcaagta itititigig gigtaggagc itagagatig aatitaitca coc attigagtga itacitatgi ccaggcacta igotgaatgc caaggatgia aat	atagtet 145620 ttegggt 145680 tgaagtt 145740 tttetge 145800 tetettt 145860 aaaagge 145920 aagaggg 145980
aagtaagga tgattgtggt figgattagg ctggtagtgg aagaccagtc cag tgtatttgaa ggtaagagca aaaagatta atttctaca gcaagccat cta acttgtatta ttaatttaat tgagacatgc ccacataaac taataaatag gaa agtttggtta aacacccctg tatatcctgg ttettctttt agttgtccag atg aagtcaagta ttttttggtg gtgtaggagc ctagagattg aatttattca coc atttgagtga ttactatgtg ccaggcacta tgctgaatgc caaggatta aat cgtagtctca gtctgtttta cccagcactg ttccttttt aatgaccctg act	atagtct 145620 ttcgggt 145680 tgaagtt 145740 tttctgc 145800 tctcttt 145860 aaaaggc 145920 aagaggg 145980 tgttaag 146040
aagtaagga igatogtigt jtogattagg itogtatugg aagaccagto cag tgtattigaa gytaagagga aaaagattat attictacca gcaagccat cta acttgtatta tiaattiaat tgagacatgo coacataaac taataaatag gaa agtitggtta aacaccoctg tatatoctig tictictitti agtigtocag atg aagteaagta tittitigtig tgitaggago tiaagagatig aattiatica coc attigagtga tiacitatig coaggacata tgotgaatgo caagagtiga aat ogtagtotca gitcigtitta otcoagcitg gitcottitti aatgaccotg act catatcagtt atcottaaga atgittaatc tictigatic tictigtitig tit	atagtot 145620 ttcgggt 145680 tgaagtt 145740 tttctgc 145800 tectett 145860 aaaaggc 145920 aagaggg 146040 tgttaag 146040 atttagc 146100
aagtaagga tgatsgtggt gisgattagg ctsgtaatgg aagaccagtc cag tgatattgaa ggtaagagca aaagactat attetctaca gcaagacca cta acttgtatta thaatttaat tgagacatg ccacataaac taataaatag gaa agttaggta aacaccotg tatatcctgg ttettett agttgtccag atg aagtcaagta tttttggtg gtgtaggagc ctagagattg aatttattca coc atttgagtga ttactatgtg ccaggcacta tgctgagtcc cagggatgta aat cgtagtcta gtctgttta ctccagcttg ttcctttt aatgacctg act catacagtt atcctacaga atgttaatc ttctgtactt tcctggttg gttttattettett tccttgtactt tcctggttg gttttatttett ttcctt ttccttgtact t	atagtot 145620 tcgaggt 145740 tttetgc 14580 tctettt 145860 aaaaggc 145920 aagaggg 145980 tgttaag 146040 atttagc 146100 tgatgat 146160
aagtaagga igatogtggt gitgaattagg citggtaqtgg aagaccagtc cag tgtattigaa ggtaagaggca aaaagattat attictacca gcaagccat cta acttgtatta tiaattiaat tgagacatgc coacataaac taataaattag gaa agttiggtta aacaccoctg tatatcactgg tictictitti agtigtocag atg aagtcaagta tittitiggtg gitgaggagc citagagattg aattiatica coc attigagtga tiactatigtg coaggcacta tgctgaatgc caagatgia aa cgtagtoca gtctgtitta ciccagcitg gitcottitti aatgaccitg act catatcagtt acctacaga atgittiaatc tictigatet coctggtig git tiatiticti ticcitigaca titotitgaa actggagtit acaccatag tct togtgticac cactitiagat tagasacaca catgigtigt atatgigti tit	atagtct 145620 ttcgggt 145680 tgaagtt 145740 tttctgc 145800 tctcttt 145860 aaaaggc 145920 aagaggg 146980 tgttaag 146040 atttagc 146100 tgatgat 146160 gaaaagcc 146220
aagtaagga tgatsgtggt gisgattagg ctsgtaatgg aagaccagtc cag tgattitgaa ggtaagagga aaaagattat attitctaca gcaagaccas cta acttgtatta thaatthaat tgagacatgc coacataaac taataaatag ga agttaggtta aacaccocog tatatacotgg toctotttt agttgtccag atg aagtcaagta ttitttggtg gtgtaggagc ctagagattg aattlattca coc attigagtga ttactatgtg coaggcacta tgctgagtcg caaggattga aat cgtagtcoa gtctgtttta ctccagcttg gttccttttt aatgaccctg act catatcagtt atcctacaga atgtttaatt ttctgtactt toctggttg gtt ttatttctct ttccttgaca tttcttgtaa actggaagtt caacctatag tct tcgtgttaca catttagat tagaacacat catgtgttgt atatggtgtt ttt tctctgtata ttggtctgta cattaaaatg ttgcctgaat ggatacacat aa	atagtct 145620 ttcgggt 145580 tctcttt 145800 tctcttt 145800 tctcttt 145860 aaaaggg 145920 aagaggg 145980 tgttaag 146040 atttagc 146100 tgatgat 146100 gaaagcc 146220 atttaac 146220
aagtaagga Egatogtggt gtogattagg ctogtaatgg aagaccagtc cag tgtatttgaa ggtaagagga aaaagattat attictaca gcaagccat cta acttgtatta Etaatttaat tgagacatgc cocacataaac taataaatag gaa agtteggtta aacaccoctg statatcactgg tcctctttt agttgtccag atg aagtcaagta Etttttggtg gtgtaggagc ctagagattg aatttattca coc atttgagtga Etactatgtg ccaggcacta tgctgaatgc caagatgta actgtagtctca gtctgtttta ctccagcttg gttccttttt aatgaccctg act catatcagtt acctacaga atgtttaatc Etctgatt ccatggttg gt Etatttctct Etccttgaca Ettcttgtaa actggaagtt acaccatag Ect tcgtgttaca cactttagat tagacacaca catgtgttgt acaccatag Ect Lctctgtata Etggtctgta cattaaaatg Etgcctgaat ggatacacat aaa agtgattaca ttagagatga gaagaaagag gtgcctttta ctttcaata tac	atagtct 145620 ttcgggt 145680 tgaagtt 145740 tttctgt 145800 tctcttt 145860 aaagggg 145920 aagaggg 145980 tgttaag 146040 atttagc 146100 tgatgat 146160 gaaagcc 146220 atttaac 146280 cttttcc 146380
aagtaagga tgatagtggt gtogattagg otogatagtgg aagaccagto cag tgatattgaa ggtaagagga aaaagattat atttetacac gcaagaccac ota acttgtatta ttaatttaat tgagacatgc ocacataaac taataaatag ga agttaggatta aacaccoccg tatatactcgg toctotttt agttgtccag atg aagtcaagta ttttttggtg gtgtaggag otagagattg aatttattca occ atttgagtga ttactatgtg ocaggacta tgctgaatge caaggatgta aat ogtagtctca gtctgttta otccagcttg gttocttttt aatgaccctg act catatcagtt atcctacaga atgtttaatc ttctgtactt tectggttgt gtt ttatttoct ttocttgaca tttottgtaa actggaagtt acacctatag tot toctgttaca catttagat tagaacacat catgttgtat atatggtgtt ttt tctotgtata ttggtctgta cattaaatg ttgcctgaa ggatacacat aa agtgataca ttagagatga gaagaaagag gtgcctttta ctttcaata tac tctgctttt gaactttcttct gocctatga tstatocac cac	atagtct 145620 trgaagtt 145780 tretegg 145780 tretegt 145800 tetettt 145800 tetettt 145800 tetettt 145800 tgatagg 145920 tgttaag 146040 tgatagat 146100 tgatagat 146100 tgatagat 146220 atttaag 146280 cttttcc 146340
aagtaagga igatogtggt gtogattagg citggtaqtgg aagaccagtc cag tgtattigaa ggtaaggaga aaaagattat attictaca gcaagccat cta acttgtatta titaattitaat tgagacatgc cocacataaac taataaatag gaa agttiggtta aacacccotg tataticctgg tictictitti agtigticcag atj aagtcaagta tittitiggtg gtgtaggagc ctagagattg aattiatica coc attigagtga tiactatigtg ccaggcacta tgctgaatgc caagatgta cgtagtica gtctgtitta ctocagcttg gticcititt aatgacctg act catatcagtt atcottacaga atgittiaatc tictigatet coctggttg gti tiatitict ticcitigaca titcitigaa actgaagtt acaccatag tct tcgtgttaca cactitiagat tagacacaca catgitigt acaccatag tct tctctgtata tiggtctgta catataaatg ttgccegaat aggatacaca taagagagtt aggatacacat atgigattaa tiggtctgta catataaatg ttgccegaat ggatacacat aaa agtgaticaa tiagagagtag gaagaaaga gtgccitita citticaata tac tctgctittt gaactitictt gccctatgaa tacgttattg cittaatcatc cac ttcccctgt ggottiticttg tgcattigga atgaaaatca gcctcttig g	atagtct 145620 tgaagtt 145680 tgaagtt 145740 tetettt 145800 tetettt 145800 aaaaggc 145920 aagaggg 145980 tgattaag 146040 atttage 146220 atttaae 146280 atttage 146280 atttage 146280 atttage 146280 atttage 146340 ctacttt 146460
aagtaagga igatagtggt giggattagg citggtaqtgg aagaccagtc cag tgtattigaa ggtaagagga aaagattat attictaca gcaagccae cita acttgtatta titaattiaat tgagacatgc cocacataaac taataaatag ga agttaggtta aacaccoccg tatatactcgg tictictitti agttgtccag atg aagtcaagta tititiggtg gigtaggag citagagatg aattiatica coc attigagtga tiactatgtg coaggacat tgctgaatgc caaggatgta aat cgtagtctca gcctgttta ciccagctig gitcoctitti aatgaccctg act catatcagtt atcotacaga atgitaatc tictigtact tectggttgt git tiattictot ticctigaca tititigtaa actggaagti caaccitaag tot totgtgtaca cattiagaat tagaacacat catgitgta atatggtgt tit tictotgtata tiggtctgta cattaaaatg tigcotgaa ggatacacat aa agtgataca tagagatga gaagaaagag gigcotitta citticaata tac titigctitt gaactittitt gcoctatga tatatgat cot citcocctgt ggettictgt tigcattigga tagatacac aa agtgatgacc ggettictgt tigcattigga tagatacac gcctcttig tgatgtcoc tgctggcocc tatcacctta cittigaaca cicctitica ga	atagtct 145620 ttpaagtt 145680 ttpaagtt 145800 ttctcttt 145800 ttctcttt 145920 aaaaaggg 145920 attttaag 146100 gaaaggc 146220 gaaggc 146220 cttttcc 146340 ttccatct 146400 taccttgt 146520 ttpagagt 146620 ttcatct 146400 tacctgt 146520 ttpagagt 146520
aagtaagga igatogtggt gtogattagg citggtaqtgg aagaccaqtc cag tgtattigaa ggtaaggaga aaagattat attictaca gcaagccat cta acttgtatta titaattiaat tgagacatgc cocacataaac taataaatag gaa agttaggtta aacacccotg staatscotgg tectrictti agttgtccag atg aagtcaagta tittitiggtg gtgtaggagc ctagagattg aattiatica coc attigagtga tiactatgtg coaggcacta tgctgaatgc caagatgta a cgtagtctca gtctgtitta ctccagcttg gttcctitti aatgacctg act catatcagtt acctacaga atgtttaatc tictgatet coctggttg gtt tiatitictc ticctigaca titctitgaa actggatgt acacctatag tcc tcgtgttaca cactitiagat tagacacaca catgtgttg atacgtgtt tctctgtata tiggtctgta catataaatg ttgccyaat ggatacacat aa agtgattaa tiggtctgta catataaatg ttgcctgaat agtgattaca tiaggagtga gaagaaagag gtgcctitta cittcaata cac tctgctittt gaactitictt gccctatgga tagataatca cctctccctgt ggcttictgt tgcatgatga aacacaa ctcgcctgt ggcttictgt tgcattigga atgaaacac acctctigct ggatgtccct tgctsgctg tgctgcccc taccactcac ctctttagat cg	atagtct 145620 tgaagtt 145740 ttctggt 145940 tctcttt 145800 tctcttt 145800 tctcttt 145920 aagaggg 145920 atttagc 146040 atttagc 146160 gaaagcc 146220 atttaac 146280 atttact 146340 cttttcc 146340 ctcatct 146460 ctgaagt 146360
aagtaaggaa (gatagtagt giggattaag citggtaqtag aagaccaqte cag tgtattigaa ggtaagagga aaaagattat attictacac gaaagccaa cita acttgtatta tiaattiaat tgagacatge coacataaac taataaatag ga agttagatta aacaccoctg tatatactcig tictictitt agtigtocag atg aagtcaagta tittitiggig gigtaggage etagagattg aattiatica ece attigagtag tiactatgig caggacata igergaatge caagatgta aa egtagtetaa gictigtitia eleosagetig giteetitit aatgaceetg ac eatatacagti atcetacaga atgitiaate iteetgiacet teetgytig git tiatitictet ticetigaca tittigatae tietgiacet teetgytig git tetetgitiaca cautitiagat tagaacacta catgigaagti acaccitatag tee teetgitiaca cautitiagat tagaacacat acatgigtigt atatggitgt tit teetgitata tiggitetgia cattaaaatg tigeetgia gatacacat aa agtgatacac titagagatga gaagaaagag gigeetitia citticaata tae tetgeetitti gaactitiett geecatigea taggitatig etitatacac cae citecectgi geetitetgi tigeatitigga atgaaateta geetettica tiggitigeete taetageeta etitigaaca eteetitaat ga citatigga taetettita tettitigetg aagtitette geetitta geetitea geetitea geetiteta geetiteta geetiteta geetiteta geetiteta geetiteta geetiteta geetitia geetiteta geet	atagtct 145620 tgaagtt 145740 ttctggt 145900 tctcttt 145800 tctcttt 145920 aagaggg 145980 atttagc 146100 gaaagcc 146200 gaaggc 146220 cttctct 146340 tctctt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146520 ctgaagt 146520
aagtaagga igatogtggt gtogattagg citggtaqtgg aagaccaqtc cag tgtattiga gytaaggaga aaagattat attictaca gcaagccat cta acttgtatta titaattiaat tgagacatgc cocacataaac taataaatag gaa agttaggtta aacacccotg staatscotgg tectrictti agttgtccag atg aagtcaagta tittitiggtg gtgtaggagc ctagagattg aattiatica coc attigagtga tiactatgtg coaggcacta tgctgaatgc caagatgta cgtagtctca gtctgtttta ctccagcttg gttccttttt aatgacctg act catatcagt acctacaga atgtttaatc tictgatet cactggttg gt tiatitict ticcttgaca titcttgtaa actggatgt acaccatag tc tcgtgttaca cactitiagat tagacacaca catggtgttg atacgtgtt tctctgtata tiggtctgta catataaaga gtgtccttta tictctgtata tiggtctgta catataaaga gtgtccttta titctagtat tagattgtag acataaaga gtgcctttta ctctgttttt gaactitictt gcoctatga tacgtstttt ggatgttttt ggatgtccc tgctggcctc taccactia ctttgaacca ctcctttigg tg tggatgtccct tgctggcctc taccactia ctttgaacca tctgagac tacctititat tctttigctgd aagacatca ctccaattgage tacctititata tcttgctattoa tgctggcgac aacccticc ctgctattca tgctagaga gacactca tgctattca tgctggcgc aagccctgcc tgctattca tgcqtggcg aagccctgcc tgctattca tgcqtggcg agccctccaatcgca tgcctttaa tctcactgatgac tacctiticatcatca tccactgacactacactacaccacacacacacacacacac	atagtct 145620 trgaagtt 145740 trtctggt 145900 tctcttt 145800 tctcttt 145800 tctcttt 145920 aagaggg 145980 atttagc 146040 gatagct 146160 ggaagcc 146280 cttttcc 146340 ctcatct 146460 ctgaagt 146580 ctgaagt 146580 cctgaagt 146580 cctcttt 146680 cctgaagt 146580 cctcctt 146680
aagtaaggaa (gatagtagt gtogattagg ctogatatag aagaccaqte cag tgtatttgaa ggtaagagga aaaagattat attetacac gcaagccae cta acttgtatta ttaatttaat tgagacatge ccacataaac taataaatag ga agttagatta aacaccoctg tatatactctg tectrettt agttgtccag atg aagtcaagta ttetttggtg gtgtaggage etagagattg aatttattca ece atttgagtga ttactatagtg ecaggacata tgetgaatge eaagatgta aa egtagtetca gtotgettta etceagettg gtteettett aatgaccetg act catatcagtt atcetacaga atgettaate tectgatert ecetgyttgt gtt ttattetet tteettgaca tteettgtaa actggaagtt acacctatag tec tectgttaca catttagagt tagaacacat actgetgatet tectgyttgt et tetetgtata ttggtetgta cattaaaatg ttgeetgat gtaagaacaca aagtgatacaca taagagtataca ttetgagatgtaca etctgetttt gaacttettet gecetatga tgeetgattg etcecetgate ggetteetga tectgetttt gaacttett gecetatga tagaatatta geetettea tgegatgteece tgetggeete tataecetta ettgaaca etcetteat gg tegatgteece tgetggeete tateaecetta ettgaaca etetteat geetettea tgegatgteet atgetgatge tectatetaa tatetteta tettteget aagttette deetetteat gg tegetattea tgetgtgga aagecetge atgetttea tgedagagatg gt tectateaa aattaetett tecagaagagg acetteeca etcegatgat eta ttgtatataa eactaacta cettettett ttteettte tttetteette	atagtct 145620 tgaagtt 145740 ttctgtgt 145900 tctcttt 145800 tctcttt 145920 aagaggg 145980 atttagc 146100 gaaagcc 146200 gaaggc 146200 cttctct 146340 tctcttc 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgagt 146520 ctgaagt 146520 aaatcct 146640 aaatcct 146640 aaatcct 146640
aagtaagga igatogtggt gtogattagg citggtaqtgg aagaccagtc cag tgtattiga ggtaaggaga aaagattat attictaca gcaagccat cta acttgtatta titaattitaat tgagacatgc cocacataaac taataaatag ga agttaggtta aacacccotg staatscotgg tectrictti agttgtccag atg aagtcaagta tittitiggtg gtgtaggagc citagagattg aattitattca coc attitgatgat tiactatagt ccaggcacta tgctgaatgc caagatgta cgtagtctca gtctgtttta ctccagcttg gttccttttt atgaccctg act catatcagtt atccttacaga atgtttaatc tictgatct cctggttg gtt tiattitictct ticcttgaca titcttgtaa actggaagtt acacctatag tct tcgtgttaca cactitiagat tagacacaca catgtgttg atatggtgt tit tctctgtata ttggtctgta cattaaaacac catgtgttg gtt tcttttttt gaacttictt gccctatga tecgtagat gaaaacaca tctgcttttt gaacttictt gccctatga tacgttattg tgttggttttt ggatgtccc tgctggcctc taccactac ctttgaacca ctctttcact tgggttgac tacttittat tctttgctg agataacta gccttttac tgctattica tggctggc aagccctgc atggctttca tgcattica tggctgtgc aagccctgcc atggcttttc tgcaagagt gtt tgttattica atatagagt catcotttict ttttctttaca tgcatctcatcaa tctgattaca acatcactaa cacctctccac tcccaatcgag gatacacat ttgtatatac caccactaca acatcactaa cacttcttccaa tcccaatgagt gtt tctcattcaa tataacctc caccttcttctcaa ttgtatatac caccactaca cacttctttc ttttcttttc	atagtct 145620 trgaagtt 145740 trtctggt 145940 tctcttt 145840 tctcttt 145840 aaaaggg 145920 aagaggg 146940 atttagc 146140 tgatagt 146140 tgatagt 146220 atttaac 146280 ctcatct 146340 ctcatct 146340 ctgaagt 146580 cctcctt 146670 tttttt 146740
aagtaaggaa (gatagtagt gtogattaga ctagtaataga aagaccaqte cag tgtatttgaa ggtaagaagca aaaagattat attetacaca gcaagccaa cta acttgtatta ttaatttaaat tagaacatge coacataaac taataaatag ga agttaggtta aacacccat gtatatecteg tectrettt agttgtccag atg aagtcaagta ttetttggtg gtgtaggage ctagagattg aatttattea ccc atttgagtag tacatatgg ccaggacata gegraatge caagatgta aa egtagtetca gtcgtttta etccagettg gttcettett aatgaccetg act catatcagtt atcctaacaga atgttataate tectgatet tectggttg gt ttattetett tecttgaca ttetettgtaa actggaagtt acacctatag tet tectgttata ttagatetga cattaaaatg ttgcetgatt gatatagtgtt tt tetetgtata ttagataga agataacac cattgtgttg atatggtgtt tt tetetgtata ttagatetga cattaaaatg ttgcetgat geatacaca aa agtgattaca ttagagatga gaagaaagaag gtgcetttat ctttcaata tac tetecetgt gaacttett gcactatega tagatatac cetttaat ge cttagtgtac ttgctgcet tataacacta cattatacac cac ggattgecet tgctggect tataacacta cattacaca cacttataga tegetatteca tagetgtgg aagacctgc atggettea gecagagatg gt tecatecaa tatatetet tecagaagagg accteccaactuc etttettett ttttttttttttt gaagataggg cttgettet tegecagget gaaatacag tegetattaa cactaacta cacttette tttetttettte tttetttett ttttttttt	atagtct 145620 trgaagtt 145740 trtctggt 145800 tctcttt 145800 tctcttt 145920 aagaggg 145980 atttagc 146040 atttagc 146160 gaaagcc 146220 cttctt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146520 ctgaagt 146520 ctgaagt 146520 aaatcgc 146680 actgcag 146680 actgcag 146680
aagtaaggai igatogtigti gitgaattagg citggtaqtigg aagaccaqto cag tgtaattigaa ggtaagagga aaagattat attictaca gaagaccac cta acttgtatta titaattitaat tgagacatgo cocacataaac taataaatag gaa agttiggtata aacacccotig taatacctigg tictictitti agtiqtocag atj aagtcaagta tittitiggtig tgtaggago citagagattig aattitatica coc attitgatiga tiacatatigt ocaggacata tgotgaatgo aaagatgia aat cgtagtotaa gtotgtitta otocagottig gitoctitti aatgaccotig act catatcaggit atcottatiga aggacaca tgotgaatgo caagatgia aa cgtagtotaa gtotgtitta otocagottig gitoctittit aatgaccotig act catatcagtit atcottacaga atgititaato tictigatet tocotggtig git tiatitiotot ticcitigaca titocitigaa actigaagiti acacctatag toc togtgitiaca cattitiagat tagaacaca catgitigtig atatgigtit tit tototgtata titggtotgia cattaaaatig titgocigaat ggaacacaa taa agtgatiaca titaggatiga gaagaaaga gtgocitita citticaata tac totgotittit gaactiticti gocotatigaa tacgitititi gidaticato cac totocotogi ggottitictig tigcatitiga atigaaatota gocotitiga gid ggatgacot tigctiggocote tatocacotia cittigaacoa docotitigo tgi tigcatatica tiggotiggo aagocotgoc atogocitica cotocatotigos tigcitica atigatictic cactocaa atiatactot toagoagaga gaaccacaga cocacataca caccatacti cotocagoci gaacacaga cit- cotoalotto tiggogocaa atgatotti tittitititi gaataagagi cotocototig tigcocagoci gaacacaga cocacacaca caccatacato caccatocaco coccatogoci totogagaca caccacacaca caccatacatot goctatotiti caccocagoci gaacacaga coc	atagtct 145620 trgaagtt 145740 trtcaggt 145940 tetettt 145800 tetettt 145800 tetettt 145920 aagaggg 145980 atttage 146040 graagec 146200 graagec 146200 drtttage 146340 createt 146340 createt 146340 createt 146340 createt 146340 createt 146340 createt 146340 trgaagt 146350 cetectt 146640 trgaagt 146580 cetectt 146700 trttttt 146700 trttttt 146700 graatgcag 146820 graatgca 146820 graatgcag 146820 graatgca 146820 graatgcag 146820 graatgcag 146820
aagtaaggaa (gatagtagt gtogattagg ctogatatag aagaccaqte cag tgtatttgaa ggtaagagga aaaagattat attetacac gcaagccae cta acttgtatta ttaatttaat tagagacatge ccacataaac taataaatag ga agttaggtta aacacccot gtatatectotg tectrettet ggttgccag atg aagtcaagta ttttttggtg gtgtaggage ctagagagttg aatttattea ccc atttgagtga ttactatagt ccaggacata tgctgaatge caagatgta aa cgtagtetca gtctgttta ctccagcttg gttccttttt aatgacctg act catatcagtt atcctaaga atgtttaate tectgatet tcctgtgttg gt ttattetett ttccttgaca ttecttgtaa actggaagtt acacctatag tct tcgtgttaca cattttagat tagaacacat gtgcctgact acacctatag tct tcctgttata ttggttctga cattaaaatg ttgcctgaat gatatagtgtt tt tctctgtata ttggattga cattaaaatg ttgcctgaat ggataccat aa agtgattaca ttggattctg cattaaaatg ttgcctgaat ggataccat aa agtgattaca ttggattctg tggattga gagataccat cat cttccctgtt gaacttctt gccctattga tagatata gccttttag gattgccct tgctggcct tatcaccat cttgctgaca cattttag tcgctattca tgctgtgga aagcctgcc aatggettta gcaagagatg gt ccatccacat tattatctct tcagagaggg accttccaaa tggatataca cactcactac cacttcttct ttttcttttc tttttttttt	atagtct 145620 trgaagtt 145740 trtctgtt 145800 tctcttt 145800 tctcttt 145920 tctcttt 145920 aagaaggg 145980 atttaag 146100 gaaagcc 146220 atttaag 146240 cttcttc 146340 tctcttt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146520 ctgaagt 146520 ctgaagt 146520 aaatcgt 146700 actgcag 146640 aattcag 146640 aattcag 146640 ttttttt 146760 actgcag 146680 tttcacca 146980 ttcacca 146980
aagtaaggai igatogtigti gitgaltaaga citggtaqtiga aagaccaqto cag tgatattigaa ggtaagagga aaaagattat attictacaa gaaagccaa cta acttgtatta titaattitaat tgagacatgo cocacataaac taataaataa gaa agtitggtta aacacccotg taatatcatcig tictictitti agtitgcaa ati; aagtoagta tittituggig gitgaaggao citagagattig aattiatto coc attitgatiga tiacatatigt coaggacata tgotgaatgo aaagatgia aat cgtagtotaa gtotgittita otocagottig gitcottitti aatgaccotg act catatcaggit atcottagaca attictitatato tictigatet cotoggittig it tiatitictot ticcitigaca titocitigaa actigaagit acaccatatag to- togtigticaa cattitagat tagaacaca categitigitig atatggitt ti tototgitaa titggictiga catataaaatg titgocigaat ggaacacaa tagatgataa taa agtgaticaa titaggatgia gaagaaaaga gtgocititia citticaata tac totgottitti gaactiticti gocotatgoa tacgitititia citticaata tac totgottiti gaactiticti gocotatgoa tacgitititia ditticaata tac totgottiti gaatotticti gocotatgoa tactititioga gaacactoa otocattigoa toto tocattogaa tactititita tictititigota aagacatoa otocattigagi git tittititititi gaataagagi citigototti titticoaa tac totaatotaa atataactot toagaagaga gatgococaa tocatotaa atataactot toagaagaga gatgococaa tocatotatota titggototaa atgatocot tocacocacoca occacaacac accacaacac caccaactac coccaacacac aagocacacac accacacacac coccaacacacacacacac	atagtct 145620 trgaagtt 145740 tretaggt 145900 tetettt 145800 tetettt 145800 tetettt 145920 aagaggg 145980 atttage 146100 gaaagc 146100 gatttage 146100 tetette 146300 tetttte 146300 tetttte 146300 tetttte 146400 tettte 146700 tettte 146700 tettte 146940 gaactge 146880 gaactge 146880 gaattge 146820 gaattge 146840 gtattge 147060
aagtaaggaa (gatagtagt gtogattagg ctogatatag aagaccaqte cag tgtatttgaa ggtaagagga aaaagattat attetacac gcaagccac cta acttgtatta taatttaat tgagacatge coacataaac taataaatag ga agttaggtta aacaccoctg tatatectorg tectrettet ggttgccag atg aagtcaagta ttttttggtg gtgtaggage ctagagattg aatttattea ccc atttgagtag tactatgg ccaggcacta tgctgaatge caagatgta cgtagtetca gtcgtttta ctccagcttg gttccttttt aatgacctg act catatcagtt atcctaacga atgtttaate tectgatet tcctggttg gtt ttattetet ttccttgaca tterttgaa actggaagtt acacctatag tet tcgtgttaca catttagat tagaacaat catgagagtt acacctatag tet tctctgtata ttggtctgta cattaaaatg ttgcctgaat ggatacacat aaa agtgattaca catttagat tagaacaat catgatgttgt atatggtt ttt tctctgtata ttggtctgta cattaaaatg ttgcctgaat ggatacacat aaa agtgattaca ttagagatga gaagaaagag gtgcctttat ctttcatata tac tctccctgtt gaacttctt gcctattga tagattatt ctttcatat tac tctccctgt tgagctcct tgctgcctc tatcacctat cttgagacc actcttcat ggattgccct tgctggcotc tatcaccata ctttcccaa tggtagtccc accatactc cattcttc tttttcttc tttttttttt	atagtct 145620 trgaagtt 145740 trtctgtt 145800 tctcttt 145800 tctcttt 145920 tctcttt 145920 asgaggg 145980 atttagc 146100 gaaagcc 146220 atttagc 146280 cttcttc 146340 tacttgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146400 tacctgt 146520 ctgaggt 146520 ctgaggt 146580 attttat 146760 acatgcag 146880 ttttttt 146760 actgcag 146880 tttcacca 146940 ttcacca 146940 attatac 147000 attatac 147000 attatac 147000 attatac 147120
aagtaaggai igatogtigti gitgaattagg citggtaqtigg aagaccaqto cag tgtaattigaa ggtaagagga aaaagattat attictacaa gaaagccaa cta acttgtatta titaattitaat tgagacatgo cocacataaac taataaatag gaa agttiggtta aacacccotig taatacctigg tictictitti agtiqtocag atj aagtoagta tittitiggtig tgtaggago citagagattig aattitatica coc attitgatiga tiacatatigt coaggacata tgctgaatgo aaagatgia aat cgtagtotaa gtctgtitta ctocagctig gttoctittit attactocag catactagti atcottacaga atgtitatato tictigatit catoggitig ti tiatitictot ticcitigaca titocitigata acligaagiti acacctatag tot totgtgitaca cattitagat tagacacaca categitigtig atagtigtit tictitigata tiggtotgia cataaaaaga titgocigaat totgititia tiggtotgia cataaaaaga titgocigaat totgittiti gaactiticti gocotatigaa teagitititia atticaata tac totgottiti gaactiticti gocotatigaa tacgtititia citticaata tac totgottiti gaactiticti gocotatigaa tacgtititia citticaata tac totgottiti gaattititi tactitigaga atgaaatota gocototitigo tit ggatiticot tigotigoco tacototitiga titticotaa tac totactotagaa tactitititi tittictiga aatgaaatota gocototitiga titti tittitititi gaataaggi citigototiti tittititii titti tittitititi gaataaggi citigototiti titticitii titti aggacaagaa caccatacata cattictiti tittititii gaataagaa gid aggocacaa caccatacat gocotatita tittititii titti tittititii gaataaggi citigototiti taccatotiti titti tittititii gaataaggi citigototiti tittititii titti tittitii gaataaggi citigototiti taccatotiti titti tittititii gaataaggi citigototiti taccatotic cocatotico tittigotiga ca aggocacaac accatacati goctiatatia tittactitii titaagaaca gid tagtotata tittacataci tittitaatago thattitota gocogaacaa tocacoca caccatacato caccatotoco tocagaacaa tocaccatac caccatacato caccatotoco tocagaacaa tocaccataca caccatactaca caccatacatocacacacacacacacacacacacacacac	atagtct 145620 ttgaagtt 145740 ttctggt 145900 tctcttt 145800 tctcttt 145900 asaaggg 145920 asaaggg 146040 atttage 146140 gaaagc 146160 gaaagc 146220 cttttc 146340 ctttat 146340 ttcatct 146400 tacctgagt 146520 cttgagt 146520 asaatcct 146700 tttttt 146700 tttttt 146740 gaaatgt 146700 tttttt 146740 saatcct 146740 tttttt 146760 gaattg 146820 gaactg 146820 gaattg 146820 gaattg 147060 ctcaca 1471406
aagtaaggaa (gatagtagt gtogattagg ctogatatag aagaccaqte cag tgtatttgaa ggtaagagga aaaagattat attetacac gcaagccac cta acttgtatta taatttaat tgagacatge coacataaac taataaatag ga agttaggtta aacaccoctg tatatectorg tectrettet ggttgccag atg aagtcaagta ttttttggtg gtgtaggage ctagagattg aatttattea ccc atttgagtag tactatgg ccaggcacta tgctgaatge caagatgta cgtagtetca gtcgtttta ctccagcttg gttccttttt aatgacctg act catatcagtt atcctaacga atgtttaate tectgatet tcctggttg gtt ttattetet ttccttgaca tterttgaa actggaagtt acacctatag tet tcgtgttaca catttagat tagaacaat catgagagtt acacctatag tet tctctgtata ttggtctgta cattaaaatg ttgcctgaat ggatacacat aaa agtgattaca catttagat tagaacaat catgatgttgt atatggtt ttt tctctgtata ttggtctgta cattaaaatg ttgcctgaat ggatacacat aaa agtgattaca ttagagatga gaagaaagag gtgcctttat ctttcatata tac tctccctgtt gaacttctt gcctattga tagattatt ctttcatat tac tctccctgt tgagctcct tgctgcctc tatcacctat cttgagacc actcttcat ggattgccct tgctggcotc tatcaccata ctttcccaa tggtagtccc accatactc cattcttc tttttcttc tttttttttt	atagtct 145620 trgaagtt 145740 trtctggt 145800 tetettt 145800 tetettt 145920 aagaggg 145980 atttaag 146100 gaaagc 146200 atttaag 146100 gaaagc 146280 cttett 146400 tacettgt 146400 tacettgt 146400 tacettgt 146400 tacettgt 146400 tacettgt 146520 ctgaagt 146520 ctgaagt 146520 aattcaag 146520 actgaagt 146640 aattcaag 146640 aattcaag 146640 atttttt 146760 actgaagt 146780 actgaagt 146780 actgaagt 146780 actgaagt 146880 tttaacca 146940 attatag 147000 attatat 147000 attatat 147000 acttcaa 147120 acttcaa 147120 acttcaa 147120

acagagtgag	accatqtqtc	taaaaagtaa	ataaaaatag	tttctctttc	atgactagaa	147420
			tatactattt			147480
			ccttaaatat			147540
			gtggtaagat			147600
			tttgccacac			147660
			agaggccatt			147720
			gcaattetta			147780
			aagtctgggc			147840
tatacacacat	ttaaaaaaaa	geagaaaceg	aageeeggge	acageggeee	coaccegeaa	147900
tereageage	gatanagaget	taggtgagtg	gatcactgag aaaaatacaa	gacaagagcc	aagaccagcc	147960
						148020
			aggccaaggc			148020
			aaccccatct			148140
			cccagctatc			
			tgagctgaga			148200
			aaaaaaaaa			148260
			ctactaggga			148320
ttaaacccag	gaggtggagt	ttgcagcggg	ctgataatgc	accactacat	tccagcctgg	148380
gcaacagagt	gagactctgt	cttaaaaaaa	aaaaaaagaa	agaaagaaat	tgaggaatgt	148440
ggagattgtg	gtctgtgatt	tgttaggaat	cacacagcag	gttagtagca	actacagggc	148500
tttggttcag	aataccacct	tgacaatggt	ttgtttacag	ttcggctccc	cttcctctgc	148560
ctttctctcc	ttccttattg	agggcagctg	gaaagaattt	tcatcattta	ctagcctata	148620
gctttaattt	gagttttgaa	accttgataa	tagagcacag	aggaaaagac	tgagttttct	148680
ttttttgaga	cagtcttqct	ctatggccca	ggctggagtg	caqtqacacc	atctcagctg	148740
			attctgcctc			148800
			ttttctgttt			148860
ctgagatgga	atcttactct	gtcacccagg	ctggagtgca	ataatacaat	gttggctcac	148920
			tettetgeet			148980
			atttttgtat			149040
			ctgatctcag			149100
			ctatttttgt			149160
ttcaccatct	taattaaact	agtatage	ttctgacctc	aactcatttc	agagagaga	149220
			gccaccgtgc			149280
			aagcaagata			149340
ataatataaa	ag	agaaagggc	attgtaaaat	gatgttatga	gaagataga	149400
			cattggtggg			149460
			gcttagactg			149520
			ttttttttt			149580
			atctcggctc			149640
ggttgccga	ggccggagcg	caacggcgcg	acceeggeee	accacaaccc	ccaccccca	149700
ggttcaagca	techtetectge	tttttagectee	cgagtagctg agacggggtt	ggattacage	catgeaceae	149760
						149760
			cctcagccac			
			tctaaacaga			149880
			tgggagagac			149940
agccagtgga	attagctggt	aatgttgata	ggagaagaaa	aagattcaaa	gttaggtagt	150000
			tatgatatgt			150060
gaaatttggt	ggcagatttc	atgtgtaaat	tgggaaggta	gattgagttt	ttttaacatg	150120
ggttttctaa	catgtcaata	gagtgactct	gcaggggggc	ctgacgagag	aacagtgcat	150180
			tgcagagcat			150240
actctggttg	gcagtaaaat	ttcattaaac	caatatttaa	acccttaggt	aataataaaa	150300
attgagggaa	aaggatccag	gttttgtatt	ttttatgaat	tcagttattg	aattaaacag	150360
			attaacttgt			150420
			taagctgtgt			150480
ggctggccta						150540
gggagttaag						
cagctagttt	gcgtactctg	gcttggatag	agtagagete	tttgaaactc	ttctctcacc	150600
	gcgtactctg	gcttggatag		tttgaaactc	ttctctcacc	
ttttatatag	gcgtactctg atatagacta	gcttggatag gagaactaga	agtagagete atgtageage	tttgaaactc atactctgtc	ttctctcacc ttagaagccc	150600
	gcgtactctg atatagacta gagctggtct	gcttggatag gagaactaga ggaaggtttg	agtagagete	tttgaaactc atactctgtc aaatgtgttg	ttctctcacc ttagaagccc gtgtctccca	150600 150660
atgtattgct	gcgtactctg atatagacta gagctggtct agattcttac	gcttggatag gagaactaga ggaaggtttg ccaagagcat	agtagagete atgtageage aaaacataac	tttgaaactc atactctgtc aaatgtgttg agggtttggt	ttctctcacc ttagaagccc gtgtctccca ttggttttgt	150600 150660 150720
atgtattgct tttgttttt	gcgtactctg atatagacta gagctggtct agattcttac aatgtttgcc	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaaactaac	agtagagete atgtageage aaaacataac tatcetggtt actagatgtt	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttcttca	ttctctcacc ttagaagccc gtgtctccca ttggttttgt tcaagtgagg	150600 150660 150720 150780
atgtattgct tttgttttt agagtagaag	gcgtactctg atatagacta gagctggtct agattcttac aatgtttgcc aaaagtccag	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaaactaac aactctgaaa	agtagagete atgtageage aaaacataac tatcetggtt actagatgtt cacetttca	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttcttca aaagttttc	tteteteace ttagaagece gtgtetecea ttggttttgt teaagtgagg aagecatgat	150600 150660 150720 150780 150840
atgtattgct tttgtttttt agagtagaag gtttgcaagt	gogtactotg atatagacta gagctggtct agattcttac aatgtttgcc aaaagtccag taaatgctct	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaaactaac aactctgaaa gttatgtaag	agtagagete atgtageage aaaacataac tatcetggtt actagatgtt cacettttea caatataate	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttctttca aaagtttttc agtttttatt	tteteteace ttagaageee gtgteteeea ttggttttgt tcaagtgagg aageeatgat aatgtaacat	150600 150660 150720 150780 150840 150900
atgtattget tttgtttttt agagtagaag gtttgcaagt teettagtgt	gcgtactctg atatagacta gagctggtct agattcttac aatgtttgcc aatagtccag taaatgctct tttggggtat	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaaactaac aactctgaaa gttatgtaag cacacaaaaa	agtagagete atgtageage aaaacataac tatcetggtt actagatgtt cacetttte cacatataate agaatateca	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttcttca aaagttttc agtttttatt tatctggaag	tteteteace ttagaagece gtgtetecea ttggttttgt tcaagtgagg aagccatgat aatgtaacat caacagettt	150600 150660 150720 150780 150840 150900 150960
atgtattget tttgtttttt agagtagaag gtttgcaagt teettagtgt taaataagag	gcgtactctg atatagacta gagctggtct agattcttac aatgtttgcc aaaagtccag taaatgctct tttggggtat cattgtggtg	gcttggātag gagaactaga ggaaggtttg ccaagagcat acaaactaac actctgaaa gttatgtaag cacacaaaa gtggtggtga	agtagagctc atgtagcagc aaaacataac tatcctggtt actagatgtt caccttttca caatataatc agaatatcca tagtggttt	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttcttca aaagtttttc agttcttatt tatctggaag tttttttt	tteteteace ttagaagece gtgtetecca ttggttttgt tcaagtgagg aagecatgat aatgtaacat caacagettt tttgagttgg	150600 150660 150720 150780 150840 150900 150960 151020
atgtattgct tttgttttt agagtagaag gtttgcaagt tccttagtgt taaataagag agtctcgctc	gcgtactctg atatagacta gagctggtct agattettac aatgtttgcc aaaagtccag taaatgctct tttggggtat cattgtggtg tgttgccag	gcttggatag gagaagtttg ccaagagcat acaaactaac aactctgaaa gttatgtaag cacacaaaa gtggtggtga gttggagtg	agtagagete atgtageage aaaacataaac tacetggtt actagatgtt cacetttea caatataate agaatateca tagtggtttt agtggcaega	tttgaaactc atactctgtc aaatgtgttt aggstttggt agtctttca aaagtttttt tatctggaag tttttttt tctcagctcg	tteteteace ttagaagece gtgtetecca ttggttttgt tcaagtgagg aagccatgat aatgtaacat caacagett tttgagttgg etteaacete	150600 150660 150720 150780 150840 150960 151020 151080 151140
atgtattget tttgttttt agagtagaag gtttgeaagt teettagtgt taaataagag agtetegete tgeteecagg	gcgtactclg atatagacta gagctggtct agattcttac aatgtttgcc aatagtccag taaatgctct tttggggtat cattgtggtg tgttgcccag ttcaagcaat	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaaactaac actctgaaa gttatgtaag cacacaaaaa gtggtggtga tcttctgactt	agtagagctc atgtagcagc aaaacataac tatcctggtt actagatgtt caccttttca castataatc agaatatcca tagtggtttt agtggcacga cagcctcctg	tttgaaactc atactctgtc aaatgttgatg agggttegt agtctttca aagtttttca agtttttatt tatctggaag ttttttttt tctcagctcg agtagctgg	ttctctcacc ttagaagccc gtgtctccca ttggttttgt tcaagtgagg aagccatgat aatgtaacat caacagcttt tttgagttgg ctcaacctc attataggca	150600 150660 150720 150780 150840 150900 151020 151020 151140 151200
atgtattgct tttgttttt agagtagaag gtttgcaagt tccttagtgt taaataagag agtctcgctc tgctcccagg cctgctacca	gegtaetetg atatagacta gagetggtet agattettae aatgtttgee aaaagtecag taaatgetet tttggggta teattgtggtg tgttgeecag tcaageaat	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaatctaac aactctgaaa gttatgtaag cacacaaaaa gtggtggtga gttggagtgc tcttctgcct	agtagagctc atgtagcagc aaaacataac tatcctggtt actagatgtt caccttttca caatataatc agaatatcca tagtggtttt agtggcacga cagctcctg	tttgaaactc atactctgtc aaatgtgttg agggtttggt agttctttca aaagtttttc agttttatt tatctggaag ttttttttt tctcagctcg agtagctggg agcaqqtttc	ttctctacc ttagaagcc gtgtctccca ttggttttgt tcaagtgaga aagccatgat aatgtaacat caacagctt tttgagttgg cttcaacctc attataggca	150600 150660 150720 150780 150840 150900 151020 151020 151140 151200 151260
atgtattgct tttgttttt agagtagaag gtttgcaagt tccttagtgt taaataagag agtctcgctc tgctcccagg cctgctacca ccaggctggt	gegtactelg atatagacta gagetggtet agattettac aatgtttgcc aaaagtecag taaatgetet tttggggtat cattgtggtg tgttgeccag ttcaagcaat tcaagcatgetgetgetgetgetgetgetget	gcttggatag gagaactaga ggaaggtttg ccaagagcat acaactaac aactctgaaa gttatgtaag cacacaaaaa gtggtggtga gttggagtgc tcttctgcct atttttatta taacctcagg	agtagagctc atgtagcagc aaaacataac tatcctggtt actagatgtt caccttttca castataatc agaatatcca tagtggtttt agtggcacga cagcctcctg	tttgaaactc atactctgtc aaatgtgtg agggttggt agtctttca aaagtttttc agtttttat tatctggaag ttttttt tctcagctcg agtagctgg gacagctgtg gacagcgtct	ttctctacc ttagaagcc gtgtctccca ttggttttgt tcaagtgaga aagccatgat aatgtaacat caacagcttt tttgagttgg cttcaacctc attataggca accatgttgg cccaaagtgg	150600 150660 150720 150780 150840 150900 151020 151020 151140 151200

atgcatgaaa	tgtacattca	attttgtctt	totttactag	gatecatett	ctcacaagct	151440
atgaagaaat	gggtgcaagg	aaatactqat	qaqqtaaatc	ctacctttaq	gataaaaaga	151500
tttctgttta	taagtgccac	cctcatgtaa	gtgaggttta	aaattttcct	tttctttagg	151560
tcccatgttt	aagcagcatg	gcacatttat	gttctcttac	ccagaatgta	ccaagaaagg	151620
	cttaacatct					151680
	ccactgaagg					151740
	tgtagatcaa					151800
agtagtggag	gcttgctttt	ttaatagtta	attaagtaca	ttgagagatg	ggaggtgaaa	151860
aaaggaaaat	gttttatttt	gaccatctaa	tatgaaagta	gttcggtgtt	aggtatccag	151920
	tggaagacag					151980
	acatgggaat					152040
	gagcactgag					152100
	tattttcttt					152160 152220
	attatgcagc					152220
	tcgttttgtg gggtttcttt					152340
	tagaaaattg					152400
	gggaaaccat					152460
	aaagttcagg					152520
	cgggtgaatc					152580
	tcttagccgg					152640
	agaatcgctt					152700
cactgcactc	cagcctgggc	gacgagcgaa	accccatttc	aaaaaaaaaa	tcaaagttca	152760
gagageteaa	tttgagtaga	agttgtagga	taaggtagca	gaaaagagga	agetgeecag	152820
aaagaaagcc	gtagagatat	ttagagagat	tcccatggat	ccttggccta	ggagtgatct	152880
gtatatgtgt	ggggtgaaaa	cgcatgtgtc	caggtagaga	accccccaga	aattagtagg	152940
	gctggaacat					153000
	ttagtaatac					153060
	taaattagtc					153120
	aaattaccta					153180
	aaattcagca					153240
	tcatgcctgt					153300 153360
gaggtcagga	gttcaagacc	ageetggeta	acatggtgca	acceegtete	gggagggtga	153360
acaaaaaccc	agccaggcat ttgcctgaac	ggeggeegge	accegegace	taagecaace	toggaggctga	153420
ggcaggagaa	ctgggcaaaa	acaccaaaac	traggetgeag	222222222	gaatgtctga	153540
	aaattaccaa					153600
totatagaaa	cagacccaga	tgtgagaaag	atgatgaatt	taggagagaa	agaccatcaa	153660
gtggctattt	taaatattaa	aaatatqttc	aagtggccag	gtgcagtggc	tcatqcctqt	153720
aatcccaqca	ctttgggagg	ccaaqqtqqq	taggagttca	agaccagett	ggccaatatg	153780
	ttctctacta					153840
	ctatatggga					153900
	agtaagccga					153960
	aaaaaaaaa					154020
	tttaaaagaa					154080
ggccgggcgt	ggtagctcac	gtctataatc	ccagcacttt	gtgggggctg	aggcaggcag	154140
	atcggtagtt					154200
	aaattagctg					154260 154320
	ggagaattgc					154320
	tccagcttgg actcgaagaa					154440
	gactacttta					154500
	aaaagaaaaa					154560
	ctgcgaagga					154620
	ctcgacattt					154680
	tgaattgctt					154740
	atttgtccgc					154800
gtgtgtcttt	accatecete	ttgaatatgc	tctagggtta	attcctagaa	gtagaattac	154860
tctattgaaa	attggcaata	tttttcattc	taatatctat	tgccaacatg	ggaaagcaag	154920
tctggatgcc	agtccttgtt	atatgcccct	tgggtaagtt	acgtaacctc	tttaagcttc	154980
	tattttaaca					155040
	tcttaaactc					155100
	taggtcactt	gttagagaaa	tqcaccttac	cattttcttt	tcttttcttt	155160
tttcagttat						
	gactcaaaac	ttgagataaa	ggaaatctgc			155220
tttttccctt	gactcaaaac ggttggattc	ttgagataaa ttcaacacag	ggaaatctgc ccaatgaaaa	cagcactata	tttctgatct	155280
tttttccctt gtcactgttg	gactcaaaac	ttgagataaa ttcaacacag agaatgggag	ggaaatctgc ccaatgaaaa acaatcctag	cagcactata acttccacca	tttctgatct taatgcagtt	

tagtattatt	tacattacta	gaaaattatt	agttttccaa	tggcaataac	ccatttatqa	155460
	gcctactgga					155520
gaactgatac	ttgatgcaca	ctcgtagtgg	taactcatcc	ctaatcagca	ttgtaaagca	155580
ggtgccagag	gtggtttgct	ttgtccttcc	aaagcaggtg	agtcagcccc	accgagagcc	155640
	gagtggcagc					155700
	tcttgacagc					155760
	ttcctccttc					155820
	cactatactt					155880
ggtttacttt	gagcattagg	atttgcccct	ttggaattct	gcactccagt	tacttaactt	155940
	atacatgtgg					156000
	gaacaaagca					156060
	actggggaga					156120
	aagtgtgcag					156180
ctcactcact	gcacttctgc	tcagttggct	tctgcatcgg	gatcacacag	ccatcagcag	156240
	ttggtgagca					156300
catgattgag	aggaaagaaa	gttctcttag	atgttactgc	ttttgctcag	actttgcaaa	156360
	tatatata					156420
	tgaacagaga					156480 156540
	cagaagaagc					156600
	tttaaagctg					156660
	aatatatata ggctcttctg					156720
	agaacatgag					156780
ctaaaaaccc	tttttattag	teatetateg	tatasttast	tasttttatt	cttttaacaa	156840
adacccaagg	tccacttcac	attacttacgo	tetttaagag	anagganta	taaaggttat	156900
	gtggttttgg					156960
ctacaacact	ctaggctgtt	taaactagtg	ctttcagtta	agataaatto	taatcatttc	157020
	cattttgtgc					157080
	cagcaaattt					157140
	agtgtggccc					157200
	attttaaagt					157260
	gcattgtgcc					157320
	gaacaccctt					157380
aaagaaaaga	tattagagag	aaagtggtac	ctttgtaact	tgatgtgtct	tcatcattcg	157440
gtaagatttg	atgaaagtaa	aaagcaaatg	tcagccaaat	ccagtgaaca	gcaataaaac	157500
agggagtaac	tttttataac	tttttctact	tggatttcaa	cattcagtag	agcttttcga	157560
aatgtaagta	gtttacagta	ctggaggttt	gactagttca	gtaggaattt	ggaggggaag	157620
	attgtaacaa					157680
	atgaagtgac					157740
	gggtttatgt					157800
	ccagttgatt					157860
	ttaagaattt					157920 157980
	cgagacaggc					157980
catggtgaaa	ccctgtcttt	actaaaaata	caaaaattag	etgggeatgg	tggegeaege	158100
	agctacgtgg gagccgagac					158160
	aataaaaata					158220
	attttggaag					158280
ccarcetora	caacatggtg	aaactccatc	tctactaaaa	agacaaaagt	tagccagatg	158340
	cacctataat					158400
	agagattgca					158460
	tctgtctcaa					158520
	ctttgggagg					158580
cctggctaac	atggtgaaac	cctgtctcta	ctaaaaatac	aaaacattag	ccgggtgtgg	158640
	ctgtagtccc					158700
aggaggcgga	gcttgcagta	agccaagatc	gtgccactgc	actacagtct	gggcgacaga	158760
gtgagactcc	gtctcaaaaa	aaaaaagaat	tttggccggg	tgcggtggca	catgcctgta	158820
	tttgggagac					158880
	tatggcgaaa					158940
gtggtggcgg	gcacctgggg	aggctgaggc	agggagaaat	gcttgaaccg	gggaggcaga	159000
ggttgcagta	agccaagatc	gtgccactgc	actccagagc	aagactcttt	ctcaaaaaaa	159060
	aattttgcat					159120
	cttacaaaat					159180
	aggtaccttg					159240
catccttgca	ttggactaca	ttaatctgtc	agttatcctt	ataatgattt	ttgattttt	159300
	tggagtttcg					159360
ctcaccacaa	cctccacctc	ccaggttcaa	gtgattctgc	tgcctcagcc	teetgagtaa	159420

```
ctgggattac aggcatgcgc caccacacct ggctaatttt gtatttttag tagagacggg gtttctccat gttggtcagg ctggtctcga actcccaacc tcaggtgatc accctgtctc
                                                                       159480
                                                                       159540
ggcctcccaa agtgctggga ttacaggcgt aagccatggt acccggtctg ttttttgatt
                                                                       159600
tittgaaacc agtctgaagt gagtttttt aattacgtga aaggagtttg gctaaaatac
                                                                       159660
tgccatactg ccctaatgcc taatgattat gtattctcag catgtctgca aagtactgct
gatttetgga gaataatttt tetttagtaa actteaetta agtegteatg tgtattetet
                                                                       159780
caaaatqqta toctaaccta atggagctaa aagacacccc ttgtttttat aacaagcagt
                                                                       159840
tactgaggcc caggaagggg agaagtccct ggcttgtgag atgatcacca ttagaactca
                                                                       159900
ggeetgggee agtgeetttt catgettete agateettee aaagaataat gaagattata
                                                                       159960
accgctttta gcaattgtaa taaacccaga aatagaaagc tttttggtta gagtactggt
                                                                       160020
                                                                       160080
agaagtttgg cgggagagat aatttttaca aaatttgtaa atacctgcca attctatata
ctaggcaagg tetetggeet tgtaaaacce etcaaggtta caactttggt ggcccacact
                                                                       160140
                                                                      160200
aatagttacc cactgaggcc ctctccgggt gaacattgag cactagagga agcccctctg
cttgggcagg actgggcgtg gtgcagagta ggagcggtga tactgtggat tctgggcagg
tggagatggc cagtgatgtc caataaagga cactggaggg agcagtgtga gtaaaggccc
                                                                       160260
                                                                       160320
tgagggcatt catgttcagg gagggttgct gcccactggc ttgcttggca cacaggagag 160380
togqtattec toccttagta actitatota aacaaqtatt tectcagtet gttectetea
                                                                       160440
aactgootgo totggoacat toagaatgto acagaactca cotggatgoa ttoagoocot
                                                                       160500
tgeetaaagg tgaeagtgea teteetteec caceccacec etcataccae tgaagcacet
                                                                       160560
gicagactgg cccagictgt gggcaaggag cctagagagg gcttagtttc agctigaaag 160620
qaqctqqqat ttaccaaqaa qcaaatgaga gacgaggatt gcaacaactg tgccatttcc
                                                                      160680
ccagcificag ctgactcctg tatattgact gtgccffcag actcatccgf aagtgacccc
                                                                       160740
aggetggeet eteccacate acaqtaaqaa ttecacacae catacaactt ggaaaqagge
                                                                       160800
tecagetgaa ggaageeeca caettette aagttittet tagtettete tiettigeaa 160860
agaqtacctt ttqtttcttc taattatgta actattggtt tagtaaatat tcacccattc 160920
agtcaccctg taagtggcag gcactgttta cagggacaca ggaaggaata aaaacttgca
                                                                       160980
ggcaccttgg agcttgcatt ctattgaaga ggtaatggaa gttgggatag cagctaaact
                                                                       161040
atgetggtat tggccaggcg cagtggctca cacetgtaat cccagcactt tggaggccaa
                                                                       161100
gqtgggcaga tcatgaagtc aggagatcga gaccatcctg gctaacatgg tgaaaccccg
                                                                      161160
                                                                       161220
tetetaetaa aagtaaaaaa aaaaattage caggtgtggt ggegggegee tgtagteeca
getacttggg aggetgagge aggagaatgg tgtgaaccca ggaggegaag attgcagtga
                                                                       161280
geogagatqg caccactgca ctccagectg ggtgacagag cgagactctg tctcagaaaa
                                                                      161340
aaaaaatatg ctggtagttt tgattcaaga tggcctttgg agcccatgat ttaggtctcg
                                                                      161400
tacccaccaa ggictactgg aaaacatcag gcictcctgc tatagaccca tagggagage
                                                                       161460
tgcagccgag agggggagct gaagagaagt gccccttctg tgtcctgtca gcctcatcct
teegeaagga ceagttgetg tgecacteea tteacttget geaagaetgg aggtttttee 161580
tcaggtgttg agcacctggt ttacaagatg tcagcatctt gatgcctgag accatcaagg 161640
                                                                       161700
caagtetetg aacagggett acettagagt aaggettaga agaggeegta aagteagtet
cageteegtg getetgeaga getttgggae atgtgaatte ttaaaaacaa gaetattgta cagttactat atgeatgeag tataaaatta taaeettgga aaateetage tagetgttga
                                                                       161820
getaatteea taaagtaate ageteetgag ttetgeagtg gtaataataa teageataat
                                                                       161880
                                                                       161940
gagtaaacac tgtgtgtgcc aggcagcgtc tcatttgatc cttgtgataa tcttgtaagt
actgatttte teeettettt aaacaaagtt tttttttttt ttttagagag ggteteacta
                                                                       162000
                                                                       162025
tgttgcccag gctagtcttg aattc
<210> 37
<211> 1350
<212> DNA
<213> Homo Sapien
<220>
<221> CDS
<222> (213)...(920)
<300>
<308> GenBank AJ242973
<309> 1999-10-26
<400> 37
geggeegegt egaegtgaca geeggtaege eegggtttgg geaacetega ttaegggegg
                                                                          60
cetecaggee egecageage geceegege gecegeege geceetgeeg eeeeeeggtt
                                                                         120
```

get tge cag etc etc etc eac age etc ttt ecc gte eeg agg atg

coggeogogg accocactot otgoogttoo ggotgogget cogotgoogg tagogoogto

ceeegggace accettegge tggegecete ee atg etc teg gee acc egg agg

Met Leu Ser Ala Thr Arg Arg

180

281

Ala Cys Gln Leu Leu Leu Leu His Ser	Leu Phe Pro Val Pro Arg Met
10 15	20
ggc aac tcg gcc tcg aac atc gtc agc Gly Asn Ser Ala Ser Asn Ile Val Ser 25 30	
cgg aag gaa cag acc cct gta gcg gcc	aaa cat cat gtc aat ggc aac 377
Arg Lys Glu Gln Thr Pro Val Ala Ala	Lys His His Val Asn Gly Asn
40 45	50 55
aga aca gtc gaa cct ttc cca gag gga	aca cag atg gct gta ttt gga 425
Arg Thr Val Glu Pro Phe Pro Glu Gly	Thr Gln Met Ala Val Phe Gly
60	65 70
atg gga tgt ttc tgg gga gct gaa agg	aaa ttc tgg gtc ttg aaa gga 473
Met Gly Cys Phe Trp Gly Ala Glu Arg	Lys Phe Trp Val Leu Lys Gly
75 80	85
gtg tat tca act caa gtt ggt ttt gca	gga ggc tat act tca aat cct 521
Val Tyr Ser Thr Gln Val Gly Phe Ala	Gly Gly Tyr Thr Ser Asn Pro
90 95	100
act tat aaa gaa gtc tgc tca gaa aaa Thr Tyr Lys Glu Val Cys Ser Glu Lys 105	
cga gtg gtg tac cag cca gaa cac atg	agt ttt gag gaa ctg ctc aag 617
Arg Val Val Tyr Gln Pro Glu His Met	Ser Phe Glu Glu Leu Leu Lys
120 125	130 135
gtc ttc tgg gag aat cac gac ccg acc Val Phe Trp Glu Asn His Asp Pro Thr 140	
gac cat ggc act cag tac cgc tcg gcc	atc tac ccg acc tct gcc aag 713
Asp His Gly Thr Gln Tyr Arg Ser Ala	Ile Tyr Pro Thr Ser Ala Lys
155 160	165
caa atg gag gca gcc ctg agc tcc aaa	gag aac tac caa aag gtt ctt 761
Gln Met Glu Ala Ala Leu Ser Ser Lys	Glu Asn Tyr Gln Lys Val Leu
170 175	180
tca gag cac ggc ttc ggc ccc atc act	acc gac atc cgg gag gga cag 809
Ser Glu His Gly Phe Gly Pro Ile Thr	Thr Asp Ile Arg Glu Gly Gln
185	195
act ttc tac tat gcg gaa gac tac cac Thr Phe Tyr Tyr Ala Glu Asp Tyr His 200 205	
ccc aat ggc tac tgc ggc ctt ggg ggc	acc ggc gtg tcc tgc cca gtg 905
Pro Asn Gly Tyr Cys Gly Leu Gly Gly	Thr Gly Val Ser Cys Pro Val
220	225 230
ggt att aaa aaa taa ttgctcccca catgg Gly Ile Lys Lys * 235	tgggc ctttgaggtt ccagtaaaaa 960
tgctttcaac aaattgggca atgcttgtgt gat aagtacaaag gaatttatac agattgggtt tac ggcaagttga taaaatgtga cttatctcct aat gtttcctgtg tcttctgggg tctgagtgaa gat ggtagaagct aaggtgtgag ctgggaggtt gct tttatctgtg ctctctgccc gccagtgcct tac actcattcgc tgaaatcctt cgctttacca	egaagta taatetatag gaggegegat 1080 aagttat ggtgggagtg gagetgtgeg 1140 agcaggg atgetgtgtt caccettett 1200 ggacagg atggggace ceagaagtee 1260

<300>

<308> GenBank AW874187 <309> 2000-05-22 <400> 40

```
<210> 38
<211> 235
<212> PRT
<213> Homo Sapien
<400> 38
Met Leu Ser Ala Thr Arg Arg Ala Cys Gln Leu Leu Leu Leu His Ser
 1
                                     10
Leu Phe Pro Val Pro Arg Met Gly Asn Ser Ala Ser Asn Ile Val Ser
            20
                                 25
                                                       3.0
Pro Gln Glu Ala Leu Pro Gly Arg Lys Glu Gln Thr Pro Val Ala Ala
                             40
Lys His His Val Asn Gly Asn Arg Thr Val Glu Pro Phe Pro Glu Gly
    50
                                              60
Thr Gln Met Ala Val Phe Gly Met Gly Cys Phe Trp Gly Ala Glu Arg
                     70
Lys Phe Trp Val Leu Lys Gly Val Tyr Ser Thr Gln Val Gly Phe Ala
                85
                                      90
Gly Gly Tyr Thr Ser Asn Pro Thr Tyr Lys Glu Val Cys Ser Glu Lys
            100
Thr Gly His Ala Glu Val Val Arg Val Val Tyr Gln Pro Glu His Met
        115
                             120
Ser Phe Glu Glu Leu Leu Lys Val Phe Trp Glu Asn His Asp Pro Thr
    130
                         135
                                              140
Gln Gly Met Arg Gln Gly Asn Asp His Gly Thr Gln Tyr Arg Ser Ala
                     150
                                          155
Ile Tyr Pro Thr Ser Ala Lys Gln Met Glu Ala Ala Leu Ser Ser Lys
                 165
                                      170
Glu Asn Tyr Gln Lys Val Leu Ser Glu His Gly Phe Gly Pro Ile Thr
            180
                                 185
                                                      190
Thr Asp Ile Arg Glu Gly Gln Thr Phe Tyr Tyr Ala Glu Asp Tyr His
        195
                             200
Gln Gln Tyr Leu Ser Lys Asn Pro Asn Gly Tyr Cys Gly Leu Gly Gly
                         215
Thr Gly Val Ser Cys Pro Val Gly Ile Lys Lys
                     230
225
<210> 39
<211> 481
<212> DNA
<213> Homo Sapien
<300×
<308> GenBank AW195104
<309> 1999-11-29
<400> 39
ggcattattg gactgtaggt ttttattaaa acaaacattt ctcatagctc taagcaaagc attagaattc atcaagcgga ctcacatctt ttctctgcac agagaggggc tgaaaaggga
                                                                          120
gagaaagtcc cttatgtatg tctagatttg gtaaagcgaa ggatttcagc gaatgagtca
                                                                          180
ctgaggctat acacgtttgc aaattgtaag gcactggcgg gcagagagca cagataaagg
                                                                          240
acticigggg tececcatec tgtecageaa ecteccaget cacacettag ettetaceaa
                                                                          360
gaagggtgaa cacagcatcc ctgctatctt cactcagacc ccagaaaaacc cagggaaacc
cgacagetee acteceacea taaettatta ggagataagt cacattttat caaettgeea
                                                                          420
tegegeetee tatagattat actteggtaa acceaatetg tataaattee tttgtaettt
                                                                          480
<210> 40
<211> 390
<212> DNA
<213> Homo Sapien
```

ttttttttat tggactgtag gtttttatta aaacaaacat ttotcatagc tota; gcattagaat tcatcaagcg gactcacatc ttttcttgc acagagaggg ctga; agagaaagcc ccttatgtat gtctagattt ggtaaagcga aggattaga cacagatggct tacacgtttg caaattgtaa ggcactggcg ggcagagagc acag; gacttttggg ggtccccat tcctgtccag caacctccca gctcacacct tagccaagaaggg tgaacacaga atcctgcta tcttcactca gacccccaga agacaacacgc ctccactcc accataactt	aaaggg 120 tgagtc 180 ataaag 240 ttctac 300
<210> 41 <211> 43 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 41 agcggataac aatttcacac agggagctag cttggaagat tgc	43
<210> 42 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 42 gtccaatata tgcaaacagt tg	22
<210> 43 <211> 23 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 43 agcggataac aatttcacac agg	23
<210> 44 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 44 actgagcctg ctgcataa	18
<210> 45 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 45 tctcaatcat gtgcattgag g	21
<210> 46 <211> 43 <212> DNA <213> Artificial Sequence	

<220> <223> Oligonucleotide Primer	
<400> 46 agcggataac aatttcacac agggatcaca cagccatcag cag	43
<210> 47 <221> 23 <212> DNA <213> oligonucleotide primer	
<400> 47 agcggataac aatttcacac agg	23
<210> 48 <211> 18 <212> DNA <213> Oligonucleotide primer	
<400> 48 ctggcgccac gtggtcaa	18
<210> 49 <211> 20 <2212> DMA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 49 tttctctgca cagagagggc	20
<210> 50 <211> 44 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 50 agcggataac aatttcacac agggctgaaa teettegett tacc	44
<210> 51 <211> 23 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 51 aggggataac aatttcacac agg	23
<210> 52 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 52 ctgaaaaggg agagaaag	18
<210> 53	

<pre><211> 20 <212> DNA <213> Artificial Sequence</pre>	
<220> <223> Oligonucleotide Primer	
<400> 53 tcccaaagtg ctggaattac	20
<210> 54 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 54 gtccaatata tgcaaacagt tg	22
<210> 55 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide Primer	
<400> 55 cccacagcag ttaatccttc	20
<210> 56 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 56 gcgctcctgt cggtgcca	18
<210> 57 <211> 18 <212- DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 57 gcctgactgg tggggccc	18
<210> 58 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 58 catgcatgca cggtc	15
<210> 59 <211> 30	

<212> DNA <213> Artificial Sequence	
<220>	
<223> Oligonucleotide primer	
<400> 59 cagagagtac coctogaceg tgcatgcatg	30
<210> 60 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 60 catgcatgca cggtt	15
<210> 61 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 61 gtacgtacgt gccaactccc catgagagac	30
<210> 62 <211> 14 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 62 catgcatgca cggt	14
<210> 63 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 63 gcctgactgg tggggccc	18
<210> 64 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 64 gtgctgcagg tgtaaacttg taccag	26
<210> 65 <211> 28 <212> DNA	

```
<213> Artificial Sequence
<220>
<223> Oligonucleotide primer
                                                                          28
cacggatccg gtagcagcgg tagagttg
<210> 66
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide primer
<400> 66
                                                                           19
actgggcatg tggagacag
<210> 67
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide primer
<400> 67
                                                                           18
gcactttctt gccatgag
<210> 68
<211> 14
<212> DNA
<213> Artificial Sequence
 <223> Oligonucleotide primer
 <400> 68
                                                                            14
 tcagtcacga cgtt
 <210> 69
 <211> 14
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
 <400> 69
                                                                            14
 cggataacaa tttc
 <210> 70
 <211> 37
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide primer
  <400> 70
                                                                             37
 caatttcatc gctggatgca atctgggcta tgagatc
 <210> 71
  <211> 37
  <212> DNA
  <213> Artificial Sequence
```

<220>

<220> <223> Oligonucleotide primer	
<400> 71 caatttcaca cagoggatge ttettttgge tetgact	37
<210> 72 <211> 40 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 72 tcagtcacga cgttggatgc caataaaagt gactctcagc	40
<210> 73 <211> 37 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 73 cggataacaa tttcggatgc actgggagca ttgaggc	37
<210> 74 <221> 38 <212> DMA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 74 tcagtcacga cgttggatga gcagatccct ggacaggc	38
<210> 75 <211> 38 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 75 cggataacaa tttcggatgg acaaaatacc tgtattcc	38
<210> 76 <211> 36 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 76 tcagtcacga cgttggatgc agagcagctc cgagtc	36
<210> 77 <211> 32 <212> DNA <213> Artificial Sequence	

<223> Oligonucleotide primer	
<400> 77 cagcggtgat cattggatgc aggaagctct gg	32
<210> 78 <211> 38 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 78 tcagtcacga cgttggatgc ccacatgcca cccactac	38
<210> 79 <211> 35 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 79 cggataacaa tttcggatgc ccgtcaggta ccacg	35
<210> 80 <211> 37 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 80 tcagtcacga cgttggatgc ccacagtgga gcttcag	37
<210> 81 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 81 gctcatacct tgcaggatga cg	22
<210> 82 <211> 36 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 82 teagteacga cgttggatga ceagetgtte gtgtte	36
<210> 83 <211> 34 <212> DNA <213> Artificial Sequence	
<220>	

<400> 83 tacatggagt teggggatge acaeggegae tete	34
<210> 84 <211> 40 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 84 tcagtcacga cgttggatgg ggaagagcag agatatacgt	40
<210> 85 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 85 gaggggctga tccaggatgg gtgctccac	29
<210> 86 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 86 tgaagcactt gaaggatgag ggtgtctgcg	30
<210> 87 <211> 38 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 87 cggataacaa tttcggatgc tgcgtgatga tgaaatcg	38
<210> 88 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 88 gatgaagctc ccaggatgcc agaggc	26
<210> 89 <211> 27 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 89	

gccgccggtg taggatgctg ctggtgc	27
<210> 90 <211> 31 <212> DMA <213> Artificial Sequence	
<220> <223> Oligonucleotide Template	
<400> 90 cgcagggttt cctcgtcgca ctgggcatgt g	31
<210> 91 <211> 43 <212> DNA <213> Artificial Sequence	
<220> <223> Biotinylatd primer	
<400> 91 tgcttatccc tgtagctacc ctgtcttggc cttgcagatc caa	43
<210> 92 <211> 42 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 92 ageggataac aattteacac aggeeateac aeegeggtac tg	42
<210> 93 <211> 44 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 93 cccagtcacg acgttgtaaa acgtcttggc cttgcagatc caag	44
<210> 94 <211> 42 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 94 ageggataac aattteacac aggecateac acegeggtac tg	42
<210> 95 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Oligonucleotide primer	
<400> 95	20

<210> 96 <211> 17 <212> DNA <213> Artif	icial Seque	nce				
<220> <223> Oligo	nucleotide	primer				
<400> 96 cacttcagtc	getecet					17
<210> 97 <211> 23 <212> DNA <213> Artif	icial Seque	ence				
<220> <223> Bioti	nylated pri	mer				
<400> 97 cccagtcacg	acgttgtaaa	acg				23
<210> 98 <211> 100 <212> DNA <213> Homo	sapien					
<400> 98 cctttgagaa agatcaataa				ctgcaacaat	ctgggctatg	60 100
<210> 99 <211> 100 <212> DNA <213> Homo	sapien					
	agggetetge agteagagee			ctgcaacaat	ctgggctatg	60 100
<210> 100 <211> 100 <212> DNA <213> Homo	sapien					
	tgtgtttcta gtgctattca			agtgactctc	agcgagcctc	60 100
<210> 101 <211> 100 <212> DNA <213> Homo	sapien					
	tgtgtttcta gtgctattca			agtgactctc	agcaagcete	60 100
<210> 102 <211> 84 <212> DNA <213> Homo	sapien					
	acttctaatc aagtaacctt		gatccctgga	caggcgagga	atacaggtat	60 84

<210> 103 <211> 84 <212> DMA <213> Homo sapien	
$<\!400\!>103$ taataggact acttctaatc tgtaagagca gatccctgga caggcaagga atacaggtat tttgtccttg aagtaacctt tcag	60 84
<210> 104 <211> 100 <212> DNA <213> Homo sapien	
<400> 104 ctoaccatgg gcatttgatt gcagagcagc tccgagtccg tccagagctt cctgcagtca atgatcaccg ctgtgggcat ccctgaggtc atgtctcgta	60 100
<210> 105 <211> 100 <212> DNA <213> Homo sapien	
<400> 105 ctoaccatgg gcatttgatt gcagagcagc tccgagtcca tccagagctt cctgcagtca atgatcaccg ctgtgggcat ccctgaggtc atgtctcgta	60 100
<210> 106 <211> 100 <212> DNA <213> Homo sapien	
<400> 106 agcaaggact octgeaaggg ggacagtgga ggcccacatg ccacccacta ccagggcacg tggtacctga cgggcatcgt cagctggggc cagggctgcg	60 100
<210> 107 <211> 100 <212> DNA <213> Homo sapien	
<400> 107 agcaaggact cctgcaaggg ggacagtgga ggcccacatg ccaccacta ccggggcacg tcgtacctga cggcatcgt cagctgggc cagggctgcg	60 100
<210> 108 <211> 100 <212> DNA <213> Hom sapien	
<400> 108 caataactot aatgeagegg aagatgacet geceacagtg gagetteagg gegtggtgee ceggggegte aacetgeaag gtatgageat accecette	60 100
<210> 109 <211> 100 <212- DNA <213> Homo sapien	
<400> 109 caataactct aatgcagegg aagatgacet geceacagtg gagetteagg gettggtgee ceggggegte aacetgeaag gtatgageat accecette	60 100
<210> 110 <211> 100 <212> DNA <213> Homo sapien	

<400> 110 ttgaagettt gtgtggagee	gggctacgtg ccgaactcca	gatgaccagc tgggtttcca	tgttegtgtt gtagaattte	ctatgatcat	gagagtegee	60 100
<210 > 111 <211 > 100 <212 > DNA <213 > Homo	sapien					
<400> 111 ttgaagcttt gtgtggagcc	gggctacgtg ccgaactcca	gatgaccagc tgggtttcca	tgttcgtgtt gtagaatttc	ctatgatgat	gagagtcgcc	60 100
<210> 112 <211> 100 <212> DNA <213> Homo	sapien					
<400> 112 ggataacctt caggcctgga	ggetgtacec teagececte	cctggggaag attgtgatct	agcagagata gggagccete	tacgtgccag	gtggagcacc	60 100
<210> 113 <211> 100 <212> DNA <213> Homo	sapien					
<400> 113 ggataacctt caggcctgga	ggctgtaccc tcagcccctc	cctggggaag attgtgatct	agcagagata gggagccctc	tacgtaccag	gtggagcacc	60 100
<210> 114 <211> 80 <212> DNA <213> Homo	sapien					
<400> 114 tgaagcactt ttgaggctga	gaaggagaag cacattette	gtgtctgcgg	gagccgattt	catcatcaco	g cagettttet	60 80
<210> 115 <211> 80 <212> DNA <213> Homo	sapien					
<400> 115 tgaagcactt ttgaggctga	gaaggagaag a cacattette	gtgtetgegg	gagtcgattt	: catcatcac	g cagettttet	60 80
<210> 116 <211> 80 <212> DNA <213> Homo	o sapien					
<400> 116 tccagatgaa tcctacaccg	a geteceagaa g geggeeeete	tgccagaggo	: tgctccccg	gtggcccct	g caccagcagc	60 80
<210> 117 <211> 80 <212> DNA <213> Home	o sapien					
<400> 117 tccagatga tcctacacc	a geteccagaa g geggeeeete	a tgccagagg	e tgetececc	c gtggcccct	g caccagcagc	60 80

```
<210> 118
<211> 48
<211> DNA
<212> DNA
<213> Artificial Sequence
<220>
<223> Hair pin structure
```

<400> 118 cagagagtac coetcaaccg tgcatgcatg aaacatgcat gcacggtt

48

United States Patent & Trademark Office Office of Initial Patent Examination -- Scanning Division



oplication deficienc	ies were found d	uring scanning:	
□ Page(s) for scanning.	of	(Document title)	were not present
□ Page(s) for scanning.	of	(Document title)	were not present
Scanned copy is	s best available.	Drawings	